MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

MEDICAL LIBRARY

...ort of the
...hs + Marriages

Sent Reminder Ret'd "

22500993388

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be reborrowed for a further period upon written request provided it is not required by another officer.

21214 6410/3646a 5m(2) 7/24 J.P.D207 Gp.132

W 14

1694

TWELFTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL


OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

MEDICAL DEPARTMENT OF THE PRIVY COUNCIL OFFICE

Presented to both Houses of Parliament by Command of Her Majesty.



MEDICAL LIBRARY
MINISTRY OF HEALTH

EDINBURGH:
PRINTED BY MURRAY AND GIBB
FOR HER MAJESTY'S STATIONERY OFFICE.

1869.

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call No. SCR WA

REPORT.

TO THE

RIGHT HON$^{BLE.}$ H. AUSTEN BRUCE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *April* 30, 1869.

SIR,

AT thec lose of the year 1866, I submitted to the Secretary of State for the Home Department a general abstract of the births, deaths, and marriages registered in Scotland during that year, together with a short explanatory statement relative to the same, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80.

Along with that was transmitted my Second Annual Report on Vaccination, conform to the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to forward to you my Detailed Report for the same year, with relative tables; and this completes the series of facts relative to the vital statistics of Scotland for the year 1866, including all those which could not be included in my shorter Report above referred to.

Being desirous of aiding, as far as possible, those important sanitary inquiries which are being made with reference to the

towns and populous districts, I have included in the tables appended to this Report a decennial summary of the number of deaths in every registration district in Scotland, and the annual proportion of deaths to the mean population.

As a guide also to the medical practitioner and the invalid, I have appended tables of the monthly meteorology during the ten years 1855–1864, and the monthly deaths during that period, from which it will be seen that the months most fatal to the population are those of February, March, and January, while those of least mortality are September, August, and October.

I have also given some additional facts relative to surnames in Scotland, which will be read with interest by those who take pleasure in such inquiries.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

Page

Report of Registrar-General to the Secretary of State, ... iii
Report by Dr Stark to the Registrar-General, ... ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the twelve years 1855 to 1866 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, . . ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts, during each of the twelve years 1855 to 1866, ... x
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1866, ... xi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1866, . . . xii

BIRTHS.

Births in 1866, and their Proportion to the Population in 1866, with relative Tables, . x
Tables showing particulars relative to the Births during each of the twelve years 1855 to 1866, ... xi–xii

MARRIAGES.

Number of Marriages in 1866, and their Proportion to the Population, . . . xiii
Relative fertility of Scottish and English Females, ... xiv
Number and Proportion of Marriages celebrated according to the Rites of the several Religious Denominations in 1866, and from 1855 to 1866, with relative Tables, . xv
Number and Proportion of Persons marrying at different ages, with relative Tables, . xvi
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, ... xix
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, . xx

DEATHS.

Number of Deaths in Scotland in 1866, and their Proportion to the Population, . . xxi
Death-rates in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during each of the twelve years 1855 to 1866, ... xxi
Death-rates in each of the Eight Principal Towns during each of the years 1856–1866, . xxii
Tables of Deaths at different ages in Scotland, its Three Great Groups of Districts, and in each of its Eight Principal Towns, during 1866, ... xxiv
Causes of Death in 1866, with relative Tables, ... xxx

Page

Small-pox Deaths for twelve years, and particulars relative to Vaccination in Scotland for years 1864, 1865, and 1866, with relative Tables, ... xxxiv
Different forms of Fever prevalent in Scotland, ... xxxv
The Eighteen most fatal Diseases in Scotland and England in 1866, . . . xxxviii

INFLUENCE OF EXTERNAL AGENCIES IN 1866.

Table showing the Meteorology of Scotland during each month of the year 1866, together with the Monthly and Daily number of Births, Deaths, and Marriages, . . xl
Table showing the Number of Deaths Weekly in the Eight Principal Towns of Scotland, together with the Highest, Lowest, and Mean Temperatures, and the Fall of Rain during every Week of the year 1866, ... xli
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Diseases, in the Eight Principal Towns of Scotland, during each month of the year 1866, . . xli
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the twelve years 1855–1866, showing that high price of provisions has no apparent effect on the Death-rate in Scotland, ... xlii

INFLUENCE OF SEASON ON THE DEATHS IN SCOTLAND DURING THE TEN YEARS 1855–1864.

Summary Table of Temperature during each month of the ten years 1855–1864, . . xlii
Summary Table of Winds during each month of the ten years 1855–1864, . . . xlii
Summary Tables of Monthly Deaths in Scotland, its Insular, Mainland-Rural, and Town Districts, also in its Eight Divisions, during the ten years 1855-64, . . . xliii
Tables of Proportional Monthly Mortality, during the ten years 1855–1864, in Scotland, its Insular, Mainland-Rural, and Town Districts, also in its Eight Divisions, . . xliv

Mortality of each Registration District in Scotland during the ten years 1856–1865, . xlvii

NOMENCLATURE IN SCOTLAND.

The Hundred and Fifty most common Surnames in Scotland, and the Counties in which they predominate, with relative Tables, ... xlvii

---

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1866, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1866, also of the Illegitimate Births, in every Registration District, 2–23
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1866, in the Insular, the Mainland-Rural, and Town Districts of Scotland, . 23

MARRIAGES

Table of the Marriages in Scotland and its Counties in 1866; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24
Table of the Civil Condition of the Parties who married in 1866; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1866, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1866, . 28

Page

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1866, together with the Population of these Counties and Towns in 1851 and 1861, ... 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1866, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1866, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1866, ... 36–39
Do. Males, ... 40–43
Do. Females, ... 44–47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1866, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63
Do. Males, ... 64–67
Do. Females, ... 68–71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99
Do. Males, ... 100–103
Do. Females, ... 104–107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 120–123
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–159
Do. Males, ... 160–163
Do. Females, ... 164–167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 168–171
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 172–175
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 176–179
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 180–183
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1866, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1866, ... 184

Page

APPENDIX TABLES.

Meteorology of Scotland during each Month of the Ten Years 1855–64, . . . 186
Monthly Mortality in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during the Ten Years 1855–64, ... 187
Monthly Mortality in the Eight Divisions of Scotland during the Ten Years 1855-64, . 188–189
Mortality of each District in Scotland during the Ten Years 1855–64, with Per-centage to the Mean Population, ... 190–199

Constitution of the Compound Districts, ... 200
Index to Districts, ... 201

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1866, to which this Report refers, was one of commercial and manufacturing prosperity, but Rinderpest among the cattle raised the price of butcher meat far above its average, and by reacting on the other articles of food, caused the price of all the ordinary kinds of provisions to be considerably higher than during the previous year. The supply, however, of all kinds of provisions, excepting that of butcher meat, was abundant, and good in quality. No want was experienced among the labouring population, for the demand for labour was great and wages were high; and the best proof of this was seen in the fact, that marriages con-

---

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the years 1855 to 1866, and their Proportion to the Population. Also the Illegitimate Births, and the Excess of Births over Deaths.

YEAR.	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
		Total.	Illegit.				Births.	Deaths.	Marriages.
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·395	1·953	0·692
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·457	2·231	0·695
1861	3,066,633	107,009	9,929	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	10,376	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	10,948	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,333	11,197	74,416	22,725	37,917	3·602	2·386	0·728
1865	3,136,057	113,070	11,262	70,891	23,611	42,179	3·605	2·260	0·753
1866	3,153,413	113,667	11,673	71,348	23,688	42,319	3·604	2·263	0·751

tinued to be contracted at the same high rate as during the three previous years—a rate much above the Scottish average. The continuance of the high rate of marriage for a period of four years caused the proportion of

TABLE II.—POPULATION of SCOTLAND and its THREE GROUPS of DISTRICTS in 1851 and 1861; also the Population estimated to the middle of the Year 1866.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1866.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	71,650	86,064	157,714
Mainland-Rural . }	829,259	883,293	1,712,552	849,381	913,996	1,763,377	860,067	930,307	1,790,374
Town . .	469,460	540,243	1,009,703	527,058	611,126	1,138,184	557,175	648,150	1,205,325
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,488,892	1,664,521	3,153,413

TABLE III.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during each of the Years 1855–66.

YEARS.	TOTAL BIRTHS.			ILLEGITIMATE BIRTHS.			DEATHS.			MARRIAGES.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	3733	53347	36269	162	4589	2606	2693	30893	28418	724	10060	8896
1856	4320	56705	40796	240	5375	3082	2166	28825	27538	841	10428	9471
1857	4460	57568	41687	227	5542	3090	2306	30390	29210	954	10960	9445
1858	4582	57607	41829	247	5574	3533	2377	31564	29598	884	10083	8688
1859	4627	59366	42550	269	5874	3572	2633	30959	28122	910	10825	9466
1860	4588	58883	42158	247	5875	3614	2714	33358	32098	811	10747	9667
1861	4499	58191	44319	227	5646	4056	2562	30814	28965	919	10288	9689
1862	4458	58557	44054	219	5836	4321	2975	32694	31526	851	10185	9561
1863	4323	59235	45783	212	6277	4459	2934	34722	33825	784	10820	10630
1864	4340	60672	47321	233	6433	4531	2720	35719	35977	775	10819	11131
1865	5046	59321	48703	337	6303	4622	2488	32992	35411	776	11184	14651
1866	4253	60420	48994	264	6543	4866	2661	34315	34372	815	11127	11746

TABLE IV.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Years 1855–1866; also the Per-centage of Illegitimate to the Total Births.

YEARS.	Per-centage of BIRTHS to the Population.			Per-centage of Illegitimate to the Total Births.			Per-centage of DEATHS to the Population.			Per-centage of MARRIAGES to the Population.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	2·275	3·078	3·403	4·3	8·6	7·1	1·644	1·784	2·675	0·441	0·580	0·834
1856	2·643	3·204	3·783	5·5	9·4	7·5	1·293	1·659	2·561	0·514	0·599	0·869
1857	2·738	3·301	3·794	5·6	9·6	7·4	1·414	1·744	2·685	0·585	0·628	0·866
1858	2·882	3·299	3·790	5·4	9·6	8·4	1·463	1·806	2·690	0·544	0·576	0·787
1859	2·860	3·384	3·812	5·8	9·9	8·4	1·626	1·766	2·527	0·562	0·617	0·848
1860	2·846	3·346	3·735	5·3	9·9	8·5	1·682	1·897	2·851	0·503	0 610	0·856
1861	2·801	3 297	3·883	5·0	9·7	9·1	1·595	1·746	2·537	0·572	0·582	0·848
1862	2·786	3·308	3·814	4·9	9·9	9·8	1·859	1·847	2·730	0·531	0·575	0·827
1863	2·711	3·338	3·921	4·9	10·6	9·7	1·840	1·956	2·897	0·491	0·609	0·910
1864	2·732	3·408	4·010	5·3	10·6	9·6	1·712	2·006	3·048	0·488	0 607	0·943
1865	3·187	3·323	4·083	6·6	10·6	9·4	1·571	1·848	2·969	0·490	0·626	0·976
1866	2·696	3·375	4·064	6·2	10·8	9·9	1·687	1·916	2·851	0·516	0·621	0·974

births to be considerably above the mean, and equal to that of the two previous years.

The death-rate, however, continued high; and though it is difficult to trace the connection between the existence of malignant plague in our cattle, and that of special epidemics among the human race, or to show that both are dependent on atmospheric causes, yet it deserves notice, that while our cattle were decimated with that plague of Rinderpest, epidemic Cholera and Fever prevailed among the inhabitants of Scotland.

BIRTHS.

113,667 Births were registered in Scotland during the year 1866, being at the high rate of 360 births in every ten thousand persons, or 3·60 per cent. Of these, 4253 were registered in the Insular, 60420 in the Mainland-Rural, and 48994 in the Town Districts,—indicating a proportion of 269 births in every ten thousand persons in the Insular, 337 births in the Mainland-Rural, and 406 births in the Town Districts.

TABLE V.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1866, and their Proportion to the Population; also the Illegitimate Births, and their Proportion to the Total Births.

	Estimated Population 1866.	Births.		Illegitimate Births.		Deaths.		Marriages.	
		Births.	Per cent. to Pop.	Number.	Per cent. to Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	430,363	18288	4·249	1873	10·2	12829	2·981	4325	1·005
Edinburgh .	175,059	6246	3·567	644	10·3	4813	2·749	1782	1·017
Dundee . .	97,770	4489	4·591	565	12·6	3130	3·201	1150	1·176
Aberdeen .	74,908	2857	3·814	403	14·1	2324	3·102	690	0·921
Paisley . .	47,427	1717	3·620	165	9·6	1345	2·836	404	0·851
Greenock .	47,280	2434	5·148	130	5·3	1488	3·146	473	1·000
Leith . .	38,029	1547	4·067	113	7·3	924	2·429	399	1·049
Perth . .	26,839	860	3·204	84	9·8	613	2·246	244	0·909

TABLE VI.—BIRTHS in SCOTLAND, 1855–1866; with the Number and Proportion of Males and Females in the Legitimate, Illegitimate, and Total Births, and the Proportion of Mothers who bare Twins or Triplets.

Years.	Total Births.		Legitimate Births.		Illegit. Births.		Twin Births.	Triplet Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110 0	77
1860	54409	51220	49370	46 23	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103 7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105 8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81

Of the 113,667 children whose births were registered during the year, 58360 were boys and 55307 girls,—indicating a proportion of 105·5 boys to every 100 girls at birth.

During the year, 1366 twin births occurred and 12 triplet births,—indicating that one mother in every 82 bare twins, and one in every 9356 mothers bare triplets.

TABLE VII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1866, and their Proportion to the Population, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

	DIVISIONS AND COUNTIES.	Population estimated to the middle of the Year 1866.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per-cent.	No.	Per cent.	No.	Per-cent.	No.	Per-cent.
	SCOTLAND . . .	3,153,413	113667	3·604	11673	10·2	71348	2·263	23688	0·751
	Insular Districts . .	157,714	4253	2·696	264	6·2	2661	1·687	815	0·516
	Mainland-Rural Dists.	1,790,374	60420	3·375	6543	10·8	34315	1·916	11127	0·621
	Town Districts . . .	1,205,325	48994	4·064	4866	9·9	34372	2·851	11746	0·974
	DIVISIONS.									
I.	NORTHERN	132,201	3315	2·507	213	6·4	2085	1·576	619	0·468
II.	NORTH-WESTERN . .	162,919	4588	2·815	312	6·8	2829	1·738	789	0·484
III.	NORTH-EASTERN . .	376,448	12744	3·388	2019	15·8	7630	2·026	2487	0·660
IV.	EAST-MIDLAND . . .	527,947	18236	3·452	1998	10·9	11641	2·205	4182	0·794
V.	WEST-MIDLAND . .	243,063	8174	3·362	677	8·2	4800	1·975	1537	0·632
VI.	SOUTH-WESTERN . .	1,075,015	44551	4·144	4011	9·0	28265	2·629	9350	0·870
VII.	SOUTH-EASTERN . .	422,475	15445	3·655	1512	9·7	10133	2·398	3513	0·831
VIII.	SOUTHERN	213,345	6614	3·100	931	14·1	3965	1·858	1211	0·567
	COUNTIES.									
1	Shetland	31,980	778	2·432	39	5·0	576	1·801	182	0·569
2	Orkney	32,888	769	2·338	43	5·6	471	1·432	154	0·468
3	Caithness.	43,464	1218	2·802	106	8·7	669	1·539	194	0·446
4	Sutherland	23,869	550	2·304	25	4·5	369	1·542	89	0·372
5	Ross and Cromarty .	81,714	2189	2·679	120	5·4	1378	1·690	391	0·477
6	Inverness	81,205	2399	2·966	192	8·0	1451	1·786	398	0·488
7	Nairn	8,480	234	2·756	27	11·5	164	1·932	59	0·695
8	Elgin	46,150	1403	3·040	211	14·9	991	2·147	251	0·543
9	Banff	58,467	1867	3·191	305	16·3	992	1·696	327	0·559
10	Aberdeen.	228,531	8067	3·529	1306	16·2	4883	2·137	1613	0·705
11	Kincardine	34,812	1173	3·359	170	14·5	600	1·723	237	0·680
12	Forfar	213,637	8358	3·912	1034	12·3	5399	2·527	2008	0·939
13	Perth	131,009	3686	2·813	400	10·8	2440	1·862	802	0·612
14	Fife.	155,666	5249	3·365	482	9·1	3287	2·111	1184	0·760
15	Kinross	8,264	220	2·662	17	7·7	132	1·598	60	0·726
16	Clackmannan . . .	19,371	723	3·732	65	8·9	383	1·977	128	0·661
17	Stirling	90,411	3432	3·796	289	8·1	1831	1·302	714	0·789
18	Dumbarton	57,954	2110	3·640	171	8·1	1178	2·032	367	0·633
19	Argyll	78,515	2219	2·826	171	7·6	1402	1·784	365	0·465
20	Bute	16,183	413	2·552	46	11·1	389	2·403	91	0·562
21	Renfrew	174,417	7300	4·185	590	8·1	4668	2·676	1485	0·850
22	Ayr.	203,831	7617	3·736	728	9·5	4494	2·205	1523	0·747
23	Lanark	696,767	29634	4·253	2693	9·0	19103	2·741	6342	0·910
24	Linlithgow	43,486	1860	4·277	172	9·2	1025	2·357	301	0·692
25	Edinburgh	281,758	10348	3·672	998	9·6	7239	2·568	2687	0·953
26	Haddington	38,288	1220	3·186	104	8·5	778	2·032	201	0·525
27	Berwick	36,655	1187	3·234	151	12·7	657	1·792	180	0·491
28	Peebles	11,557	379	3·279	40	10·5	196	1·696	65	0·562
29	Selkirk	10,731	451	4·269	47	10·4	238	2·217	79	0·736
30	Roxburgh	55,029	1761	3·200	209	11·8	908	1·650	312	0·566
31	Dumfries	74,728	2365	3·164	367	15·5	1586	2·122	458	0·612
32	Kirkcudbright . . .	42,169	1319	3·128	175	13·3	816	1·935	212	0·502
33	Wigtown	41,419	1169	2·822	180	15·4	655	1·581	229	0·552

Of the children born during the year, 101,994 were legitimate and 11673 illegitimate,—indicating that 10·2 per cent. of the births were illegitimate.

It is unneccessary to enter into further details relative to the births in this place, as they were fully commented on in the Twelfth Annual Report, which had reference to the year 1866, and which was published shortly after the close of that year. The tables in that Report, however, were the unrevised numbers, drawn up from returns sent by the several Registrars; whereas the tables appended to this Report are the corrected numbers, prepared from the Registers themselves.

MARRIAGES.

23688 Marriages were registered in Scotland during the year 1866, being in the proportion of 75 marriages in every ten thousand persons of the estimated population. This was the same proportion as that of the previous year, and is probably the highest that has ever been witnessed in Scotland, and is high above the average marriage-rate which existed from 1855 to 1862. It was this high marriage-rate which was the cause of the proportion of births so much exceeding that of former years.

TABLE VIII.—BIRTHS, 1866. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1866; together with the Number of Twin and Triplet Births.

1866. Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes		
Insular	2,212	2,041	4,253	2,074	1,915	3,989	138	126	264	35	1
Mainland-Rural	31,044	29,376	60,420	27,706	26,171	53,877	3,338	3,205	6,543	724	6
Town	25,104	23,890	48,994	22,606	21,522	44,128	2,498	2,368	4,866	607	5
Scotland . . .	58,360	55,307	113,667	52,386	49,608	101,994	5,974	5,699	11,673	1,366	12

TABLE IX.—BIRTHS, 1866. Per-centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland and in its Three Groups of Districts in 1866.

1866. Districts.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins. — One in every	Proportion of Mothers who bare Triplets. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular	2·696	6·2	108·3	108·2	109·5	123	4216
Mainland-Rural	3·375	10·8	105·6	105·8	104·1	82	9947
Town	4·064	9·9	105·0	105·0	105·4	80	9675
Scotland . . .	3·604	10·2	105·5	105·6	104·8	82	9356

The proportion of legitimate children born to each marriage was much higher in Scotland than in England. Thus, to the 23688 marriages there were born 101994 legitimate children in Scotland, giving a proportion of 4·30 children to every marriage, or 430 children to every 100 marriages. But in England, during the same year, to the 187776 marriages, there were only 708369 legitimate children, giving a proportion of 3·77 children to every marriage, or 377 legitimate children to every 100 marriages—a very much lower proportion than that of Scotland. This either indicates that the Scottish female is much more prolific than her sister in England; or if it be assumed that their fecundity is the same, then it indicates that a very large number of even the legitimate births escapes registration in England.

Of the 23688 marriages registered in Scotland during the year, 10392 were contracted according to the rites of the Established Church, 5570 according to those of the Free Church, 3385 according to those of the United Presbyterian Church, 2259 according to those of the Romish Church, 516 according to those of the Episcopal Church, 1483 according to the rites of the many small religious denominations; in 41 cases of regular marriage the religious denomination was not stated, and in 42 cases the marriage was irregular. (Table X.)

TABLE X.—MARRIAGES, 1866. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages.

Religious Denominations.	Number of Marriages.				Proportion in every 100 Marriages.			
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Scotland	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Scotland
Regular Marriages, Established Church	345	5914	4133	10392	42·33	53·16	35·19	43·87
Free Church	309	2566	2695	5570	37·92	23·06	22·94	23·52
United Presbyterian Church	64	1511	1810	3385	7·85	13·58	15·41	14·29
Roman Catholic Church	34	595	1630	2259	4·17	5·35	13·88	9·54
Episcopalian Church	1	130	385	516	0·12	1·16	3·28	2·18
Other Denominations	61	384	1038	1483	7·49	3·45	8·84	6·26
Denomination not stated	1	22	18	41	0·12	0·19	0·15	0·17
Irregular Marriages	0	5	37	42	0·00	0·04	0·31	0·17
Total Marriages	815	11127	11746	23688	100·00	100·00	100·00	100·00

TABLE XI.—MARRIAGES, 1855–1866. Number of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1866.

Years.	Total Marriages.		Regular Marriages according to Rites of							Irregular Marriages.
	Number.	Per-centage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not registered.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·667	9307	4930	2846	1778	371	990	348	27
1863	22234	0·716	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·728	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·753	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·751	10392	5570	3385	2259	516	1483	41	42

These facts indicate that 43·87 per cent. of the marriages in Scotland were celebrated according to the rites of the Established Church of Scotland, 23·52 per cent. according to the rites of the Free Church, 14·29 per cent. according to those of the United Presbyterian Church, 9·54 per cent. according to those of the Romish Church, 2·18 per cent. according to those of the Episcopal Church, 6·26 per cent. according to the varied rites of the smaller religious denominations, while in 0·17 per cent. the denomination was not stated, and in 0·17 per cent. the marriage was irregular (that is, 17 in every ten thousand marriages)—that is to say, was contracted without previous proclamation of banns, and without a religious ceremony.

Of the 23688 men who married, the ages of 23675 were ascertained, and of these 1706 were minors, or under 21 years of age. Of the 23688 women who married, the ages of 23655 were ascertained, and of these 4896 were minors, or were under 21 years of age. It thus appears that 7·20 per cent. of the men, and 20·69 per cent. of the women who married in 1866 were minors, or were under 21 years of age.

The comparative facility of acquiring a livelihood has much to do with inducing persons under 21 to marry, and is very strikingly exemplified in the very different proportion of minors who married in Glasgow and Edinburgh during the year 1866. Thus in the non-commercial, non-manufacturing town of Edinburgh, only 5·34 per cent. of the men and 16·62 per cent. of the women who married were under 21 years of age; but in the busy commercial and manufacturing town of Glasgow, 8·85 per cent. of the men and 24·76 per cent. of the women who married were under 21 years of age. (Tables XVI. and XVII.)

The same fact is strikingly exemplified by contrasting the proportions under and above 25 years of age, who marry in the different divisions of Scotland. (Tables XVI. and XVII.) Thus, in the North-Western Division, where there are almost no openings for the young, only 17·89 per cent. of the men and 44·41 per cent. of the women were under 25 years of age; whereas, in the busy commercial, manufacturing, and mining South-Western Division, 47·12 per cent. of the men and 63·99 per cent. of the women were under 25 years of age.

TABLE XII.—MARRIAGES, 1855–1866. Per-centage of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1866.

YEARS.	REGULAR MARRIAGES according to the Rites of							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not registered.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5 26	0·30	0·13
1859	46·08	22 93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1 95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17

To show how very nearly the same proportion of persons at each age marries year after year, Tables XIV. and XV. may be consulted. By these it will be seen, that the proportion of persons marrying at each age during the year 1866 was nearly the same as during the eleven previous years. Thus, during 1866, in every ten thousand men who married, 265 were between 15 and 20 years of age; 3924 between 20 and 25; 3019 between 25 and 30; 1229 between 30 and 35; 589 between 35 and 40; 384 between 40 and 45; 247 between 45 and 50; 337 above 50 years of age; while in 6 cases the age was not ascertained. These are, as near as may be, the proportions of men at different ages who married during the eleven years 1855 to 1865. Of every ten thousand women who married during the year, 1202 were between 15 and 20 years of age; 4643 between 20 and 25 years; 2409 between 25 and 30; 872 between 30 and 35; 440 between 35 and40; 236

TABLE XIII.—MARRIAGES, 1866. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	–	–	–	–	–	–	–	–
15—16	–	9	–	–	–	3	–	6
16—17	2	75	–	1	2	35	–	39
17—18	15	303	–	6	7	143	8	154
18—19	125	887	2	10	56	381	67	496
19—20	486	1573	4	25	218	724	264	824
20—21	1078	2049	6	35	494	930	578	1084
21—25	8217	8947	155	293	3860	4266	4202	4388
25—30	7152	5707	302	274	3434	2781	3416	2652
30—35	2909	2066	186	98	1357	971	1366	997
35—40	1397	1040	70	44	671	441	656	555
40—45	910	560	33	18	395	243	482	299
45—50	585	270	18	8	272	117	295	145
50—55	381	107	15	2	163	49	203	56
55—60	206	43	10	–	94	13	102	30
60—65	124	16	8	1	54	4	62	11
65—70	67	3	6	–	31	1	30	2
70—75	14	–	–	–	5	–	9	–
75—80	6	–	–	–	2	–	4	–
80—85	1	–	–	–	–	–	1	–
85—90	–	–	–	–	–	–	–	–
Not stated	13	33	–	–	12	25	1	8
ALL AGES	23,688	23,688	815	815	11,127	11,127	11,746	11,746

TABLE XIV.—MARRIAGES, 1866. Per-centage of Men and Women at different Ages who contracted Marriage in Scotland in 1866.

AGES.	MEN.				WOMEN.			
	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
15—20 years	2·65	0·74	2·54	2·89	12·02	5·15	11·56	12·93
20—25	39·24	19·75	39·13	40·69	46·43	40·25	46·69	46·59
25—30	30·19	37·05	30·86	29·08	24·09	33·62	24·99	22·58
30—35	12·29	22·82	12·20	11·63	8·72	12·02	8·73	8·49
35—40	5·89	8·59	6·03	5·59	4·40	5·40	3·97	4·73
40—45	3·84	4·05	3·55	4·10	2·36	2·21	2·19	2·54
45—50	2·47	2·21	2·44	2·51	1·14	0·98	1·05	1·23
50 and above	3·37	4·79	3·14	3·50	0·71	0·3 7	0·60	0·84
Not stated.	0·06	–	0·11	0·01	0·13	–	0·22	0·07
ALL AGES	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

between 40 and 45; 114 between 45 and 50; 71 above 50 years of age; while in 13 the age was not distinguished.

Of the 23688 marriages, the conjugal or civil condition of the parties previous to their entrance into the married condition was ascertained in 23490 instances. Of these 23490 marriages, 20080 were between bachelors and spinsters, 601 between bachelors and widows, 2094 between widowers and spinsters, and 715 between widowers and widows. (Tables XVI. and XVII.) These numbers indicate, that in every 100 marriages, 85·49 were between bachelors and spinsters, 2·55 between bachelors and widows, 8·92 between widowers and spinsters, and 3·04 between widowers and widows.

The last two columns of Table XX. show the proportion of widowers and widows who re-married in 1866, viz. that of every 100 men who married, 11·96 were widowers, and of every 100 women who married, 5·60 were widows. These columns, however, show the strange fact, that in the Town Districts widows are married in twice as high proportions as in the Rural Districts; for while in the latter only 3·89 per cent. of the women who married were widows, 7·34 per cent. were widows in the Town Districts.

The South-Western Division, which includes the mining and manufacturing counties of Renfrew, Ayr, and Lanark, year after year exhibits the highest proportion of marriages both among widowers and widows; for while 13·35 per cent. of the men who married during the year were widowers, 7·56 per cent. of the women were widows.

The last four columns of Table XIX. show the relative proportions of marriages between persons in different conjugal conditions for the twelve years 1855–1866, by which it will be seen that the relative proportion of marriages between bachelors and spinsters, bachelors and widows, etc., varies very little from year to year.

During 1866 the state of elementary education among the people, so far as such can be indicated by the proportion of men and women able to sign their names in the marriage register, was much the same as in former years. (Tables XVIII., XIX., and XX.) Thus, during the year 1866, of the 23688 men who married, 21032 signed their names in writing, while 2656, being unable to write, signed by mark. Of the 23688 women who married during the year, 18483 signed their names in writing, while 5202,

---

Table XV.—MARRIAGES during the ELEVEN YEARS 1855–1865. Number and Proportion of Men and Women, at each quinquennial period of life, who married in Scotland during the Eleven Years 1855–1865.

Ages.	Men.		Women.	
	Number of Men who married at each Age.	Proportion at each Age in every 1000 Men who married	Number of Women who married at each Age.	Proportion at each Age in every 1000 Women who married.
15—20 years	6,980	2·98	29,801	12·74
20—25	90,004	38·48	107,334	45·88
25—30	68,283	29·19	56,059	23·96
30—35	29,474	12·61	20,324	8·69
35—40	15,759	6·74	10,346	4·42
40—45	9,431	4·03	5,211	2·22
45—50	5,915	2·52	2,471	1·06
50 and above	7,639	3·26	1,521	0·65
Not specified	448	0·19	866	0·37
All Ages	233,933	100·00	233,933	100·00

being unable to write, appended a mark. These numbers indicate, that 88·78 per cent. of the men, and 78·50 per cent. of the women, were able to sign their names in writing; while 11·22 per cent. of the men, and 22 per cent. of the women, not being able to write, were obliged to append a mark.

In England, during the same year, only 78·4 per cent. of the men, and 70 per cent. of the women, signed their names in writing; while 21·6 per

---

TABLE XVI.—MARRIAGES in SCOTLAND, 1866. Number of Men and Women under and above 25 years of age, and the number under 21 years, who contracted Marriage in Scotland, its groups of Districts and Divisions, in 1866; also the Number of Marriages between Persons in different conjugal conditions.

1866.	Number who Married				Number who Married under 21 years.		Number of Marriages between			
	Under 25 years.		Above 25 years.				Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND, . . .	9,923	13,843	13,752	9,812	1,706	4,896	20,080	601	2,094	715
Insular Districts, . .	167	370	648	445	12	77	676	13	83	14
Mainland-Rural do. .	4,637	6,482	6,478	4,620	777	2,216	9,638	203	907	224
Town Districts, . .	5,119	6,991	6,626	4,747	917	2,603	9,766	385	1,104	477
1. Northern Division,	153	272	464	345	21	62	541	7	52	9
2. North-Western do.	141	350	647	438	17	87	660	9	73	10
3. North-Eastern do.	918	1,361	1,568	1,126	154	487	2,176	44	216	40
4. East-Midland do.	1,824	2,338	2,357	1,831	310	733	3,626	53	358	111
5. West-Midland do.	586	874	949	659	99	326	1,294	38	139	33
6. South-Western do.	4,404	5,980	4,942	3,365	834	2,338	7,757	314	853	391
7. South-Eastern do.	1,398	1,985	2,114	1,521	199	645	2,996	110	292	99
8. Southern do.	499	683	711	527	72	218	1,030	26	111	22
EDINBURGH, . . .	638	930	1,144	851	95	296	1,495	62	161	61
GLASGOW, ...	1,999	2,712	2,326	1,613	383	1,071	3,571	140	413	200

TABLE XVII.—Proportion of MARRIAGES in SCOTLAND in 1866. Per-centage of Men and Women who contracted Marriage under and above 25 years of age; also the Per-centage of Minors, and the Per-centage of Marriages between Persons in different conjugal conditions.

1866.	Per-centage who Married				Per-centage under 21 Years.		Proportion in every 100 Marriages.			
	Under 25 years.		Above 25 years.				Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND, . . .	41·91	58·52	58·09	41·48	7·20	20·69	85·49	2·55	8·92	3·04
Insular Districts, . .	20·49	45·40	79·51	54·60	1·47	9·44	86·01	1·65	10 56	1·78
Mainland-Rural do. .	41·72	58·38	58·28	41·62	6·99	19·89	87·85	1·85	8·26	2·04
Town Districts, . .	43·58	59·55	56·42	40·45	7·80	22·17	83·24	3·28	9·41	4·07
1. Northern Division,	24·79	44·08	75·21	55·92	3·40	10·05	88·84	1·14	8·54	1·48
2. North-Western do.	17·89	44·41	82·11	55·59	2·15	11·05	87·77	1·20	9·70	1·33
3. North-Eastern do.	36·92	54·72	63·08	45·28	6·20	19·58	87·89	1·78	8·72	1·61
4. East-Midland do.	43·62	56·08	56·38	43·92	7·41	17·58	87·22	1·28	8·63	2·67
5. West-Midland do.	38·17	57·01	61·83	42·89	6·45	20·61	86·03	2·53	9·25	2·19
6. South-Western do.	47·12	63·99	52·88	36·01	8·92	25·02	83·28	3·37	9·15	4·20
7. South-Eastern do.	39·73	56·62	60·27	43·68	5·66	18·39	85·68	3·14	8·35	2·83
8. Southern do.	41·24	56·45	58·76	43·55	5·95	18·01	86·63	2·19	9·33	1·85
EDINBURGH, . .	35·80	52·52	64·20	47·78	5·34	16·62	84·04	3·49	9·04	3·43
GLASGOW, . . .	46·04	62·70	53·96	37·30	8·85	24·76	82·61	3·23	9·54	4·62

cent. of the men, and 30 per cent. of the women, not being able to write, appended their mark.

The state of education in Ireland, as judged by this test, seems to be in a still more deplorable condition than that of England, seeing that in 1866 only 57·6 per cent of the men, and 47·6 per cent. of the women who married could sign their names in writing; while 42·4 per cent. of the men, and 52·4 per cent. of the women, not being able to write, were forced to sign by mark.

Ross, Cromarty, and Inverness continue to exhibit the highest proportion of persons unable to write. After these come the counties which contain the largest proportion of persons of Irish descent, the number unable to write in each being very closely proportioned to the number of Irish in the population. In this respect, Edinburgh and Glasgow, the two largest towns of Scotland, contrast remarkably; for while in Edinburgh only 4·72 per cent. of the men, and 8·36 per cent. of the women who married in 1866 were unable to write, and signed by mark, in Glasgow 16·74 per cent. of the men, and 34·29 per cent. of the women who married

---

TABLE XVIII.—MARRIAGES in SCOTLAND, 1855–1866. Numbers.

YEARS	Number of Persons who Married under 21 years.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715

TABLE XIX.—MARRIAGES in SCOTLAND, 1855–1866. Proportion.

YEARS.	Per-centage of Persons who Married under 21 years.		Per-centage of Persons who Married				Per-centage of Persons who Signed				Proportion in every 100 Marriages.			
			Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Me .	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·6	77·2	11·4	22·8	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	88·2	76·1	11·8	23·9	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·9	75·2	12·1	24·8	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58 75	41·30	88·2	76·0	11·8	24·0	85·95	2·61	8·62	2·82
1859	7·42	21 60	41·22	58·80	58·78	41·20	89·1	77·8	10·9	22·2	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·7	78·3	10·3	21·7	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·4	78·7	10·6	21·3	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	90·0	79·7	10·0	20·3	86·51	2·31	8·69	2·49
1863	7·91	22 05	43·79	59·93	56·21	40·07	89·1	77·9	10·9	22·1	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·5	76·1	11·5	23·9	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04

during that year, were unable to write, and appended their mark. (Table XX.)

TABLE XX.—Proportional Number of Marriages in the several Groups of Districts, Divisions, and Counties of Scotland during the year 1866; of Persons signing the Marriage Register in Writing and by Mark; of Persons not of full Age; and of the Re-marriages of Widowers and Widows.

	Divisions and Counties.	Signed their Names in Writing.		Signed by Mark.		Persons under 21 Years.		Re-Marriages.	
		Of 100 Men married.	Of 100 Women married.	Of 100 Men married.	Of 100 Women married.	Of 100 Men married.	Of 100 Women married.	Widowers in 100 Men married.	Widows in 100 Women married.
	SCOTLAND	88·78	78·00	11·22	22·00	7·20	20·69	11·96	5·60
	Insular Districts	70·43	58·77	29·57	41·23	1·47	9·44	11·07	3·43
	Mainland-Rural Districts . .	91·92	84·30	8·08	15·70	6·99	19·89	10·30	3·89
	Town Districts	87·09	73·41	12·91	26·59	7·80	22·17	13·47	7·34
	Divisions.								
I.	NORTHERN	95·48	83·36	4·52	16·64	3·40	10·05	10·00	2·62
II.	NORTH-WESTERN .	64·89	49·05	35·11	50·95	2·15	11·05	11·03	2·52
III.	NORTH-EASTERN . .	97·50	91·55	2·50	8·45	6·20	19·58	10·34	3·39
IV.	EAST-MIDLAND . . .	92·68	83·07	7·32	16·13	7·41	17·58	11·30	3·95
V.	WEST-MIDLAND . .	86·14	77·09	13·86	22·91	6·45	20·61	11·12	4·62
VI.	SOUTH-WESTERN . .	84·04	68·47	15·97	31·53	8·92	25·02	13·35	7·56
VII.	SOUTH-EASTERN . .	93·79	88·95	6·21	11·05	5·66	18·39	11·18	5·98
VIII.	SOUTHERN	95·04	92·23	4·96	7·77	5·95	18·01	11·19	4·04
	Counties.								
1	Shetland	90·65	69·23	9·35	30·77	3·29	5 55	12·77	4·44
2	Orkney	99·40	98·70	0·60	1·30	1·94	14·93	10·38	3·89
3	Caithness	97·42	87·62	2·58	12·38	4·64	11·85	6·73	1·03
4	Sutherland	94·38	76·40	5·62	23·60	3·37	6·74	10·98	0·00
5	Ross and Cromarty .	61·89	46·03	38·11	53·97	2·55	9·97	11·66	1·59
6	Inverness	67·84	52·01	32·16	47·99	1·76	12·06	10·40	3·47
7	Nairn	83·05	69·51	16·95	30·49	5·08	16·94	8·48	0·00
8	Elgin	96·81	88·84	3·19	11·16	5·57	21·91	9·23	2·41
9	Banff	96·02	85·62	3·98	14·38	4·28	18·34	11·04	3·98
10	Aberdeen	98·32	93·73	1·78	6·27	6·95	19·46	10·83	3·67
11	Kincardine	97·89	93·25	2·11	6·75	4·64	20·66	7·62	2·54
12	Forfar	88·19	72·75	11·81	27·25	8·21	18·62	12·70	5·03
13	Perth	96·88	93·39	3·12	6·61	4·61	15·08	9·91	2·38
14	Fife	96·79	92·14	3·21	7·86	7·94	17·73	10·02	3·25
15	Kinross	95·00	96·66	15·00	3·34	6·66	16·66	8·78	0·00
16	Clackmannan . . .	97·65	89·84	2·35	10·16	7·81	14·06	10·82	5·00
17	Stirling	87·25	78·97	12·75	21·03	9·03	26·61	10·76	4·45
18	Dumbarton	80·65	67·30	19·35	32·70	7·90	22·07	13·46	6·32
19	Argyll	87·67	90·00	12·33	10·00	1·09	13·42	9·35	3·68
20	Bute	93·40	90·11	6·60	9·89	2·19	6·59	16·66	4·44
21	Renfrew	82·49	67·68	17·51	32·32	7·47	22·55	13·85	8·64
22	Ayr	86·81	72·49	13·19	27·51	10·44	26·26	12·54	6·87
23	Lanark	83·90	67·85	16·10	32·15	8·98	25·29	13·43	7·60
24	Linlithgow	86·04	72·75	13·96	27·25	8·63	23·92	10·43	5·05
25	Edinburgh	94·38	90·21	5·62	9·79	5·32	17·90	11·50	6·79
26	Haddington	91·04	83·08	8·96	16·92	6·46	20·39	8·50	2·00
27	Berwick	96·66	97·22	3·34	2·78	5·00	10·00	9·49	2·23
28	Peebles	98·46	96·92	1·54	3·08	4·61	18·46	12·50	4·68
29	Selkirk	100·00	96·20	0·00	3·80	6·33	25·31	12·65	1·26
30	Roxburgh	95·51	92·30	4·41	7·70	4·49	16·98	9·64	4·82
31	Dumfries	96·50	97·81	3·52	2·19	5·67	15·93	10·71	2·45
32	Kirkcudbright . . .	96·22	93·86	3·78	6·14	6·60	14·62	14·42	2·40
33	Wigtown	90·39	88·21	9·61	11·79	7·86	26·63	12·16	7·65
	EDINBURGH . . .	95·28	91·64	4·72	8·36	5·34	16·62	12·40	6·90
	GLASGOW . . .	83·26	65·71	16·74	34·29	8·85	24·76	14·17	7·86

DEATHS.

71348 deaths were registered in Scotland during the year 1866, being at the rate of 22·63 deaths in every thousand persons of the estimated population. This was a death-rate considerably above the mean of the eleven previous years, which was at the rate of 21·46 deaths in every thousand persons.

In England, during the same year, the deaths were in the proportion of 23·61 in every thousand persons, being considerably higher than the mortality in Scotland, though below the English average, which was in the proportion of 22·24 deaths in every thousand persons.

The Insular and Mainland-Rural Districts had, as usual, a much lower mortality than the Town Districts. Thus, 2664 deaths occurred in the Insular, 34314 in the Mainland-Rural, and 34372 in the Town Districts; which indicates a mortality of 16·87 deaths in every thousand persons in the Insular, 19·16 deaths in the Mainland-Rural, and 28·51 deaths in every thousand persons in the Town Districts. (Tables XXI. and XXII.)

Of the Eight Principal Towns in Scotland, the mortality was highest in Dundee and lowest in Perth. Thus, of every thousand persons in each of these towns, there died during the year 22·8 in Perth, 24·3 in Leith,

---

TABLE XXI.—DEATHS in SCOTLAND, and in its Insular, Mainland-Rural, and Town Districts, during each of the Twelve Years 1855–1866, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31378	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15329	15485	30814	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35631	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1283	1437	2720	17679	18040	35719	18048	17929	35977
1865	35190	35701	70891	1236	1252	2488	16339	16653	32992	17615	17796	35411
1866	35355	35993	71348	1305	1356	2661	16930	17385	34315	17120	17252	34372

TABLE XXII.—Per-centage of Deaths to the Population in Scotland, its Insular, Mainland-Rural, and Town Districts, during each of the Twelve Years 1855–1866.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·162	2·003	2·082	1·714	1·577	1·644	1·828	1·742	1·784	2·781	2·527	2·675
1856	2·065	1·850	1·953	1·387	1·269	1·293	1·735	1·588	1·659	2·769	2·381	2·561
1857	2·161	1·958	2·055	1·526	1·316	1·414	1·807	1·686	1·744	2·896	2·505	2·685
1858	2·202	2·005	2·098	1·549	1·390	1·463	1·862	1·778	1·806	2·901	2·507	2·690
1859	2·120	1·940	2·028	1·690	1·573	1·626	1·812	1·723	1·766	2·719	2·361	2·527
1860	2·321	2·150	2·231	1·788	1·593	1·682	1·948	1·849	1·897	3·026	2·700	2·851
1861	2·127	1·947	2·032	1·684	1·520	1·595	1·803	1·692	1·746	2·710	2·387	2·537
1862	2·273	2·093	2·178	1·979	1·758	1·859	1·899	1·799	1·847	2·912	2·598	2·730
1863	2·429	2·192	2·305	1·964	1·736	1·840	2·107	1·900	1·956	3·143	2·685	2·897
1864	2·511	2·274	2·386	1·774	1·660	1·712	2·065	1·952	2·006	3·306	2·827	3·048
1865	2·375	2·157	2·260	1·717	1·450	1·571	1·904	1·796	1·848	3·193	2·775	2·969
1866	2·374	2·162	2·263	1·821	1·575	1·687	1·968	1·868	1·916	3·072	2·662	2·851

27·5 in Edinburgh, 28·3 in Paisley, 29·8 in Glasgow, 31·0 in Greenock, 31·1 in Aberdeen, and 32·0 in Dundee. (Tables XXIII. and XXIV.)

As in former years, males died in higher proportions than females, seeing that in every thousand of each sex, 23·74 males died, but only 21·62 females. The average of the ten years 1855–1864 shows, that in every thousand of each sex there died annually 22·38 males, but only 20·41 females —a circumstance which of itself would go far to account for the increasing number of females in the population, even without taking into account the known fact that a much higher proportion of males than females emigrate to the Colonies and America.

Table XXV. shows the striking fact, that at every consecutive period of life from birth to the 90th year, males died in higher proportions than females during 1866, with the single exception of children between the fourth and fifth years of age. Thus, during the first year of life, 16·200 per cent. of males died, but only 13·607 per cent. of females. From birth to 5 years of age, 6·347 per cent. of males died, but only 5·720 per cent. of females. From 20 to 30 years of age, 1·119 per cent. of males died, but only 0·923 per cent. of females. From 40 to 50 years of age, 1·723 per cent. of males died, but only 1·442 per cent. of females. From 60 to 70 years of age, 4·441 per cent. of males died, but only 3·637 per cent. of females. At all ages, therefore, from birth to burial, the tendency of the male to death is greater than that of the female, and at no age was that greater tendency of the male to death more strongly shown than during the first year of life, when out of every thousand of each sex, 162 males died for every 136 females.

It is very instructive to compare the mortality, at each corresponding quinquennial period of life, in the Mainland-Rural and Town Districts, inasmuch as it proves, more forcibly than any mere statement could, the greater waste of life which is attendant on a residence in a town. This destructive agency of the town on human life is not confined to any particular age, but extends to all ages and to both sexes. Thus, to instance a

TABLE XXIII.—TOWN DEATHS, 1856–1866. Number of Deaths annually in each of the Eight Principal Towns of Scotland.

Towns.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.
Glasgow . . .	10298	11375	11472	10832	12436	10936	11565	13329	13674	13914	12829
Edinburgh . . .	4143	3786	4190	3703	4240	4168	4760	4593	4678	4858	4813
Dundee	2446	2242	2335	2269	2903	2499	2599	2714	3105	3000	3130
Aberdeen . . .	1656	1718	1619	1676	2193	1780	1923	1750	2139	1981	2324
Paisley	1099	1443	1276	1185	1378	1207	1253	1218	1521	1410	1345
Greenock . . .	1236	1268	1088	1423	1255	1113	1370	1876	1929	1675	1488
Leith	827	751	790	699	987	766	872	913	928	948	924
Perth	539	767	665	560	664	665	618	652	871	729	613

TABLE XXIV.—TOWN DEATHS, 1856–1866. Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland.

Towns.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	Mean Annual Mortality.	1866.
Glasgow .	2·84	3·08	3·05	2·83	3·19	2·75	2·86	3·24	3·27	3·28	3·04	2·98
Edinburgh	2·49	2·26	2·49	2·19	2·50	2·44	2·77	2·60	2·69	2·78	2·52	2·75
Dundee .	2·84	2·57	2·64	2·53	3·20	2·60	2·79	2·87	3·25	3·10	2·84	3·20
Aberdeen	2·26	2·34	2·20	2·28	2·97	2·40	2·59	2·35	2·87	2·65	2·49	3·11
Paisley .	2·30	3·02	2·67	2·49	2·90	2·54	2·64	2·56	3·20	2·97	2·83	2·83
Greenock	3·03	3·06	2·59	3·34	2·90	2·52	3·06	4·13	4·19	3·59	3·24	3·10
Leith .	2·39	2·17	2·26	1·98	2·76	2·12	2·38	2·47	2·49	2·52	2·35	2·43
Perth . .	2·19	3·10	2·67	2·24	2·64	2·62	2·35	2·46	3·28	2·73	2·63	2·28

few examples, in every thousand males living under 5 years of age, there died 48·00 in the Rural, but 90·60 in the Town Districts. From 5 to 10 years of age there died 7·88 per thousand in the Rural, but 12·68 in the Town Districts. From 15 to 20 years of age, 6·87 per thousand died in the Rural, but 8·99 in the Town Districts. From 20 to 30 years, 9·58 per thousand died in the Rural, but 12·91 in the Town Districts. From 40 to 50 years of age, 12·58 per thousand died in the Rural, but 24·66 in the Town Districts. From 60 to 70 years of age, 36·14 per thousand died in the Rural, but 65·97 in the Town Districts.

The series of Tables XXIX. to XXXVI. shows the mortality in ages and sexes in each of the Eight Principal Towns of Scotland, and agrees generally with those of former years.

Causes of Death.

Of the 71348 deaths registered in Scotland during 1866, the cause of death was accurately recorded in 68196 cases. In most of the 3152 remaining cases, the cause of death was stated in such indefinite terms that it could not be referred to any particular class of diseases, while in a small number no cause of death was assigned. Less than 4½ per cent. (4·417), therefore, could not be classified as having fallen victims to any special disease. In comparing the deaths from different diseases with the population in the accompanying tables, this per-centage has been allowed for, so as to exhibit the true per-centage of deaths from disease to the population.

The Zymotic or epidemic and contagious class of diseases cut off 15564 persons in Scotland during the year 1866, of whom 7542 were males and 8022 females. The deaths from the zymotic class thus constituted 22·82 per cent. of the deaths whose causes were ascertained, or cut off at the rate of 516 persons in every hundred thousand living. During the ten years 1855–1864, that class of diseases constituted 24·26 per cent. of the deaths, or caused 518 deaths in every hundred thousand persons. That class of diseases was therefore less fatal than usual during 1866, though we had Cholera as an epidemic among us during part of the year.

The zymotic class of diseases constituted 15·71 per cent. of the ascertained deaths in the Insular, 22·80 per cent. in the Mainland-Rural, and 23·31 per cent. in the Town Districts,—indicating that the proportion of these deaths to the other diseases was very closely alike in the Mainland-Rural and in the Town Districts, though they were so excessively dissimilar when compared with the population; for while that class cut off in the proportion of 437 persons in every one hundred thousand in the Mainland-Rural Districts, 664 died from that class of diseases out of a like population in the Town Districts.

Of the Eight Principal Towns, the mortality from the zymotic class of diseases, as compared with the population, was heaviest in Dundee and Aberdeen, and lightest in Perth. (Table XXXIX.) Thus, in every ten thousand persons in each town, 42 died from the zymotic class of diseases in Perth, 58 in Edinburgh, 61 in Leith, 65 in Greenock, 67 in Glasgow, 69 in Paisley, 81 in Aberdeen, and 83 in Dundee. If, however, we compare the proportion of deaths from the zymotic diseases to the total deaths from all diseases, Perth shows the lowest proportion and Aberdeen the highest. Thus, in Perth, 18·80 per cent. of the deaths were caused by the zymotic class of diseases; in Edinburgh, 21·15 per cent.; in Greenock, 21·48; in Glasgow, 22·52; in Paisley, 24·57; in Leith, 25·46; in Dundee, 25·64; and in Aberdeen, 26·39 per cent.

Of the zymotic class of diseases, Small-pox only caused 200 deaths in Scotland during 1866, of which three occurred in the Insular, 39 in the Mainland-Rural, and 158 in the Town Districts. This was the smallest number of deaths from Small-pox ever registered in Scotland since the period when

---

TABLE XXV.—SCOTLAND, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	47,364	45,874	7673	6242	16·200	13·607
— 2	43,255	42,088	3069	2895	7·095	6·878
— 3	43,595	42,425	1474	1394	3·381	3·285
— 4	42,127	41,370	967	891	2·295	2·153
— 5	41,439	40,088	640	697	1·544	1·738
Total under 5 Years	217,780	211,845	13823	12119	6·347	5·720
5—10	189,124	184,440	1781	1656	0·941	0·897
10—15	169,368	162,474	903	845	0·533	0·520
15—20	154,453	162,147	1182	1191	0·765	0·734
20—30	236,207	294,306	2644	2717	1·119	0·923
30—40	174,625	214,117	2216	2584	1·263	1·206
40—50	140,454	166,986	2421	2408	1·723	1·442
50—60	102,249	123,008	2580	2523	2·523	2·051
60—70	66,892	88,858	2971	3282	4·441	3·637
70—80	29,173	42,145	2900	3755	9 940	8·909
80—90	7,922	12,927	1663	2378	20·992	18·395
90—100	615	1,211	230	470	37·398	38·810
100 and above	30	57	5	27	16·666	47·368
Not stated	–	–	36	38	–	–
ALL AGES	1,488,892	1,664,521	35355	35993	2·374	2·162
BOTH SEXES	3,153,413		71348		2·263	

TABLE XXVI.—INSULAR DISTRICTS, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of the Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,947	1,855	201	170	10·323	9·164
— 2	1,878	1,842	55	54	2·928	2·931
— 3	1,982	1,976	31	24	1·564	2·124
— 4	1,938	1,868	22	21	1·135	1·123
— 5	2,019	1,914	17	15	0·842	0·789
Total under 5 Years	9,764	9,455	326	284	3·338	3·003
5—10	9,255	9,070	41	36	0·443	0·397
10—15	8,488	8,290	37	23	0·435	0·277
15—20	7,348	8,165	49	33	0·666	0·404
20—30	9,992	14,222	144	107	1·441	0·752
30—40	7,450	10,796	86	116	1·154	1·074
40—50	6,251	8,619	69	68	1·103	0·788
50—60	5,443	6,924	69	91	1·267	1·314
60—70	4,528	5,973	116	157	2·561	2·629
70—80	2,256	3,093	205	194	9·087	6·360
80—90	787	1,285	121	178	15·374	13·852
90—100	84	153	32	56	38·095	36·601
100 and above	4	19	1	3	25·000	15·789
Not stated	–	–	9	10	–	–
ALL AGES	71,650	86,064	1305	1356	1·821	1·575
BOTH SEXES	157,714		2661		1·687	

the Registration Act came into operation, as the accompanying table shows. (Table XLI.) Many might feel inclined to attribute this great diminution in the deaths from Small-pox to the successful working of the Vaccination Act. But this table warns us against prematurely deducing conclusions which may prove fallacious, because it shows that Small-pox is one of those

---

TABLE XXVII.—MAINLAND-RURAL DISTRICTS, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,361	25,593	3414	2700	12·951	10·549
— 2	24,943	24,212	1248	1191	5·003	4·506
— 3	25,217	24,537	630	619	2·498	2·522
— 4	24,734	24,018	434	395	1·754	1·644
— 5	24,429	23,587	311	333	1·273	1·411
Total under 5 Years	125,684	121,947	6037	5238	4·800	4·295
5—10	112,691	108,889	888	828	0·788	0·760
10—15	101,821	96,470	480	473	0·473	0·490
15- 20	89,988	88,977	619	594	0·687	0·667
20—30	126,551	150,910	1213	1187	0·958	0·786
30—40	94,986	113,025	854	1099	0·899	0·972
40—50	79,263	91,160	997	1045	1·258	1·146
50—60	60,980	69,742	1165	1110	1·910	1·591
60—70	42,222	52,726	1526	1642	3·614	3·114
70—80	19,786	26,890	1797	2260	9·082	8·405
80—90	5,639	8,733	1166	1552	20·677	17·771
90—100	433	806	161	316	37·182	39·206
100 and above	23	32	4	19	17·391	59·375
Not stated	–	–	23	22	–	–
ALL AGES	860,067	930,307	16930	17385	1·968	1·868
BOTH SEXES	1,790,374		34315		1·916	

TABLE XXVIII.—TOWN DISTRICTS, 1866. Estimated Population and Deaths at Different Ages, and Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	19,056	18,426	4058	3372	21·294	18·300
— 2	16,434	16,034	1766	1650	10·745	10·290
— 3	16,396	15,912	813	751	4·958	4·719
— 4	15,455	15,484	511	475	3·500	3·067
— 5	14,991	14,587	312	349	2·081	2·392
Total under 5 Years	82,332	80,443	7460	6597	9·060	8·200
5—10	67,178	66,481	852	792	1·268	1·191
10—15	59,059	57,714	386	349	0·653	0·604
15—20	57,117	65,005	514	564	0·899	0·867
20—30	99,664	129,174	1287	1423	1·291	1·101
30—40	72,189	90,296	1276	1369	1·766	1·516
40—50	54,940	67,207	1355	1295	2·466	1·927
50—60	35,826	46,342	1346	1322	3·477	2·852
60—70	20,142	30,159	1329	1483	6·597	4·917
70—80	7,131	12,162	898	1301	12·592	10·698
80—90	1,496	2,909	376	648	25·134	22·275
90—100	98	252	37	98	37·755	38·888
100 and above	3	6	–	5	–	83·333
Not stated	–	–	4	6	–	–
ALL AGES	557,175	648,150	17120	17252	3·072	2·662
BOTH SEXES	1,205,325		34372		2·851	

diseases which has periods of increase and of decrease, and that in 1858, without any legislative enactment, the deaths from Small-pox fell lower than they did in 1865, when the Vaccination Act had been in full operation for about two years. If, however, subsequent years shall show that Small-pox, instead of again increasing (as that table shows to be its natural tendency), shall

TABLE XXIX.—GLASGOW, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7,452	7,054	1582	1323	21·229	18·755
— 2	6,082	5,978	795	771	13·025	12·897
— 3	5,870	5,820	367	317	6·252	5·446
— 4	5,491	5,563	209	206	3·706	3·703
— 5	5,301	5,135	128	159	2·414	3·096
Total under 5 Years	30,196	29,550	3081	2776	10·203	9·558
5—10	23,064	22,873	325	306	1·409	1·337
10—15	20,192	19,842	156	139	0·772	0·700
15—20	21,280	23,737	180	218	0·845	0·931
20—30	39,404	49,000	505	567	1·281	1·157
30—40	27,580	32,976	471	513	1·707	1·555
40—50	20,120	23,362	520	472	2·584	2·020
50—60	11,835	14,846	471	469	3·979	3·159
60—70	5,991	8,863	401	474	6·693	5·348
70—80	1,644	3,018	220	323	13·382	10·702
80—90	306	606	72	134	23·529	22·112
90—100	20	54	12	20	60·000	37·037
100 and above	–	4	–	4	–	100·000
Not stated	–	–	–	–	–	–
ALL AGES	201,632	228,731	6414	6415	3·181	2·804
BOTH SEXES	430,363		12829		2·980	

TABLE XXX.—EDINBURGH, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,286	2,397	505	381	22·091	15·852
— 2	2,054	2,059	182	183	8·860	8·887
— 3	2,026	1,965	84	71	4·146	3·613
— 4	1,899	1,953	47	45	2·459	2·304
— 5	1,983	1,809	31	34	1·563	1·879
Total under 5 Years	10,248	10,183	849	714	8·284	7·017
5—10	8,914	8,766	97	85	1·088	0·969
10—15	8,168	7,970	48	40	0·587	0·501
15—20	8,217	10,012	77	64	0·937	0·639
20—30	14,874	19,972	225	203	1·512	1·016
30—40	10,093	13,733	243	221	2·407	1·682
40—50	7,655	10,646	205	199	2·678	1·869
50—60	5,265	7,783	238	228	4·520	2·799
60—70	3,174	5,245	212	273	6·742	5·204
70—80	1,233	2,146	161	242	13·057	11·276
80—90	232	479	65	110	28·018	22·943
90—100	9	41	2	11	22·222	26·829
100 and above	–	1	–	–	–	–
Not stated	–	–	–	1	–	–
ALL AGES	78,082	96,977	2422	2391	3·101	2·361
BOTH SEXES	175,059		4813		2·749	

be found to decrease still more,* then the diminution may fairly be ascribed to the successful working of the Vaccination Act.

TABLE XXXI.—DUNDEE, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,569	1,476	446	349	28·425	23·645
— 2	1,223	1,259	147	113	12·019	8·975
— 3	1,376	1,246	66	56	4·796	4·494
— 4	1,195	1,200	40	39	3·347	3·250
— 5	1,154	1,203	17	25	1·473	2·078
Total under 5 Years	6,517	6,384	716	582	10·986	9·116
5—10	5,414	5,484	79	67	1·459	1·221
10—15	4,690	4,732	21	29	0·448	0·612
15—20	4,267	5,804	48	49	1·124	0·844
20—30	7,121	12,037	103	142	1·446	1·179
30—40	5,321	7,879	99	122	1·860	1·548
40—50	4,072	5,678	117	130	2·873	2·289
50—60	3,028	3,930	152	145	5·019	3·689
60—70	1,492	2,310	127	153	8·512	6·623
70—80	492	813	77	97	15·650	11·931
80—90	84	190	26	41	30·952	21·579
90—100	12	18	2	6	16·666	33·333
100 and above	1	–	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	42,511	55,259	1567	1563	3·686	2·828
BOTH SEXES	97,770		3130		3·201	

TABLE XXXII.—ABERDEEN, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,049	1001	276	214	26·310	21·378
— 2	941	886	110	96	11·583	10·835
— 3	962	937	55	57	5·717	6·083
— 4	916	899	40	35	4·366	3·893
— 5	894	843	30	23	3·355	2·728
Total under 5 Years	4,762	4,566	511	425	10·730	9·305
5—10	4,299	4,113	65	65	1·512	1·580
10—15	3,888	3,969	29	22	0·745	0·554
15—20	3,365	3,850	34	39	1·010	1·012
20—30	5,002	7,503	82	68	1·639	0·906
30—40	3,724	5,699	61	81	1·638	1·421
40—50	3,213	4,552	67	83	2·085	1·823
50—60	2,470	3,561	62	83	2·510	2·330
60—70	1,461	2,522	106	107	7·255	4·242
70—80	623	1,218	90	122	14·446	10·016
80—90	156	349	35	69	22·436	19·770
90—100	11	31	2	15	18·181	48·387
100 and above	–	1	–	1	–	100·000
Not stated	–	–	–	–	–	–
ALL AGES	32,974	41,934	1144	1180	3·469	2·814
BOTH SEXES	74,908		2324		3·111	

* It was estimated that the Small-pox deaths in Scotland amounted to 124 in 1867, and to 25 in 1868. The Scottish Vaccination Act may therefore be regarded as a great success.

Scotland has now the prospect of witnessing how far a legislative enactment, which enforces the vaccination of all the children within six months of their birth, can control or extinguish one of the most loathsome and fatal of the diseases which afflict the human race. The Vaccination Act has been in operation since the 1st of January 1864; the people have

TABLE XXXIII.—PAISLEY, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	141	112	17·962	14·358
— 2	680	659	62	63	9.117	9·559
— 3	724	642	31	25	4·281	3·894
— 4	652	643	24	19	3·681	3·732
— 5	621	581	15	12	2·415	2·065
Total under 5 Years	3,462	3,305	273	231	7·885	6·988
5—10	2,759	2,872	30	17	1·087	0·591
10—15	2,438	2,409	17	8	0·697	0·332
15—20	2,130	2,598	22	28	1·032	1·077
20—30	3,497	4,690	48	55	1·086	1·172
30—40	2,630	3,293	46	57	1·748	1·730
40—50	2,134	2,520	57	75	2·671	2·976
50—60	1,472	1,857	54	46	3·647	2·477
60—70	925	1,272	44	76	4·756	5·974
70—80	373	559	39	58	10·455	10·375
80—90	81	129	20	36	24·691	27·900
90—100	12	10	3	3	25·000	30·000
100 and above	–	–	–	–	–	–
Not stated	–	–	1	1	–	–
ALL AGES	21,913	25,514	654	691	2·983	2·708
BOTH SEXES	47,427		1345		2·835	

TABLE XXXIV.—GREENOCK, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	845	758	164	172	19·408	22·691
— 2	652	650	104	80	15·950	12·307
— 3	710	657	34	21	4·788	3·196
— 4	673	668	33	17	4·903	2·544
— 5	617	628	14	15	2·264	2·388
Total under 5 Years	3,497	3,361	349	305	9 980	9·074
5—10	2,778	2,688	39	33	1·403	1·227
10—15	2,270	2,151	17	12	0·749	0·557
15—20	2,273	2,157	26	21	1·143	0·973
20—30	4,458	4,557	61	67	1·368	1·470
30—40	3,271	3,525	60	62	1·834	1·758
40—50	2,344	2,503	56	42	2·389	1·677
50—60	1,354	1,555	58	51	4·283	3·279
60—70	719	1,042	52	59	7·219	5·662
70—80	247	374	33	48	13·360	12·833
80—90	41	99	8	23	19·512	23·232
90—100	5	10	–	6	–	60·000
100 and above	–	1	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	23,257	24,023	759	729	3·264	3·034
BOTH SEXES	47,280		1488		3·105	

done all in their power to meet the views of the legislature, and to obey the requirements of the Act; and the accompanying Tables XLII. and XLIII., prepared from the Registrar-General's First, Second, and Third Reports on Vaccination, will show how perfectly the Act has worked in Scotland.

By Table XLII. it is seen that 8·33 per cent. of the children born in

---

TABLE XXXV.—LEITH, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	612	558	128	106	20·947	19·000
— 2	588	498	38	39	6·462	7·831
— 3	517	514	24	22	4·642	4·280
— 4	518	505	10	10	1·930	1·780
— 5	506	464	9	5	1·778	1·077
Total under 5 Years	2,741	2,540	209	182	7·625	7·165
5—10	2,170	2,134	25	14	1·152	0·656
10—15	1,953	1,758	10	8	0·512	0·455
15—20	1,720	1,780	11	8	0·639	0·449
20—30	3,930	3,462	35	25	0·890	0·722
30—40	2,692	2,717	32	40	1·188	1·472
40—50	1,798	2,046	40	37	2·224	1·808
50—60	1,055	1,345	31	31	2·933	2·304
60—70	582	901	50	33	8·592	3·662
70—80	211	369	23	41	10·900	11·111
80—90	38	81	14	19	36·842	23·456
90—100	1	5	–	5	–	100·000
100 and above	–	–	–	–	–	–
Not stated	–	–	1	–	–	–
ALL AGES	18,891	19,138	481	443	2·540	2·314
BOTH SEXES	38,029		924		2·429	

TABLE XXXVI.—PERTH, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	372	353	60	55	16·128	15·580
— 2	346	338	12	14	3·468	4·143
— 3	333	322	7	13	2·102	4·037
— 4	361	323	6	4	1·662	1·238
— 5	301	304	4	4	1·309	1·315
Total under 5 Years	1,713	1,640	89	90	5·194	5·493
5—10	1,394	1,444	11	9	0·788	0·623
10—15	1,317	1,303	7	3	0·531	0·230
15—20	1,299	1,378	13	9	1·000	0·653
20—30	2,048	2,579	21	25	1·025	0·969
30—40	1,596	2,005	29	31	1·817	1·546
40—50	1,210	1,539	29	36	2·396	2·339
50—60	860	1,181	23	18	2·686	1·524
60—70	572	947	36	32	6·294	3·379
70—80	243	399	24	39	9·876	9·774
80—90	66	100	18	17	26·865	17·000
90—100	1	5	1	3	100·000	60·000
100 and above	–	–	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	12,319	14,520	301	312	2·443	2·148
BOTH SEXES	26,839		613		2·284	

Scotland during these three years died before they could be vaccinated. To ascertain, therefore, what proportion of the children who survived the age of vaccination were protected by it, we must deduct those who died before

TABLE XXXVII.—DEATHS, 1866. Proportion of Deaths from different Diseases to every hundred thousand Persons of the Population in 1866, allowing for causes not specified.

DISEASES.	Proportion of DEATHS in every 100,000 Living.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2263	2374	2162	1687	1821	1575	1916	1968	1868	2851	3072	2662
1. Zymotic Class . . .	516	539	503	265	277	255	437	433	440	664	710	624
2. Uncertain Seat . .	81	63	97	67	45	85	76	61	89	91	69	110
3. Tubercular Class .	386	403	371	257	299	223	302	312	294	525	556	483
4. Nervous System .	181	202	162	106	114	99	153	168	140	232	267	203
5. Organs of Circulation	106	116	98	53	67	42	96	101	91	129	144	115
6. Respiratory Organs	332	377	299	171	194	151	236	265	209	493	550	445
7. Organs of Digestion	164	182	148	109	127	93	150	164	137	193	218	171
8. Urinary Organs . .	33	47	21	20	40	4	29	43	17	41	55	29
9. Generative Organs .	18	–	34	26	1	46	16	–	31	19	–	37
10. Locomotive Organs .	12	14	11	18	23	13	11	12	9	15	18	12
11. Skin, etc.	2	3	2	4	5	3	2	3	1	3	3	2
12. Malformation . . .	5	6	4	1	1	–	5	6	4	7	8	6
13. Premature Debility .	115	130	101	40	59	26	90	100	80	162	183	141
14. Atrophy	17	17	17	8	8	7	13	13	12	25	24	26
15. Age	207	164	246	465	429	493	231	181	267	148	111	179
16. Sudden Deaths . .	5	6	4	5	3	5	4	5	2	7	8	6
17. Violent Deaths . .	74	114	38	68	124	23	62	96	31	93	142	51
Small-pox	6	7	6	2	1	3	2	2	2	13	15	11
Measles	34	36	31	4	8	–	23	23	22	54	62	48
Scarlatina	89	99	81	3	31	28	87	92	81	102	118	89
Diphtheria	22	23	21	13	11	15	25	26	24	19	21	18
Hooping-cough . .	61	57	65	43	41	44	44	40	48	89	85	90
Croup	30	32	27	37	45	28	28	31	26	31	32	29
DIARRHŒA . .	49	50	49	17	20	15	38	38	38	70	74	68
Dysentery	9	9	9	4	3	4	10	9	11	9	11	8
Cholera	42	41	42	3	3	3	40	38	42	49	51	47
Influenza	6	6	7	21	15	26	7	6	7	4	5	4
ALL FEVERS, viz.	133	137	129	74	78	70	106	103	109	180	197	167
Typhus . .	73	77	67	29	25	32	39	38	40	125	140	110
Enteric . .	46	45	48	23	30	16	53	51	55	41	40	45
Relapsing . .	1	1	1	2	1	3	1	1	1	1	1	1
Continued . .	8	8	8	20	22	18	8	7	9	7	9	5
Infantile . .	5	6	5	–	–	1	5	6	4	6	7	6
Metria	6	–	11	4	–	8	5	–	10	7	–	13
Erysipelas	9	11	9	4	5	3	7	8	7	14	16	11
Dropsy	23	19	27	26	16	34	21	18	23	26	21	32
Cancer	43	28	58	34	22	44	43	28	56	46	29	62
Scrofula	20	23	18	12	18	7	19	21	17	23	25	21
Tabes Mesenterica .	28	31	25	6	6	5	24	26	23	37	43	32
PHTHISIS . . .	274	272	276	219	245	197	217	212	220	368	368	365
Hydrocephalus . .	62	76	50	20	28	13	42	52	34	97	118	78
Apoplexy	39	43	35	21	20	22	35	37	33	47	54	40
Paralysis	53	54	53	38	32	44	51	53	49	59	60	59
Epilepsy	8	9	7	4	5	3	8	8	7	9	11	8
Convulsions . . .	30	36	26	10	15	7	19	21	17	50	62	40
BRONCHITIS . .	220	233	208	78	82	75	151	162	149	336	356	317
Pneumonia . . .	73	91	57	33	50	19	53	65	42	107	134	83
Teething	34	41	28	12	13	11	23	26	19	53	64	44
Enteritis	29	33	25	12	16	9	29	35	24	31	34	29
All Liver Diseases .	34	38	31	25	35	18	31	34	28	40	44	36
CHILDBIRTH . .	11	–	22	20	–	40	10	–	19	12	–	24
Burns and Scalds .	10	10	10	6	–	11	8	7	9	13	15	11
Drowning	14	25	4	46	95	5	13	22	4	12	22	4
Fracture & Contusion	32	53	10	9	20	1	25	45	7	39	68	14

vaccination could be performed, when we have the numbers and proportions given in Table XLIII. By that table it is seen, that of the 307,731 children who survived to the age when they could be vaccinated, 95·89 per cent.—

TABLE XXXVIII.—DEATHS, 1866. Proportion of Deaths from different Diseases in every ten thousand Deaths from specified causes in 1866.

DISEASES.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2282	2237	2326	1571	1520	1620	2280	2200	2357	2331	2317	2344
2. Uncertain Seat . .	359	266	449	400	249	542	397	311	480	320	225	413
3. Tubercular Class . .	1708	1700	1716	1526	1640	1418	1580	1587	1574	1843	1812	1874
4. Nervous System . .	802	853	752	628	719	630	801	853	750	815	869	762
5. Organs of Circulation	471	489	455	318	368	271	502	516	488	453	471	435
6. Respiratory Organs .	1471	1558	1386	1014	1070	963	1231	1347	1119	1731	1791	1672
7. Organs of Digestion	726	768	684	686	700	595	783	835	733	676	709	643
8. Urinary Organs . .	149	200	99	121	221	26	155	219	92	144	180	109
9. Generative Organs .	80	–	158	157	9	297	85	–	168	69	–	139
10. Locomotive Organs .	56	62	50	108	129	87	56	62	51	53	59	47
11. Skin, etc.	11	13	9	22	27	17	11	15	7	10	10	10
12. Malformation . . .	24	27	22	4	9	–	26	31	21	24	25	23
13. Premature Debility .	509	548	472	242	322	166	470	511	430	564	597	532
14. Atrophy	77	72	82	44	46	43	67	68	67	88	78	98
15. Age	917	692	1108	2757	2359	3134	1205	925	1470	520	357	767
16. Sudden Deaths . .	22	26	19	27	18	35	19	25	14	25	27	24
17. Violent Deaths . .	329	482	179	408	682	148	326	490	167	326	462	192
Small-pox	29	30	28	13	9	17	12	12	12	46	49	44
Measles	152	159	145	22	46	–	120	121	119	191	201	180
Scarlatina	396	418	375	179	175	184	451	471	432	358	384	333
Diphtheria	100	100	100	80	64	96	134	136	132	69	69	69
Hooping-cough . .	272	243	301	256	230	280	232	206	257	312	279	346
Croup	132	136	126	215	249	184	148	157	139	111	112	110
DIARRHŒA . . .	220	214	226	103	110	96	199	193	205	248	241	255
Dysentery	43	41	45	22	18	26	54	46	62	33	38	28
Cholera	186	175	196	18	18	17	212	196	227	172	167	178
Influenza	29	26	32	125	83	166	36	34	39	15	16	15
ALL FEVERS, viz.	589	580	598	440	433	446	554	523	584	632	643	622
Typhus . . .	318	323	314	171	138	201	207	196	217	436	456	415
Enteric . . .	206	190	222	135	166	106	275	254	296	144	130	158
Relapsing . .	5	6	4	13	9	17	5	7	3	4	5	3
Continued . .	36	36	37	117	120	114	42	37	48	25	30	22
Infantile . .	24	25	21	4	–	8	25	29	20	23	22	24
Metria	26	–	52	27	–	52	28	–	55	25	–	49
Erysipelas	43	46	40	22	27	17	38	39	38	48	53	44
Dropsy	105	83	128	157	92	219	111	95	127	96	71	132
Cancer	194	119	268	202	120	280	225	145	303	164	95	232
Scrofula	90	96	84	72	101	43	100	109	91	82	83	81
Tabes Mesenterica .	126	134	118	36	37	35	126	132	121	131	141	120
PHTHISIS . . .	1214	1148	1279	1297	1345	1252	1130	1079	1179	1289	1200	1378
Hydrocephalus . .	277	322	234	122	156	87	223	266	182	340	386	294
Apoplexy	172	181	164	125	110	140	184	189	179	165	178	152
Paralysis	237	231	244	229	175	280	268	270	265	209	197	221
Epilepsy	37	40	34	22	27	17	41	44	39	34	36	31
Convulsions	136	153	118	63	83	43	99	107	92	176	201	152
BRONCHITIS . .	972	983	961	462	451	472	790	827	754	1179	1165	1193
Pneumonia	323	383	265	197	276	122	278	333	224	375	437	314
Teething	152	172	132	72	73	70	120	138	103	187	210	165
Enteritis	129	142	118	76	92	61	153	177	130	110	112	109
All Liver Diseases .	152	160	145	152	193	114	162	174	157	140	145	136
CHILDBIRTH . .	52	–	103	130	–	254	54	–	106	45	–	90
Burns and Scalds .	44	42	46	36	–	70	42	37	48	47	50	43
Drowning	62	107	20	274	525	35	68	114	23	43	72	14
Fracture & Contusion	133	223	46	58	110	8	133	229	41	139	224	54

that is, almost 96 per cent.—were successfully vaccinated; 0·64 per cent., or little more than half of a per-centage, had their vaccination postponed for various reasons; 0·84 per cent., or about three quarters of a per-centage, were found to be insusceptible of vaccination; while 2·63 per cent., or little more than $2\frac{1}{2}$ per cent., were lost sight of, from having removed from the district before vaccinaion could be performed. As all those whose vaccination was postponed would be afterwards vaccinated, and all those found insusceptible of the vaccine disease may be considered to be protected, only about $2\frac{1}{2}$ per cent. of the children whose births were registered in the three years may be considered as unprotected by vaccination. These chiefly belong to the vagrant class, and the wandering habits of that class increase the dangers which arise from their children being left unprotected by vaccination. At present, six months are allowed to elapse before the vaccination of the child can be enforced by penalties. Shortening that period to three months would bring a great proportion of these vagrants' children under the Act, and thus more effectually protect the population from the ravages of Small-pox.

Fever was the most fatal of the zymotic class of diseases in 1866, cutting off 4018 persons, thus constituting 5·89 per cent. of the deaths, or proving fatal to 133 persons in every hundred thousand of the population.

TABLE XXXIX.—TOWN DEATHS, 1866. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1866.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	2·980	2·749	3·201	3·111	2·835	3·105	2·429	2·284
I. Zymotic Class . . .	0·673	0·581	0·833	0·818	0·695	0·654	0·618	0·422
III. Tubercular Class . .	0·578	0·505	0·592	0·504	0·488	0·639	0·301	0·391
IV. Brain, etc., Diseases . .	0·225	0·244	0·232	0·314	0·231	0·294	0·181	0·193
V. Heart, etc., Diseases .	0·108	0·169	0·150	0·142	0·109	0·161	0·114	0·167
VI. Respiratory Organs, Dis.	0·620	0·433	0·486	0·459	0·361	0·458	0·434	0·258
VII. Organs of Digestion, Dis.	0·203	0·174	0·203	0·225	0·233	0·251	0·189	0·129
XIII. Premature Debility . .	0·170	0·136	0·226	0·126	0·178	0·181	0·200	0·182
XV. Old Age	0·102	0·135	0·171	0·194	0·233	0·148	0·117	0·208
XVII. Violent Deaths . . .	0·099	0·105	0·093	0·088	0·065	0·128	0·117	0·091
Small-pox	0·024	0·005	0·024	0·013	0·002	0·000	0·000	0·003
Measles	0·078	0·023	0·007	0·094	0·067	0·087	0·013	0·003
Scarlatina	0·099	0·025	0·106	0·192	0·128	0·096	0·021	0·019
Diphtheria	0·019	0·028	0·019	0·022	0·010	0·021	0·010	0·011
Hooping-cough	0·102	0·108	0·064	0·091	0·047	0·076	0·053	0·053
Croup	0·029	0·010	0·058	0·013	0·037	0·050	0·013	0·026
Diarrhœa	0·065	0·065	0·088	0·071	0·058	0·082	0·056	0·053
Dysentery	0·006	0·008	0·016	0·012	0·008	0·015	0·016	0·007
Cholera	0·016	0·085	0·119	0·088	0·015	0·030	0·261	0·064
Fevers, viz.	0·186	0·163	0·271	0·171	0·296	0·181	0·267	0·129
Typhus	0·141	0·109	0·197	0·080	0·253	0·151	0·261	0·092
Enteric	0·036	0·048	0·044	0·061	0·031	0·018	0·003	0·027
Relapsing	0·000	0·000	0·002	0·006	0·002	0·000	0·003	0·000
Continued	0·002	0·002	0·020	0·018	0·002	0·006	0·000	0·007
Infantile	0·006	0·004	0·008	0·006	0·008	0·006	0·000	0·003
Dropsy	0·029	0·013	0·057	0·017	0·058	0·028	0·034	0·011
Cancer	0·041	0·078	0·051	0·052	0·024	0·024	0·024	0·038
Phthisis	0·406	0·346	0·419	0·350	0·338	0·471	0·149	0·292
Apoplexy	0·041	0·055	0·051	0·053	0·071	0·045	0·032	0·045
Paralysis	0·047	0·069	0·051	0·083	0·069	0·065	0·066	0·068
Convulsions	0·060	0·028	0·096	0·084	0·030	0·056	0·042	0·022
Bronchitis	0·431	0·294	0·331	0·283	0·248	0·329	0·312	0·186
Pneumonia	0·142	0·078	0·092	0·110	0·076	0·065	0·066	0·057
Teething	0·062	0·016	0·084	0·095	0·061	0·133	0·047	0·038

Till 1855 all the forms of fever were tabulated under the head of Typhus, but both in 1855 and 1856 the different forms of continued fever were specified in the tables. By these it appears that, in 1866, of the 4018 deaths from fever, 2172 were attributed to Typhus (Spotted) Fever, 1404 to Enteric (Typhoid or Gastric) Fever, 34 to Relapsing Fever, 249 to Simple Continued Fever, and 159 to Infantile Fever, which is, in fact, Enteric Fever in the infant.

By distinguishing the forms of fever, some very interesting facts are brought to light, as may be seen by a reference to Table XLIV. Thus, it appears that Typhus (or Spotted Fever) was the leading form in the towns, seeing that 68·82 per cent. of the deaths from fever in the Town Districts were caused by Typhus, while only 22·79 per cent. were caused by Enteric Fever. In the Mainland-Rural Districts, on the other hand, Enteric Fever was the leading type, seeing that 49·69 per cent. of the fever deaths were caused by it, while only 37·27 per cent. of the deaths were caused by Typhus Fever. It is worthy of note, however, that all the recognised forms of fever were present and co-existed in both Town and Rural Districts,—a fact which leads us to infer, that any one of these may become the leading type in any epidemic which may prevail, as has been witnessed in the various epidemics of fever which have ravaged the country during the last century and a half, during which period sometimes Typhus, sometimes Enteric Fever, sometimes Relapsing Fever, characterized the epidemic.

TABLE XL.—TOWN DEATHS, 1866. Per-centage of Deaths from different Diseases to the total specified Causes of Death in each of the Eight Principal Towns of Scotland in 1866.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
I. Zymotic Class . . .	22·52	21·15	25·64	26·39	24·57	21·48	25·46	18·80
III. Tubercular Class . .	19·41	18·37	18·09	16·27	17·20	20·30	12·40	17·13
IV. Brain, etc., Diseases . .	7·57	8·88	7·25	10·12	8·14	9·35	7·46	8·48
V. Heart, etc., Diseases .	3·62	6·14	4·65	4·58	3·84	5·12	4·72	7·32
VI. Respiratory Organs, Dis.	20·82	15·76	15·13	14·79	12·75	14·55	17·78	11·21
VII. Organs of Digestion, Dis.	6·83	6·33	6·32	7·27	8·98	7·96	7·79	5·65
XIII. Premature Debility . .	5·71	4·95	7·05	4·06	6·29	5·75	8·23	7·98
XV. Old Age	3·43	4·94	5·32	6·27	8·21	4·71	4·83	9·15
XVII. Violent Deaths . . .	3·33	3·84	2·89	2·85	2·30	4·08	4·83	3·99
Small-pox	0·82	0·18	0·76	0·43	0·07	0·00	0·00	0·16
Measles	2·63	0·83	0·23	3·02	2·38	2·77	0·54	0·16
Scarlatina	3·34	0·94	3·32	6·18	4·53	3·04	0·87	0·83
Diphtheria	0·65	1·02	0·59	0·73	0·39	0·69	0·43	0·49
Hooping-cough	3·42	3·95	1·96	2·94	1·69	2·42	2·19	2·32
Croup	1·00	0·39	1·79	0·42	1·30	1·59	0·54	1·16
Diarrhœa, ...	2·30	2·38	2·72	2·29	2·07	2·63	2·30	2·32
Dysentery, ...	0·23	0·20	0·49	0·39	0·30	0·48	0·66	0·33
Cholera, ...	0·53	3·09	3·72	2·85	0·53	0·97	10·75	2·83
Fevers, viz.	6·24	5·95	8·41	5·54	10·44	5·73	10·97	5·65
Typhus, ...	4·72	3·98	6·09	2·55	8·92	4·79	10·75	3·99
Enteric, ...	1·23	1·75	1·37	1·97	1·08	0·56	0·11	1·17
Relapsing, ...	0·02	0·02	0·06	0·21	0·07	0·00	0·11	0·00
Continued, ...	0·06	0·06	0·63	0·60	0·07	0·20	0·00	0·33
Infantile, ...	0·21	0·14	0·26	0·21	0·30	0·20	0·00	0·16
Dropsy	0·98	0·48	1·76	0·56	2·07	0·90	1·42	0·49
Cancer	1·34	2·84	1·56	1·68	0·84	0·76	0·98	1·66
Phthisis	13·62	12·60	13·07	11·29	11·90	14·96	6·14	12·81
Apoplexy	1·40	2·02	1·56	1·73	2·53	1·45	1·31	1·99
Paralysis	1·60	2·53	1·56	2·68	2·46	2·07	2·74	2·99
Convulsions	2·03	1·02	2·79	2·72	1·07	1·80	1·75	0·99
Bronchitis	14·56	10·70	10·34	9·13	8·75	10·53	12·84	8·15
Pneumonia	4·76	2·84	2·86	3·54	2·68	2·07	2·74	2·49
Teething	2·08	0·58	2·59	3·07	2·15	4·22	1·97	1·66

Scarlet Fever was the next most fatal of the zymotic class of diseases, having proved fatal to 2706 persons, of whom 1411 were males and 1295 females. Scarlet Fever thus constituted 3·96 per cent. of the specified deaths, or cut off 89 persons in every ten thousand of the population. This disease was proportionately far more fatal to the rural than to the town populations; for while in the Town Districts only 3·58 per cent. of the deaths were caused by Scarlatina, it constituted 4·51 per cent. of the deaths in the Mainland-Rural Districts. The principal towns of Scotland were affected very differently by that disease; for while in Aberdeen the deaths from Scarlatina constituted 6·18 per cent. of the mortality, the deaths therefrom in Perth, Leith, and Edinburgh were considerably under one per cent. of the mortality.

1860 deaths were attributed to Hooping-cough, and it is remarkable that, year after year, that disease, unlike almost all others, cuts off a higher proportion of females than males. Thus, in 1866, only 820 males died from Hooping-cough, but 1040 females.

The mortality from Diarrhœa, Dysentery, and Cholera was high in

---

TABLE XLI.—SMALL-POX Deaths in Scotland.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1861	766
1856	1306	1862	426
1857	845	1863	1646
1858	332	1864	1741
1859	682	1865	383
1860	1495	1866	200

TABLE XLII.—VACCINATION of Children whose Births were registered in Scotland in 1864, 1865, 1866.

YEAR.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			DIED before Vaccination.	Removed from District before Vaccination, or not otherwise accounted for.	TOTAL BIRTHS.*
				From Constitutional Insusceptibility.	From having had Small-pox.	From being previously Vaccinated.			
1864	Number .	95,047	662	667	154	440	9180	2701	108,851
1865	Number .	99,648	719	474	34	207	9366	2681	113,129
1866	Number .	100,408	579	332	30	227	9433	2721	113,730
1864	Per-centage	87·32	0·61	0·61	0·14	0·40	8·44	2·48	100·00
1865	Per-centage	88·08	0·64	0·42	0·03	0·18	8·28	2·37	100·00
1866	Per-centage	88·29	0·51	0·29	0·02	0·20	8·29	2·40	100·00

TABLE XLIII.—VACCINATION of the surviving Children born in Scotland in 1864, 1865, 1866.

YEAR.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or not otherwise accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.		
1864	Number .	85,047	662	667	154	440	2701	99,671
1865	Number .	99,648	719	474	34	207	2681	103,763
1866	Number .	100,408	579	332	30	227	2721	104,297
1864	Per-centage	95·36	0·67	0·67	0·15	0·44	2·71	100·000
1865	Per-centage	96·04	0·69	0·46	0·03	0·20	2·58	100·000
1866	Per-centage	96·27	0·56	0·32	0·02	0·22	2·61	100·000

* The slight discrepancy between the annual number of Births here given and those published in these Reports, arises from the circumstance that some of the Registrars have included the transcript Births in their Returns.

1866, seeing that 1504 persons died from Diarrhœa, 294 from Dysentery, and 1270 from Cholera.

Epidemic Cholera made its appearance in Scotland in 1866, but its ravages were limited, and chiefly confined to certain localities, where the water used by the people was vitiated by containing organic matter. Indeed, in almost every instance where numbers of persons were seized with Cholera, it was found that they had been using water from wells where the water was rendered unfit for human use, from containing organic matter in a state of decomposition. This vitiation generally resulted from the well receiving the drainage of sewage water, or of manure heaps, or of churchyards, and the disease rapidly declined on the wells being shut up, and the people using water free from organic impurities.

During the whole year there was a greater tendency than usual to Cholera, so that even during the first five months of the year, from three to four deaths from that disease occurred monthly. In June, however, the first perceptible rise of deaths from Cholera manifested itself, for they numbered 14 deaths that month, having only been four during May. During July the Cholera deaths increased to 34; but the medical men, and the authorities of the localities where it manifested itself, would not allow themselves to believe that the disease was other than what they were pleased to call autumnal or British Cholera, so that the disease acquired some dimensions before any effective measures were taken for its arrestment. Accordingly, 120 fell victims to the disease in August, 128 in September, 431 in October, 459 in November, and 68 in December, when the disease died out.

It would be well that the public and medical practitioners should recognise the fact, that Cholera is the same disease everywhere, whether in India or in Britain, but that in this country it is only at distant intervals that it spreads as an epidemic. Every case, therefore, should be treated as if it were the forerunner of an epidemic; and if several cases are found to follow each other in the same locality, that fact proves that the disease has assumed the epidemic form, and the water supply should be immediately examined.

In former epidemics of Cholera in Scotland, it was found that females suffered more than males. The numbers dying from that disease in 1866 were too small to furnish reliable statistics on such a subject, though over all Scotland a slightly higher proportion of females than of males died of Cholera. But the results from the Rural and the Town Districts were at variance in this respect, inasmuch as a higher proportion of men died from Cholera in the Towns, whereas the proportion of female deaths greatly preponderated in the Rural Districts.

Table XLIV.—Deaths from Fever in 1866.

Fevers.	Mainland-Rural Districts.		Town Districts.	
	Fever Deaths.	Proportion to Total Fever Deaths.	Fever Deaths.	Proportion to Total Fever Deaths.
Typhus, . . .	666	37·27	1468	68·82
Enteric, . . .	888	49·69	486	22·79
Relapsing, . . .	17	0·95	14	0·66
Simple Continued, .	137	7·67	86	4·03
Infantile, . . .	79	4·42	79	3·70
All Fevers, . .	1787	100·00	2133	100·00

Several other facts noticed regarding the attack of Cholera in Scotland were noticed in the Registrar-General's Twelfth Annual Report, to which reference may be made.

Diphtheria caused 685 deaths in 1866; and it is a remarkable fact concerning that disease, that since its outbreak in Scotland, it has been much more prevalent and fatal among the inhabitants of the Rural Districts, than among the inhabitants of the Towns. The year 1866 was no exception to this, for Diphtheria caused 433 deaths in the Mainland-Rural, but only 234 deaths in the Town Districts.

Of the other diseases belonging to the zymotic class, Measles caused 1038 deaths, Croup 903, Thrush 39, Influenza 200, Purpura 41, Ague 1, Worms 26, Metria 181, Rheumatic Fever 103, Erysipelas 295, Pyæmia 20, Syphilis 156, and Noma 24.

Diseases of uncertain seat caused 2450 deaths, and thus constituted 3·59 per cent. of the mortality. Of the diseases tabulated in this class, Cancer was the most fatal, cutting off 1327 persons, of whom 403 were males and 924 females. Of the other diseases belonging to this class, Dropsy caused 721 deaths, Abscess 134, Ulcer 38, Fistula 15, Mortification 144, and Gout 8.

The Tubercular class of diseases caused 11653 deaths in Scotland, of which 5734 were males and 5919 females. This indicates an annual proportion of 403 male and 371 female deaths in every hundred thousand of each sex,—showing that, in 1866, males died from these diseases in somewhat higher proportions than females. This mainly resulted from the fact that Hydrocephalus, which belongs to this class, is so much more fatal to the male than to the female.

Phthisis or Consumption is the most fatal of the tubercular class of diseases, and, indeed, is the individual disease which is more fatal to the inhabitants of Scotland than any other disease. It caused 8283 deaths in Scotland during the year, of which 3871 were males and 4412 females. This gives the proportion of 272 male and 276 female deaths in every hundred thousand of each sex annually,—indicating that more females than males fall victims to its ravages.

In the Insular and Mainland-Rural Districts, the proportional mortality from Phthisis was nearly identical, viz. 219 deaths in the Insular, and 217 deaths in the Mainland-Rural Districts in every hundred thousand persons. But in the Town Districts the proportion was 368 deaths in a like population. If, however, the deaths from Phthisis be compared with the total deaths, it is found that the increase in the towns bears an exact relation to the increased mortality from all diseases; so that, while the deaths from Phthisis constituted 12·97 per cent. of the deaths in the Insular Districts, they formed 12·89 per cent. in the Town Districts—proportions almost identical.

Of the Eight Principal Towns of Scotland, it would appear from the tables that Leith possesses an immunity from Phthisis not enjoyed by even the Rural Districts, seeing these tables appear to show, that while in the other towns from 292 to 419 deaths from Phthisis in every hundred thousand persons occurred annually, in Leith the deaths were only in the proportion of 149 in a like population. No one can believe that such is really the case. In every town and district of the country there is a relation between the number of deaths from Hydrocephalus and those from Phthisis, but in Leith there is none. Speaking generally, the deaths from Hydrocephalus are in Leith as high as in the larger towns of Paisley and Greenock, while the deaths from Phthisis are set down as only half as many. The deaths from

Phthisis must therefore be registered under some other head, and from the disproportionate excess of deaths attributed to Bronchitis, it is suspected that a very large proportion indeed of the deaths from Phthisis are certified to be caused by Bronchitis, without stating that the bronchitic attack supervened on Phthisis. It is a rule in vital statistics that the tables of the diseases causing death are drawn up on the principle of tabulating the deaths under the primary disease, and not under its secondary or tertiary complications. Phthisis, therefore, proving fatal by a subsequent attack of Bronchitis or Pneumonia, would be tabulated as Phthisis, not as either of the latter diseases; just as Measles would be tabulated as such, though we know that, when Measles proves fatal, it is generally from Bronchitis supervening on the original disease.

Of the other tubercular diseases, Scrofula caused 617, Tabes Mesenterica 859, and Hydrocephalus 1994 deaths. The disproportion of the sexes falling victims to Hydrocephalus was so great, that 1087 were males and 807 females.

Diseases of the Brain and nervous system proved fatal to 5474 persons, of whom 2879 were males and 2595 females. This indicates that 202 males and 162 females died from brain diseases in every hundred thousand of each sex,—showing that the greater tendency to brain diseases which the male exhibits in infancy, when he is liable to Hydrocephalus, continued during life.

Of these Brain diseases, Apoplexy caused 1179 deaths, Paralysis 1621, Cephalitis 390, Delirium Tremens 60, Chorea 11, Epilepsy 255, Tetanus 45, Insanity 35, Convulsions 932, and general brain disease, not otherwise defined, 946 deaths.

Diseases of the Heart and blood-vessels caused 3218 deaths, 1649 of these being males and 1569 females,—indicating that 116 males and 98 females fell victims to these diseases out of every hundred thousand persons of each sex. Of these diseases, 49 deaths were ascribed to Pericarditis, 85 to Aneurism, and 3084 to Heart Disease.

Inflammatory affections of the Respiratory organs caused 10036 deaths, of which 5256 were males and 4780 females,—indicating that 377 male, but only 299 female deaths, occurred in every hundred thousand persons of either sex during the year. The deaths from all diseases, and from almost every disease, are about a third higher in the town than in the country districts, when compared with the population in each; but it is a fact worthy of notice, that diseases of the respiratory organs are nearly twice as fatal to the inhabitants of the Town Districts; just as if the residence in a town acted with especial malignity on the respiratory organs. Thus, while in every hundred thousand persons, only 236 died from inflammatory affections of the respiratory organs in the Mainland-Rural Districts, 493, or more than double the number, died from the same affections in the Town Districts.

Bronchitis, which is always the most fatal of these diseases of the respiratory organs in Scotland, caused 6629 deaths, Pneumonia 2207, Asthma 500, Pleurisy 252, Laryngitis 98, and disease of the lungs, not otherwise defined, 350 deaths.

Diseases of the organs of Digestion caused 4952 deaths, 2592 being male and 2360 female deaths. This indicates that in every hundred thousand of either sex, 182 males and 148 females died from these complaints during the year. Of these diseases, Teething caused 1038 deaths, Enteritis 886, Peritonitis 257, Gastritis 187, undefined Disease of the Stomach 750, Quinsey 51, Ascites 62, Ulceration of Intestines 178, Hernia 118, Ileus 272, Intussusception 34, Stricture of Intestines 40, all Diseases of the Liver

month of the ten years. *Secondly*, a series of tables showing the number of deaths during every month of these ten years in all Scotland, in its Insular, Mainland-Rural, and Town Districts, and in each of the Eight Divisions into which its counties are subdivided.

Tables LII. and LIII. give the summary of the above named mortality tables, viz. the Monthly Deaths in Scotland, its groups of districts and divisions during each month of the ten years; while Tables LIV. and LV. show the proportional Monthly Mortality in Scotland, its districts and divisions—each month being equalized to 31 days, and the proportion shown on the allowance of one thousand deaths per month, or 12000 deaths per annum. Drawn up in this manner, the proportional mortality in every

TABLE XLVI.—Meteorology of Scotland for 1866, from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also the Births, Deaths, and Marriages registered during each month of the year 1866.

1866.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR.
Highest Temperature in shade	59·0	61·0	62·3	71·6	78·0	87·5	87·5	73·7	70·5	69·3	59·3	66·0	87·5
Lowest Temperature in do.	6·0	11·0	—1·0	20·0	20·0	29·3	35·0	31·0	28·3	22·0	18·5	15·0	—1·0
Day Temperatures (Mean)	43·9	41·8	43·7	50·6	56·9	64·0	64·1	61·3	57·7	54·3	46·3	45·3	52·5
Night Temperatures (Mean)	35·0	32·0	32·3	37·4	39·0	48·2	49·7	48·6	45·1	43·0	36·1	35·8	40·2
Daily Range (Mean)	8·9	9·8	11·4	18·2	17·9	15·8	14·0	12·7	12·6	11·3	10·2	9·5	12·3
Mean Temperature	39·4	36·7	38·0	44·0	47·9	56·1	56·9	55·0	51·4	48·6	41·2	40 6	46·3
Highest Temperature in Sun	82·1	100·0	106·9	122·5	127·8	141·6	135·0	132·3	118·3	125·0	94·0	85·0	141·6
Lowest on Grass at Night	4·0	4·0	—4·0	8·0	10·2	13·0	27·9	20·0	20·0	16·2	12·0	10·0	—4·0
Wet-bulb Temperature (Mean)	37·8	34·5	35·8	41·3	44·7	53·0	53·8	52·4	48·9	46·6	39·1	38·8	43·9
Dew-point Temperature (Mean)	36·0	32·3	33·8	38·7	40·9	50·3	51·3	50·4	47·0	45·1	37·0	37·0	41·6
Humidity of Air	89	87	88	84	77	82	83	86	87	90	87	89	86
Elastic Force of Vapour (inch)	·212	·184	·195	·236	·257	·366	·379	·366	·324	·301	·221	·221	·272
Number of Days Rain fell	19	19	16	13	10	12	13	19	19	13	16	20	189
Amount of Rain (inches)	5·31	4·51	3·15	1·68	1·36	1·85	3·14	3·99	4·34	2·86	3·93	5·29	41·41
Amount of Cloud	6·5	5·9	6·6	6·3	5·1	6·2	6·6	7·2	6·6	6·8	6·0	7·1	6·4
Hours of Sunshine	70	101	129	161	260	229	207	146	133	99	97	56	1688
Mean Barometer (inches)	29·534	29·415	29·673	29·935	29·975	29·881	29·911	29·687	29·555	30·047	29·753	29·672	29·753
Easterly Winds (No. of days)	3	6	12	15	11	9	10	8	6	8	2	4	94
Westerly Winds (No. of days)	22	15	11	8	14	12	12	15	15	14	22	21	181
Births	9794	8946	10144	9715	10332	9762	9423	9166	8614	9667	8744	9360	113667
Deaths	6336	5745	7002	6263	6545	5769	5425	5324	4722	5673	6155	6389	71348
Marriages	2830	1488	1323	1474	1059	3501	2306	1450	1345	1513	2262	3137	23688
Daily Births	316	319	327	324	333	326	304	296	287	312	291	1302	311
Daily Deaths	204	205	226	209	211	192	175	172	157	183	205	206	195
Daily Marriages	123	74	60	70	46	166	105	63	67	66	103	149	90

district and division, *which is due to season*, is seen at a glance, and the proportional numbers can be strictly compared.

The tables of Temperature given in the Appendix, and the summary of which is given in Table L., show that, in so far as mean temperature is concerned, January is the coldest month in Scotland, and February the next. Indeed, the difference of mean temperature between these two months is so small, that of January being 37°·18, that of February 37°·41, that it may be held that their mean temperature is the same. December, with a mean temperature of 38°·64, was the third coldest month, yet its temperature was about 1½ degree higher than that of January. March, with its

---

TABLE XLVII.—Showing the number of Deaths Weekly, together with the Highest Lowest, and Mean Temperatures; also the Mean Fall of Rain during every Week of the year 1866, in the Eight Principal Towns of Scotland. (From Twelfth Annual Report.)

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
			°	°	°					°	°	°	
1	January 6	560	40·7	56·0	32·0	1·807	27	July 7	455	55·4	78·5	35·0	0·932
2	13	550	35·1	52·0	16·2	1·341	28	14	447	64·0	90·3	50·0	0·485
3	20	587	43·4	55·0	32·0	1·769	29	21	488	61·1	83·0	43·0	0·073
4	27	514	44·5	58·7	32·0	0·537	30	28	471	57·5	76·0	43·2	0·388
5	February 3	537	40·9	50·5	28·0	1·277	31	August 4	458	54·6	67·6	36·0	1 964
6	10	499	41·1	54·0	27·9	1·846	32	11	449	53·7	67·0	35·0	1·153
7	17	550	34·7	44·5	17·3	0·889	33	18	447	54·6	72·5	40·9	0·880
8	24	594	37·5	50·4	19·0	1·016	34	25	430	57·7	68·9	48·0	0·582
9	March 3	572	34·7	47·0	22·0	0·971	35	September 1	447	57·9	72·0	42·1	0·527
10	10	651	35·2	50·0	14·9	0·687	36	8	434	53·6	67·0	34·8	0·639
11	17	630	39·2	53·5	22·9	0·311	37	15	451	54·6	68·5	40·0	0·702
12	24	522	37·3	49·0	21·0	0·642	38	22	415	51·1	62·0	38·0	1·468
13	31	552	46·4	60·2	32·3	0·350	39	29	428	51·2	65·0	33·0	0·731
14	April 7	561	40·1	52·0	28·0	0·172	40	October 6	480	52·7	64·7	32·0	0·116
15	14	588	45·6	59·4	36·0	0·327	41	13	444	49·8	67 0	38·0	0·107
16	21	581	47·1	61·0	32·0	0·740	42	20	514	48·7	63·0	30·0	0·696
17	28	576	47·1	66·0	32·0	0·018	43	27	537	48·3	60·9	26·0	0·746
18	May 5	619	41·7	57·2	27·0	0·238	44	November 3	571	47·3	58·0	31·6	1·370
19	12	575	49·7	65·0	35·0	0·933	45	10	564	45·4	57·0	26·0	0·766
20	19	540	48·5	74·0	31·0	0·008	46	17	553	41·7	57·0	27·1	1·413
21	26	508	52·7	78·0	35·0	0·001	47	24	557	38·7	49·5	26·8	0·257
22	June 2	558	48·8	64·0	33·4	0·269	48	December 1	591	41·4	52·0	24·0	0·109
23	9	546	55·6	71·0	41·7	0·526	49	8	573	41·0	55·5	26·0	1·637
24	16	477	55·7	75·0	36·2	0·420	50	15	586	40 1	52·0	28·0	1·459
25	23	488	55·2	75·7	33·0	0·525	51	22	584	44·7	57·0	30·0	0·403
26	30	467	63·4	85·0	32·0	0·068	52	29	516	44·3	54·0	33·6	1·230

TABLE XLVIII.—Showing the connection between certain Atmospheric Phenomena, especially Mean Monthly Temperature, and the Deaths from certain Diseases and Classes of Diseases, in the Eight Principal Towns of Scotland, during each month of the Year 1866. (From Twelfth Annual Report.)

1866.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature,	40°·2	37°·5	38°·6	44°·3	48°·5	56°·4	58°·0	55°·6	52°·3	49°·1	42°·3	41°·6
Highest Temperature,	56°·8	54°·0	60°·0	66°·0	76°·7	79°·7	84°·3	71°·7	68°·3	64°·2	59°·0	57°·0
Lowest Temperature,	16°·2	19°·0	18°·5	27°·0	29°·0	34°·7	35°·0	35°·0	33°·0	26°·0	26°·0	24°·0
Rainfall in inches,	5·61	5·08	2·50	1·33	1·41	1·54	3·20	4·05	4·83	2·81	2·88	5·70
Total Deaths,	2528	2178	2624	2466	2518	2105	2073	1960	1787	2297	2427	2485
Daily Deaths,	82	78	85	82	81	70	67	63	59	74	81	80
Zymotic Diseases,	621	518	513	429	495	413	472	438	468	666	732	497
Small-pox,	4	5	9	18	17	23	18	13	15	9	12	9
Measles,	46	54	52	55	51	59	57	36	22	27	51	58
Scarlatina and Diphtheria,	133	78	68	70	75	49	54	51	100	120	109	117
Hooping-Cough,	101	93	102	91	98	55	42	37	41	72	73	63
Croup,	36	23	22	20	21	8	16	16	20	23	36	32
Typhus,	216	193	176	124	152	148	131	100	91	122	142	109
Diarrhœa,	33	26	33	18	28	36	92	128	98	95	63	38
Cholera,	0	0	0	0	2	5	14	14	48	167	203	27
Consumption,	309	261	332	359	378	319	300	258	227	255	241	247
Diseases Respiratory Organs,	450	427	553	490	431	358	258	211	207	339	482	532
Heart, etc., Diseases,	91	93	108	109	104	85	79	98	79	80	85	116
Brain, etc., Diseases,	207	171	220	183	200	165	157	176	159	173	179	202
Age,	113	113	139	111	141	101	91	88	80	88	89	155

mean temperature of 39°·82, was the fourth coldest month, yet its mean temperature was little more than one degree higher than that of December. November, with its mean temperature of 40°·22, was the fifth coldest month; and April, with its mean temperature of 44°·13, the sixth coldest.

TABLE XLIX.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Twelve Years 1855–1866.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	s. *d.*		*s.* *d.*
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 3	63,539	120 0
1859	43 10	61,714	94 0
1860	53 3	68,170	132 6
1861	55 4	62,341	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 5
1866	49 11	71,348	89 6

TABLE L.—Summary of TEMPERATURE during each Month of the Ten Years 1855–1864.

MONTHS.	Mean Temperature.	Absolute Highest Temperature.	Absolute Lowest Temperature.	Mean of Day Temperatures.	Mean of Night Temperatures.
	°	°	°	°	°
January . . .	37·18	59·0	—3·7	41·21	32·79
February . . .	37·41	62·0	—7·0	42·24	32·14
March	39·82	67·2	2·0	45·16	33·84
April	44·13	79·0	15·0	51·06	36·73
May	49·52	88·0	20·7	56·90	41·48
June	55·61	95·0	27·0	62·66	47·74
July	57·62	87·0	30·0	64·60	49·71
August . . .	57·28	89·0	28·3	64·12	49·75
September . .	52·86	82·0	26·3	59·47	45·87
October . . .	47·21	73·0	10·5	52·79	41·07
November . .	40·22	64·0	9·0	44·82	35·05
December . .	38·64	60·9	—12·0	42·96	34·08

TABLE LI.—Summary of WINDS during each Month of the Ten Years 1855–1864, showing the average Number of Days the Wind blew in any particular direction.

MONTHS.	DIRECTION OF WIND.								
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
January	2·2	2·0	1·8	3·0	3·3	7·2	6·0	3·5	2·0
February	1·9	1·5	2·4	3·6	3·0	6·0	4·6	3·0	2·0
March	2·5	3·0	3·5	2·3	2·8	5·4	6·2	4·1	1·2
April	2·6	2·9	4·0	3·1	2·8	5·0	4·6	3·0	2·0
May	2·3	3·5	4·0	3·3	3·2	5·2	5·2	2·2	2·1
June	1·7	2·4	3·8	3·2	3·0	5·9	4·5	3·5	2·0
July	1·8	1·7	2·5	2·3	2·7	6·6	6·5	4·3	2·6
August	1·8	2·0	2·2	2·6	3·3	6·9	6·2	3·0	3·0
September	1·5	1·8	2·0	2·2	3·0	7·6	6·6	2·8	2·5
October	1·9	2·6	3·2	3·2	3·0	6·2	5·3	2·8	2·8
November	2·9	2·2	3·5	3·5	2·8	5·2	4·0	3·3	2·6
December	2·2	1·2	2·0	3·3	3·0	8·0	6·0	3·3	2·0

N.B.—The mode of noting the direction of the Wind is very faulty, and entirely fails to give trustworthy results. The above table neither shows that the prevalent Winds during the months of December, January, and February are south-west and west, nor that the prevalent Winds in March, April, and May are north, north-east, and east.

July again, with its mean temperature of 57°·62 was the warmest month, followed by August 57°·28, June 55°·61, September 52°·86, May 49°·52, and October 47°·21.

Tables LII. and LIII., which show the mere number of deaths during each month of the ten years in Scotland, its groups of districts and divisions, give us almost no information as to the comparative mortality of the different months; but when these are reduced to proportions, as they are in Tables LIV. and LV., the facts are rendered tangible and valuable.

By Table LIV. it is seen, that of every 12000 deaths in Scotland during these ten years, 1193 occurred in February, 1145 in March, and 1134 in January. There was no other month where the mean proportional mortality reached 1100 per month. These three months, then, in the order named, were the most fatal to the population of Scotland, and speaking alone as concerning vital statistics, may properly be designated our winter months.

After these three fatal months come April, with a proportional mortality of 1083 deaths, then December with 1073 deaths, and May with 1010 deaths. These are our next most fatal months.

The third group of months, arranged in the order of their fatality,

TABLE LII.—Summary of MONTHLY DEATHS in SCOTLAND during the Ten Years 1855–1864.

MONTHS.	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
January . . .	62,641	2,370	30,223	30,048
February . . .	60,150	2,470	30,085	27,595
March . . .	63,265	2,768	31,786	28,711
April . . .	57,864	2,488	29,051	26,325
May	55,767	2,295	28,246	25,226
June	51,084	2,051	25,468	23,565
July . . .	49,457	1,956	24,250	23,251
August . . .	47,314	1,799	23,096	22,519
September . .	45,065	1,703	22,143	21,219
October . . .	47,426	1,753	22,836	22,737
November . . .	51,976	1,826	24,560	25,590
December . . .	59,286	2,234	28,548	28,504
Year	651,295	25,713	320,292	305,290

TABLE LIII.—MONTHLY DEATHS in the EIGHT DIVISIONS of SCOTLAND during the Ten Years 1855–1864.

MONTHS.	Northern Division.	North-Western.	North-Eastern.	East-Midland.	West-Midland.	South-Western.	South-Eastern.	Southern.
January	1,787	2,503	6,121	10,439	4,468	25,075	8,323	3,925
February	1,806	2,834	6,279	10,019	4,432	23,239	7,855	3,686
March	1,970	2,909	6,609	10,474	4,753	24,504	8,005	4,041
April	1,812	2,725	6,003	9,424	4,160	22,515	7,511	3,715
May	1,752	2,406	5,860	9,043	4,215	21,671	7,275	3,545
June	1,527	2,284	5,058	8,392	3,793	19,792	6,867	3,370
July	1,418	1,960	4,764	8,158	3,745	19,719	6,504	3,189
August	1,385	1,857	4,582	7,854	3,447	18,960	6,356	2,873
September	1,349	1,798	4,447	7,403	3,371	17,778	6,174	2,745
October	1,380	1,922	4,475	8,112	3,278	18,722	6,664	2,873
November	1,429	1,957	5,165	8,632	3,664	20,908	7,202	3,019
December	1,708	2,433	5,872	9,759	4,267	23,603	8,205	3,439
Year	19,323	27,588	65,235	107,709	47,593	256,486	86,941	40,420

consists of June with its 956 proportional deaths, November with 954 deaths, and July with 895 deaths.

And the fourth group contains the three months when the mortality is lowest, viz. October with its proportional 858 deaths, August 856 deaths, and September, the healthiest month of all the year, with its low proportion of 843 deaths.

Thus it will be seen that, taking Scotland as a whole, February is the month which is generally most fatal to the population, and September that which is most healthy; that there are six months when the proportional deaths are above 1000 per month, viz. February, March, January, April, December, and May, and that in the order named; and six months when the deaths are below 1000, viz. June, November, July, October, August, and September.

When we look over Tables LIV. and LV., however, we find that local causes exist in the different districts or divisions which cause the highest or the lowest mortality to occur at a different period from that at which they are seen to occur over all Scotland.

Thus, in the Insular, Mainland-Rural, and Town Districts, as also in several of the divisions of Scotland, the most fatal month was February.

TABLE LIV.—PROPORTIONAL MONTHLY MORTALITY in SCOTLAND, Ten Years 1855–64, every Month equalized to 31 days, and proportioned to a mean of 1000 Deaths per month, or 12,000 per year.

MONTHS.	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
January . . .	1,134	1,085	1,111	1,159
February . . .	1,193	1,273	1,211	1,166
March . . .	1,145	1,267	1,168	1,107
April . . .	1,083	1,177	1,103	1,049
May	1,010	1,050	1,038	973
June	956	970	967	939
July	895	895	891	897
August . . .	856	824	849	869
September . .	843	806	841	845
October . . .	858	802	839	877
November . . .	954	864	933	1,020
December . . .	1,073	1,023	1,049	1,099
Year	12,000	12,000	12,000	12,000

TABLE LV.—EIGHT DIVISIONS of SCOTLAND. Ten Years Proportional Monthly Deaths.

MONTHS.	Northern.	North-Western.	North-Eastern.	East-Midland.	West-Midland.	South-Western.	South-Eastern.	Southern.
January	1,089	1,067	1,105	1,141	1,101	1,151	1,127	1,144
February	1,204	1,324	1,239	1,198	1,196	1,166	1,165	1,174
March	1,200	1,240	1,193	1,145	1,171	1,125	1,084	1,177
April	1,141	1,200	1,119	1,064	1,059	1,068	1,051	1,118
May	1,067	1,026	1,057	989	1,038	995	985	1,033
June	961	1,006	943	948	1,015	939	961	1,014
July	864	836	859	892	922	905	881	929
August	844	791	827	858	849	871	861	837
September	849	792	829	836	858	844	864	826
October	841	819	807	887	807	860	902	837
November	899	862	963	975	933	992	1,008	909
December	1,041	1,037	1,059	1,067	1,051	1,084	1,111	1,002
Year	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000

In the Southern Division, however, embracing the counties of Roxburgh, Dumfries, Kirkcudbright, and Wigtown, the most fatal month was March. In this respect the mortality of that division corresponded with that of the countries of Europe and America which have great extents of undrained swampy land; and every one who knows that division of Scotland, will agree that the resemblance to the continental countries above alluded to is as applicable to the land as to the season of greater mortality.

March was the second most fatal month to the general population of Scotland; but of the three groups of districts into which Scotland is divided, this only held good in the Insular and Mainland-Rural Districts. In the Town Districts, on the other hand, January was the second most fatal month —the mortality, indeed, not being much behind that of February itself. This peculiarity we cannot explain; but it may be mentioned, that January was also the most fatal month to the populations living in the South-Western, South-Eastern, and Southern Divisions.

It is worthy of note that December, so far from being one of the most fatal months in Scotland, stands fifth on the list. But when we look at its fatality in each of the three groups of districts, we find that in the Town Districts it is the fourth most fatal month, in the Mainland-Rural it is the fifth, and in the Insular only the sixth most fatal. The advent of the cold season, therefore, tells faster on the populations of the towns, whose less robust health is not so well fitted to resist the hurtful effects of a lowering of the temperature.

Over all Scotland, September was the most healthy month, and had the fewest deaths; but when we look at the groups of districts, we find that both in the Insular and in the Mainland-Rural Districts it was October which showed the fewest deaths, the Town Districts alone showing the fewest deaths in September, while the October deaths in the towns had increased beyond those of both September and of August. This fact, again, shows that the less robust health which town populations have, renders them more sensitive to the agencies of the weather; so that the lower temperature in October, but especially the lower night temperature, acted prejudicially and more quickly on them than on the more robust inhabitants of the rural parts of Scotland.

It is worthy of remark, however, that if the hurtful effect of the return of the cold weather was seen a month sooner among the inhabitants of the towns, they also, in spring, experienced a month sooner the beneficial effects of the return of the warm weather; for while May still continued to be one of the six deadly months to the inhabitants of the Insular and Mainland-Rural Districts, with its proportional mortality much above the average of 1000 deaths per month, May was one of the six healthy months in the Town Districts, and had its proportional mortality much below the average of 1000 deaths per month.

Of the eight divisions of Scotland, the mortality was lowest during the month of August in the North-Western and South-Eastern Divisions. It was lowest during the month of September in the East-Midland, South-Western, and Southern Divisions. And it was lowest during the month of October in the Northern, North-Eastern, and West-Midland Divisions. For these differences it would be extremely difficult to account.

It will thus be seen that while, speaking generally, temperature is the most important element in regulating the mortality in Scotland, other circumstances must be allowed due weight to explain the proportional mortality of the different months. Many of these have been endeavoured to be pointed out in previous Reports, but may be noticed again in reviewing the ten years monthly mortality.

It is an established fact, that when the cold weather first sets in, it has a much less hurtful effect on the mortality than after it has continued for some months. Cold of itself exhausts and weakens the vital powers, so that a lesser degree of cold at the end of winter has a much more injurious effect on the health and mortality of the population, than a much more severe degree of cold at the beginning of winter. Hence, though February has a mean temperature no greater than January, its mortality is much higher, the simple continuance of the cold weakening the vital powers, and rendering them less able to resist its hurtful effects.

But there is another and most important element, which has been too much overlooked, which intensifies the cold, and renders its action more baneful still. This is the cold northern and easterly winds. Nothing intensifies cold so much as wind; and even a moderate degree of cold with a high cold wind, has much more hurtful effects on the vital organism than a much greater degree of cold without wind. Though all our Arctic voyagers mention this fact, so as to put it beyond denial, still every one has yearly experience of the fact in this country, when the cold northerly or easterly winds begin to blow in March. Though the temperature may be several degrees above the freezing-point, yet the deleterious action of these strong cutting winds on the human organism is very marked, drying up the skin, stopping all cutaneous perspiration, and driving the blood from the surface into the internal organs, and generally producing a feeling of discomfort and chilliness not felt during all the previous months of winter.

These northerly and easterly winds are the leading aërial currents over Scotland during the months of March, April, and May, and setting in as they do immediately on the conclusion of one of our coldest months (February), when the vital powers have been already weakened by the continuance of the cold, it is not surprising that the mortality in March rises so as to constitute it the second most deadly month of the year.

Even the much greater heat of the sun's rays during April cannot effectually drive back the pernicious effects of these cold northerly and easterly winds, so that the mortality of April exceeds that of December, and April forms the fourth most fatal of the months.

There is still another circumstance to be taken into account when we endeavour, from meteorological tables, to deduce those elements which seem more particularly to act prejudicially on the human frame, and increase the mortality. It is one of the most important elements bearing on vital statistics, but one quite overlooked by meteorologists, viz. the night temperature.

It is a known fact that most men are born, and most die, during the night; and it is the night temperature, far more than that of the day, which has the most deleterious influence on human life. Hence all tables drawn up for comparison with the statistics of human mortality, ought to specify both the absolute and the mean lowest or night temperatures, as indicated by the minimum self-registering thermometer. The notes which are continually furnished us from all parts of Scotland have again and again pointed out the fact, that an excessively cold night, when the temperature falls to 10° or to 5°, or below zero, is most fatal to the aged and the very young, and to those weakened by disease; and in some of the smaller parishes such a night has been known to kill all persons above 80 years of age—husband and wife, brother and sister, being found dead in their beds in the morning after such a night of cold.

Now, if we look at Table LI., which gives the monthly summary of the ten years' temperature, we shall find how closely the night temperature

corresponds with the mortality during the three most fatal months. The mean night temperatures during January, February, and March, were lower than those of any other month, and these were the months most fatal to the population. By that table December stands fourth lowest on the scale of night temperature, and April the fifth; whereas, on the scale of mortality, April was the fourth most fatal month, and December the fifth. But the night temperatures, of course, take no note of the evil influence of the continuance of the cold, nor of the northerly and easterly winds—agents quite sufficient to cause the mortality in April to preponderate to that slight extent which it does over that of December.

These tables are worthy of the most careful study. They clearly point out to the invalid what months he ought to select for a residence in a milder climate abroad. From the beginning of December till May he should absent himself from Scotland; but as it is the northerly and easterly winds which are chiefly hurtful to the consumptive, the months which they have especially to avoid are March, April, and May.

Mortality of each Registration District during the Ten Years 1856–1865.

One great object of these Reports is to put the public in possession of facts whereby the healthiness or unhealthiness of each Registration District in Scotland may be ascertained. A ten years period is the shortest on which any reliance can be placed for ascertaining the healthiness of any district; because, when the population is small, the mortality is irregular from year to year, and the true mean can only be ascertained by taking a ten years' average at least.

Tables have therefore been prepared, and are printed in the Appendix, pp. 190, *et seq.*, which show the decennial number of deaths in each district, and the mean annual per-centage of deaths to the population during that period. The years 1856–1865 were selected for this purpose, because they permit the Census numbers of 1861 to be used without correction as the mean population for each district for the period referred to.

The mortality of a few of the districts during the above period cannot be accurately given, in consequence of these districts having been enlarged or diminished during the period, or newly constituted out of previously existing districts. Edinburgh is unfortunately in that position, its original seven districts having been reduced to five, so that the total numbers for the whole city had to be given, instead of the deaths for each of its registration districts. The able Report, however, of the Sanitary Inspector, Dr. Littlejohn, makes this the less to be regretted, inasmuch as he supplies for that city all the facts which the sanitary reformer could desire.

Facts, which are accumulating day by day, have revealed to us that, in Scotland, the mortality in the Town Districts is one-third higher than it is in the Rural Districts. But they show that the same diseases and classes of disease prevail in the Town and in the Rural Districts; and from knowing that certain causes increase the prevalence and mortality of certain diseases, we infer that many of the lives which are annually lost by disease, both in the Town and Rural Districts, could be saved had proper sanitary appliances as to house accommodation, drainage, ventilation, and supply of water been attended to.

This series of tables has therefore been drawn up with the view of showing the districts where sanitary inquiries could properly be made. As

a guide to reading these tables, it ought to be stated that every Town District should be considered unhealthy where the mean annual mortality exceeds 2 per cent., and that every Rural District should be considered unhealthy where the mortality exceeds 1·5 per cent. of the population. It may be mentioned that by the term "Town District" is meant a district which includes a town or part of a town which at the Census of 1861 had a population of 3000 persons and upwards, and that the term "Rural District" includes the remaining districts of Scotland.

During the above ten years the actual annual morality in the Town Districts was 2·55 per cent. of the population, that of the Rural Districts being 1·67 per cent., so that a wide margin is left for improvement of the health of the people under judicious sanitary operations.

As these tables are purely for consultation, their contents need not be commented on in this place.

Nomenclature in Scotland.

In the Sixth Detailed Report, applicable to the Registers of 1860, a few pages were devoted to the subject of Scottish Nomenclature; and among other particulars, a classified list was given of the fifty most common surnames in Scotland, as deduced from the General Indices to the Registers of Births, Deaths, and Marriages for the years 1855, 1856, and 1858, which embrace upwards of 609,000 names. The annexed table (LVI.) exhibits the result of a similar but much less extended investigation in the General Index to the *Birth* Registers only for the year 1863, which embraces upwards of 109,000 names; and it is satisfactory to find that the conclusions arrived at in the former Report are strikingly confirmed by the subsequent and more limited inquiry. No fewer than forty-seven of the fifty surnames

Table LVI.—The Fifty most common Surnames in Scotland, as ascertained from the General Index to the Birth Registers for the year 1863.

Surnames.	Number in Index.	Estimated Number in entire Population in 1863.	Surnames.	Number in Index.	Estimated Number in entire Population in 1863.	Surnames.	Number in Index.	Estimated Number in entire Population in 1863.
*Smith	1581	44268	*Paterson	635	17780	Hamilton	430	12040
*M'Donald	1308	36624	Young	629	17612	*Kerr	419	11732
*Brown	1209	33852	*Fraser	627	17556	Grant	408	11424
*Thomson	1117	31276	*M'Lean	602	16856	M'Intosh	408	11424
Robertson	1116	31248	Henderson	590	16520	*Graham	401	11228
*Stewart	1095	30660	Mitchell	578	16184	*White	399	11172
Campbell	1079	30212	*Morrison	562	15736	*Allan	390	10920
Wilson	1048	29344	Cameron	548	15344	*Simpson	383	10724
Anderson	949	26572	Watson	536	15008	M'Gregor	373	10444
Scott	803	22484	Walker	523	14644	*Munro	369	10332
*Miller	767	21476	Taylor	517	14476	Sinclair	367	10276
M'Kenzie	764	21392	M'Leod	513	14364	Bell	362	10136
*Reid	706	19768	*Ferguson	473	13244	Martin	360	10080
Ross	680	19040	Duncan	463	12964	*Russell	342	9576
M'Kay	669	18732	Gray	456	12768	Gordon	340	9520
*Johnston	644	18032	Davidson	451	12628			
*Murray	640	17920	Hunter	438	12264	Total...	31705	887740
*Clark	638	17864						

* *Note.*—The surnames indicated by an asterisk in Tables LVI. and LVII. occur under two or more different spellings.

specified in that Report again appear; and although their relative position and estimated number in the population are in several instances somewhat different, the general similarity of the two lists is very remarkable. The three surnames contained in the former list which do not occur in the annexed table are Black, Sutherland, and Gibson, in lieu of which we have M'Intosh, Russell, and Gordon. In both lists the nine strongest surnames are the same, viz. Smith, M'Donald, Brown, Thomson, Robertson, Stewart, Campbell, Wilson, and Anderson, the only difference in their order being that Thomson and Robertson change places—their respective numbers, however, in both lists, being strikingly similar. As stated in the former Report, the surname of Smith is *facile princeps* on both sides of the Border; but it is somewhat curious to find that Jones, which occupies the second place in England, is "nowhere" in Scotland, seeing that the number of Births under that surname in Scotland during 1863 was only 54, indicating a population of little more than 1500 persons.

Notwithstanding the large accession of Irish and other immigrants, several of our most common Scottish surnames still very decidedly predominate in certain parts of the country. Thus we find from the General Index already referred to, that of the 3856 births in the five clans of M'Donald, M'Kenzie, M'Kay, M'Lean, and M'Leod, during the year 1863, no fewer than 1300 occurred in the counties of Ross and Cromarty and Inverness, indicating a population of 36400. The M'Donalds appear to be strongest in Inverness-shire, where they constitute about 8000 of the population, their estimated number in Ross and Cromarty being 4670, and in Argyllshire little more than 2000. The M'Kenzies are most numerous in Ross and Cromarty, where they considerably exceed 6000, their strength in Inverness-shire being only about 1900. The M'Kays preponderate in Caithness and Sutherland (*cir.* 4000), and the M'Leods in Ross and Cromarty (*cir.* 5350); while the M'Leans are pretty equally divided among the three counties of Argyll, Ross and Cromarty, and Inverness, where they collectively amount to about 6450. Nearly one-third (124) of the M'Intosh births occurred in the counties of Inverness, Elgin, Nairn, and Banff, indicating a population of 3470; while the most numerous section of the M'Gregors appears to be in Perthshire, where they amount to upwards of 1400.

The Robertsons preponderate in the shires of Perth and Forfar, in which they are about equally strong, constituting in these two counties a population of 6200. The Stewarts are strongest in Perthshire, where they amount to about 3500; while their estimated number in Argyllshire is under 700, and in Galloway (Kirkcudbright and Wigtown) only 360. They are, however, pretty numerous in the counties of Renfrew and Ayr, where they contribute about 2800 to the population. The Campbells appear to amount to nearly 2000 in Argyllshire, and to about 1450 in Perthshire, their estimated number in the city of Glasgow being upwards of 6000.

About one-half of the fifty surnames in the preceding table do not appear to prevail in any particular counties. A few of these, such as Anderson, Ferguson, Duncan, and Davidson, may perhaps be regarded as more peculiarly Scottish patronymics, but it is believed that most of them are of frequent occurrence on both sides of the Tweed. No fewer than eleven of them are to be found among the fifty most common surnames in England, as specified in the Sixteenth Annual Report of the Registrar-General of England, viz. Smith, Brown, Thomson (Thompson), Wilson, Clark, Watson, Walker, Taylor, White, Allan (Allen), and Martin.

The following is a list of the other surnames in Table LVI., which

appear to preponderate in certain parts of the country, with their estimated numbers in the different counties in which they most extensively prevail:—

Scott, . . Roxburgh and Selkirk, 2900. Forfar, 2150.
Ross, . . Ross and Cromarty, 3600.
Johnston, . Dumfries, 1700.
Murray . . Dumfries and Roxburgh, 1230. Elgin and Banff, 920. Perth, 560.
Fraser, . . Inverness, 4300.
Cameron, . Argyll, 2460. Inverness, 1300. Perth, 1300.
Hunter, . Stirling and Clackmannan, 1600. Ayr, 1100. Fife, 1100. Perth, 300.
Hamilton, . Lanark, 5800 (of whom nearly one-half are in the City of Glasgow). Renfrew and Ayr, 2800.
Kerr, . . Renfrew and Ayr, 2700. Berwick, 280. Roxburgh, 170.
Grant, . . Elgin, Nairn, and Banff, 3000. Inverness, 1300.
Graham, . Dumfries, 800. Perth, 420. City of Glasgow, 1960.
Munro, . . Ross and Cromarty, 2000. Inverness, 650.
Sinclair, . Orkney and Shetland, 1350. Caithness, 1250.
Bell, . . Dumfries and Roxburgh, 2000.
Gordon, . Aberdeen, 2000. Elgin, Nairn, and Banff, 1500.

Table LVII. exhibits a classified list of the one hundred surnames next

TABLE LVII.—Continuation of Table LVI., showing the One Hundred Surnames in Scotland next in order to those specified in Table LVI., as ascertained from the General Index to the Birth-Registers for the year 1863.

SURNAMES.	Number in Index.	Estimated Number in entire Population in 1863.	SURNAMES.	Number in Index.	Estimated Number in entire Population in 1863.	SURNAMES.	Number in Index.	Estimated Number in entire Population in 1863.
Black . .	339	9492	*Hendry . .	223	6244	*M'Neil . .	161	4508
Sutherland .	334	9352	M'Kinnon . .	220	6160	Chalmers . .	157	4396
M'Farlane . .	330	9240	*Gardner . .	219	6132	Jack . . .	154	4312
Gibson . .	326	9128	*Burns . .	218	6104	Murphy . .	154	4312
*Stevenson . .	326	9128	*Irvine . .	215	6020	Lawson . .	153	4284
M'Millan . .	320	8960	*Aitken . .	214	5992	*Sim . . .	153	4284
Wallace . .	317	8876	Lindsay . .	211	5908	Dick . . .	152	4256
M'Pherson .	316	8848	Fleming . .	211	5908	Moffat . .	152	4256
*Milne . .	304	8512	Donaldson .	208	5824	Blair . . .	151	4228
Muir . . .	301	8428	Buchanan . .	205	5740	Cairns . .	151	4228
M'Intyre . .	300	8400	M'Laren . .	205	5740	*Steel . . .	151	4228
Marshall . .	290	8120	*Stephen . .	205	5740	M'Innes . .	150	4200
Watt . . .	279	7812	M'Kie . .	198	5544	King . . .	150	4200
Kennedy . .	276	7728	Currie . .	197	5516	Murdoch . .	149	4172
Craig . . .	271	7588	Shaw . .	193	5404	*Sharp . .	148	4144
*Crawford . .	264	7392	Hay . . .	191	5348	Adam . .	147	4116
*Kelly . .	259	7252	*Neilson . .	186	5208	Forrest . .	145	4060
M'Lachlan .	259	7252	Boyd . . .	186	5208	Baird . .	144	4032
*Nicol . . .	258	7224	*M'Ewan . .	185	5180	Jackson . .	144	4032
Wright . .	255	7140	*Rodger . .	185	5180	*Low . . .	143	4004
*Dickson . .	253	7084	*Paton . .	180	5040	Hogg . . .	142	3976
M'Dougall .	252	7056	Rae . . .	176	4928	Forsyth . .	142	3976
Ritchie . .	252	7056	Bain . . .	176	4928	Cook . . .	141	3948
Bruce . .	241	6748	M'Rae . .	175	4900	*M'Guire . .	141	3948
*Findlay . .	241	6748	*Hutchison . .	175	4900	Baxter . .	140	3920
Cunningham .	238	6664	Alexander . .	173	4844	Hill . . .	140	3920
Williamson .	238	6664	Ramsay . .	172	4816	Barclay . .	135	3780
*Jamieson . .	230	6440	Weir . . .	167	4676	*Inglis . .	134	3752
Douglas . .	229	6412	*Nicolson . .	165	4620	Orr . . .	133	3724
Christie . .	229	6412	Turnbull . .	163	4564	Robb . . .	133	3724
*Matheson . .	228	6384	Tait . . .	162	4536	Strachan . .	133	3724
*Laing . .	228	6384	*Rankin . .	162	4536	Maxwell . .	133	3724
Wood . .	228	6384	Boyle . .	162	4536			
Forbes . .	225	6300	*Cumming . .	162	4536	Total...	20337	569436

in order, as ascertained from the General Index to the Birth Registers of 1863. The two tables thus embrace the one hundred and fifty most common surnames in Scotland, which contributed upwards of 52,000 births in the year 1863, and appear to be represented by no fewer than 1,457,176 persons (47 per cent.), or within 93,000 of the half of the entire population. In other words, it is probably not far short of the truth to state, that every second person in Scotland bears one or other of these one hundred and fifty surnames, the total estimated number of surnames in Scotland being about 6800.

Fully two-thirds of the one hundred surnames in Table LVII. may be regarded as more peculiarly Scottish, and it is believed that many of them, such as Sutherland, Kennedy, M'Dougall, Forbes, Lindsay, Buchanan, Cumming, and Maxwell, predominate in certain counties. As, however, the total estimated number of each is comparatively small, it has not been considered expedient to extend the relative investigation.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 31*st March* 1869.

Births, Deaths, and Marriages registered in Scotland during the Year 1866.

1866.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
	1851.	1861.	Males.	Fem.	Total	Mal.	Fem	Totl	Males.	Fem.	Total.			
SCOTLAND - -	2,888,742	3,062,294	58360	55307	113667	5974	5699	11673	35355	35993	71348	23688	42319	19,639,377
DIVISIONS.														
1 NORTHERN, . . .	127,035	130,422	1726	1589	3315	101	112	213	1009	1076	2085	619	1230	2,261,662
2 NORTH-WESTERN, .	175,735	167,329	2352	2236	4588	167	145	312	1332	1497	2829	789	1759	4,739,876
3 NORTH-EASTERN, .	348,366	366,783	6527	6217	12744	1034	985	2019	3722	3908	7630	2487	5114	2,429,594
4 EAST-MIDLAND, .	515,966	523,822	9316	8920	18236	1026	972	1998	5659	5982	11641	4182	6595	2,790,492
5 WEST-MIDLAND, .	241,447	242,507	4230	3944	8174	350	327	677	2414	2386	4800	1537	3374	2,693,176
6 SOUTH-WESTERN, .	881,092	1,008,253	22725	21826	44551	2041	1970	4011	14153	14112	28265	9350	16286	1,462,397
7 SOUTH-EASTERN, .	383,217	408,962	8010	7435	15445	781	731	1512	5108	5025	10133	3513	5312	1,192,524
8 SOUTHERN, . . .	215,884	214,216	3474	3140	6614	474	457	931	1958	2007	3965	1211	2649	2,069,696
COUNTIES.														
I. Northern.														
1 Shetland, . . .	31,078	31,670	422	356	778	19	20	39	282	294	576	182	202	
2 Orkney, . . .	31,455	32,395	406	363	769	22	21	43	218	253	471	154	298	598,726
3 Caithness, . . .	39,782	42,200	624	594	1218	49	57	106	323	346	669	194	549	455,708
4 Sutherland, . . .	24,720	24,157	274	276	550	11	14	25	186	183	369	89	181	1,207,188
II. North-Western.														
5 Ross and Cromarty, .	83,781	82,427	1128	1061	2189	77	43	120	632	746	1378	391	811	2,016,375
6 Inverness, . . .	91,954	84,902	1224	1175	2399	90	102	192	700	751	1451	398	948	2,723,501
III. North-Eastern.														
7 Nairn, ...	8,076	8,347	106	128	234	15	12	27	72	92	164	59	70	137,500
8 Elgin (or Moray), .	40,532	44,218	731	672	1403	120	91	211	506	485	991	251	412	340,000
9 Banff, ...	51,353	56,020	942	925	1867	135	170	305	443	549	992	327	875	439,219
10 Aberdeen, . .	213,461	223,344	4145	3922	8067	669	637	1306	2409	2474	4883	1613	3184	1,260,625
11 Kincardine, . . .	34,944	34,854	603	570	1173	95	75	170	292	308	600	237	573	252,250
IV. East-Midland.														
12 Forfar, ...	193,627	206,750	4276	4082	8358	535	499	1034	2613	2786	5399	2008	2959	568,750
13 Perth, ...	137,369	133,198	1875	1811	3686	197	203	400	1179	1261	2440	802	1246	1,814,063
14 Fife,*	153,789	155,021	2681	2568	5249	252	230	482	1610	1677	3287	1184	1962	328,427
15 Kinross,* . . .	9,626	8,731	106	114	220	7	10	17	66	66	132	60	88	49,812
16 Clackmannan, . .	21,555	20,122	378	345	723	35	30	65	191	192	383	128	340	29,440
V. West-Midland.														
17 Stirling, . . .	83,802	88,138	1835	1597	3432	149	140	289	936	895	1831	714	1601	295,875
18 Dumbarton, . . .	46,995	54,179	1092	1018	2110	95	76	171	594	584	1178	367	932	204,800
19 Argyll, ...	94,042	83,859	1107	1112	2219	82	89	171	693	709	1402	365	817	2,083,126
20 Bute, ...	16,608	16,331	196	217	413	24	22	46	191	198	389	91	24	109,375
VI. South-Western.														
21 Renfrew,* . . .	157,950	168,746	3727	3573	7300	304	286	590	2268	2400	4668	1485	2632	158,268
22 Ayr,*	189,973	199,063	3898	3719	7617	356	372	728	2262	2232	4494	1523	3123	735,262
23 Lanark,*	533,169	640,444	15100	14534	29634	1381	1312	2693	9623	9480	19103	6342	10531	568,867
VII. South-Eastern.														
24 Linlithgow,* . . .	30,590	39,045	947	913	1860	76	96	172	529	496	1025	301	835	81,113
25 Edinburgh,* . . .	259,493	274,093	5336	5012	10348	522	476	998	3666	3573	7239	2687	3109	234,925
26 Haddington,* . . .	36,363	37,626	663	557	1220	60	44	104	378	400	778	201	442	179,142
27 Berwick,* . . .	36,165	36,488	618	569	1187	76	75	151	326	331	657	180	530	302,951
28 Peebles,* . . .	10,804	11,300	197	182	379	19	21	40	99	97	196	65	183	227,869
29 Selkirk,* . . .	9,802	10,410	249	202	451	28	19	47	110	128	238	79	213	166,524
VIII. Southern.														
30 Roxburgh,* . . .	51,225	53,722	939	822	1761	114	95	209	450	458	908	312	853	428,494
31 Dumfries,* . . .	78,149	75,904	1220	1145	2365	180	187	367	796	790	1586	458	779	702,953
32 Kirkcudbright,* . .	43,121	42,495	688	631	1319	89	86	175	383	433	816	212	503	610,343
33 Wigtown,* . . .	43,389	42,095	627	542	1169	91	89	180	329	326	655	229	514	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	9	15	24	1	3	4	10	9	19	4
	(2) Burra and Quarff,	906	890	19	11	30	–	–	–	10	10	20	5
2	Delting, . . .	2124	1975	28	24	52	2	1	3	12	15	27	8
3	Dunrossness, etc.—												
	(1) Dunrossness, . .	*c.* 2005	2113	20	23	43	1	1	2	13	12	25	19
	(2) Sandwick and Cunningsburgh, . .	*c.* 2220	2337	27	18	45	1	–	1	17	25	42	8
	(3) Fair Isle, . .	280	380	6	6	12	1	–	1	1	3	4	–
4	Fetlar, etc.—												
	(1) Fetlar, . . .	658	548	5	2	7	–	–	–	3	5	8	1
	(2) North Yell, . .	998	932	18	7	25	–	1	1	10	5	15	1
5	Lerwick (incl. Town), .	3390	3631	45	44	89	2	3	5	46	50	96	61
6	Mid and South Yell, .	1741	1784	20	20	40	2	4	6	11	19	30	8
7	Nesting, etc.—												
	(1) Nesting, . .	*c.* 806	855	10	8	18	–	–	–	13	2	15	–
	(2) Lunnasting, . .	*c.* 830	880	10	10	20	–	–	–	4	15	19	1
	(3) Whalsay and Skerries	784	848	19	19	38	1	–	1	5	11	16	6
8	Northmavine, . .	2534	2585	36	29	65	3	2	5	22	23	45	12
9	Sandsting and Aithsting,	2603	2670	31	38	69	2	1	3	15	16	31	14
10	Tingwall, etc.—												
	(1) Tingwall, . .	*c.* 1654	1554	22	11	33	2	–	2	17	13	30	3
	(2) Whiteness & Weesdale	*c.* 1220	1143	17	14	31	–	2	2	12	14	26	7
11	Unst, ...	2977	3060	45	34	79	–	2	2	40	24	64	14
12	Walls, etc.—(1) Walls, .	*c.* 1280	1365	19	9	28	1	–	1	5	8	13	7
	(2) Sandness, .	*c.* 563	606	8	5	13	–	–	–	7	6	13	2
	(3) Papa-Stour, .	359	366	6	8	14	–	–	–	6	6	12	1
	(4) Foula, . .	240	233	2	1	3	–	–	–	3	3	6	–
	Total,	31078	31670	422	356	778	19	20	39	282	294	576	182
	2. Orkney.												
13	Birsay, ...	1749	1774	17	12	29	1	1	2	14	13	27	5
14	Deerness, . . .	786	813	12	8	20	–	–	–	4	1	5	4
15	Eday and Pharay, . .	1016	979	9	17	26	–	–	–	5	5	10	2
16	Evie and Rendall, . .	1446	1408	17	15	32	2	1	3	9	15	24	5
17	Firth and Stennes, . .	1327	1493	19	14	33	1	1	2	19	9	28	5
18	Harray, . . .	750	819	11	8	19	–	–	–	3	2	5	4
19	Holm and Paplay, . .	749	834	15	6	21	1	–	1	6	3	9	2
20	Hoy and Græmsay, .	615	556	8	8	16	–	1	1	6	3	9	4
21	KIRKWALL & ST OLA (incl. Burgh), . .	3990	4422	52	32	84	7	4	11	38	47	85	18
22	North Ronaldshay, .	526	532	4	14	18	–	–	–	5	4	9	6
23	Orphir, . . .	1157	1133	8	13	21	–	1	1	5	12	17	7
24	Rousay and Egilsay, .	1215	1152	20	18	38	1	1	2	8	10	18	5
25	St Andrews, . . .	926	868	10	16	26	–	2	2	3	4	7	3
26	Sanday, . . .	2004	2145	24	35	59	–	1	1	13	26	39	12
27	Sandwick, . . .	1107	1225	12	10	22	1	–	1	3	11	14	5
28	Shapinshay, . . .	899	973	18	9	27	–	–	–	4	4	8	6
29	South Ronaldshay and Burray, . . .	3086	3282	46	46	92	6	3	9	21	28	49	19
30	Stromness, . . .	2770	2540	19	26	45	–	2	2	19	26	45	5
31	Stronsay, . . .	1211	1228	31	14	45	1	1	2	7	12	19	10
32	Walls, etc.—(1) Walls, .	1278	1254	12	7	19	–	1	1	9	6	15	4
	(2) Flotta, .	389	420	5	4	9	1	–	1	2	2	4	2
33	Westray, etc.—(1) Westray	2088	2153	30	27	57	–	1	1	10	7	17	19
	(2) Papa-Westray,	371	392	7	4	11	–	–	–	5	3	8	2
	Total,	31455	32395	406	363	769	22	21	43	218	253	471	154

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: Thurso.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower,	1658	1746	17	26	43	1	–	1	10	12	22	7
35	Canisbay,	2437	2730	34	49	83	4	2	6	10	18	28	8
36	Dunnet,	1868	1861	26	30	56	2	2	4	13	13	26	10
37	Halkirk,	2918	2864	36	32	68	2	2	4	21	23	44	8
38	Latheron,	8224	8571	120	121	241	12	14	26	70	72	142	35
39	Olrig,	1873	2059	31	29	60	1	1	2	10	11	21	9
40	Reay,	2506	2476	34	24	58	3	1	4	16	13	29	8
41	Thurso (incl. Town),	5096	5561	78	73	151	4	7	11	51	66	117	32
42	Watten,	1351	1491	26	21	47	5	6	11	10	7	17	7
43	WICK—(1) Burgh,	6796	7505	150	124	274	11	16	27	80	79	159	53
	(2) Landward,	5055	5336	72	65	137	4	6	10	32	32	64	17
	Total,	39782	42200	624	594	1218	49	57	106	323	346	669	194
	4. Sutherland.												
44	Assynt—(1) Kirkton,	*c.* 510	553	8	9	17	1	–	1	2	2	4	4
	(2) Stoer,	*c.* 2479	2625	30	37	67	–	1	1	13	18	31	10
45	Clyne,	1933	1886	17	25	42	1	1	2	12	26	38	4
46	Creich—(1) Bonar,	*c.* 2134	1982	18	21	39	1	–	1	19	14	33	7
	(2) Rosehall,	*c.* 580	539	4	6	10	–	–	–	3	5	8	7
47	DORNOCH (incl. Burgh),	2981	2885	37	29	66	1	2	3	31	28	59	7
48	Durness,	1152	1109	15	5	20	2	–	2	4	4	8	4
49	Eddrachillis—(1) Scourie,	*c.* 700	727	8	6	14	–	–	–	5	6	11	2
	(2) Kinlochbervie,	*c.* 876	914	22	6	28	2	–	2	4	3	7	5
50	Farr—(1) Kirkton,	*c.* 1313	1251	8	10	18	–	3	3	9	3	12	–
	(2) Strathy,	*c.* 890	852	7	10	17	–	–	–	4	4	8	5
51	Golspie,	1529	1615	24	21	45	–	–	–	16	15	31	4
52	Kildonan,	2288	2132	25	22	47	–	1	1	20	17	37	7
53	Lairg,	1162	961	11	9	20	–	–	–	8	6	14	7
54	Loth,	640	610	6	5	11	1	–	1	5	7	12	1
55	Rogart,	1535	1439	17	20	37	1	3	4	19	10	29	9
56	Tongue,	2018	2077	17	35	52	1	3	4	12	15	27	6
	Total,	24720	24157	274	276	550	11	14	25	186	183	369	89
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness,	1240	1178	9	12	21	1	–	1	11	16	27	6
58	Applecross—												
	(1) Applecross,	*c.* 1130	1064	12	16	28	–	–	–	7	11	18	5
	(2) Shieldaig,	*c.* 1579	1480	9	12	21	2	2	4	16	10	26	7
59	Avoch,	2029	1788	29	21	50	5	2	7	15	21	36	16
60	Contin,	1562	1509	18	12	30	–	–	–	7	6	13	5
61	CROMARTY (incl. Burgh)	2727	2300	35	34	69	3	1	4	30	36	66	15
62	DINGWALL (incl. Burgh)	2364	2412	29	28	57	3	–	3	18	25	43	11
63	Edderton,	890	836	14	14	28	1	–	1	7	8	15	8
64	Fearn,	2122	2083	38	30	68	3	1	4	29	17	46	11
65	Fodderty,	2342	2247	20	24	44	3	–	3	15	18	33	5
66	Gairloch—												
	(1) Northern District,	*c.* 1822	1927	18	24	42	–	2	2	7	8	15	7
	(2) Southern District,	*c.* 3340	3522	40	31	71	3	3	6	14	16	30	18
67	Glenshiel,	573	485	7	4	11	1	–	1	3	5	8	–
68	Killearnan,	1794	1494	18	12	30	2	1	3	8	8	16	3
69	Kilmuir-Easter,	1437	1295	16	12	28	1	–	1	10	11	21	3
70	Kiltearn,	1538	1634	20	19	39	2	2	4	15	14	29	6
71	Kincardine,	1896	1746	23	23	46	2	–	2	14	15	29	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
72	Kintail, ...	1009	890	7	10	17	1	–	1	6	9	15	4
73	Knockbain, . . .	3005	2485	26	21	47	5	1	6	16	20	36	12
74	Lochalsh, . . .	2299	2413	26	25	51	2	–	2	9	17	26	6
75	Lochbroom—												
	(1) Lochbroom, . .	*c.* 3540	3577	34	41	75	–	2	2	20	26	46	14
	(2) Coigach, . .	*c.* 1273	1285	14	16	30	–	1	1	5	7	12	–
76	Lochcarron, . . .	1612	1592	15	17	32	2	2	4	10	9	19	4
77	Logie-Easter, . . .	965	932	7	11	18	1	2	3	4	7	11	4
78	Nigg, ...	1457	1253	11	11	22	2	2	4	13	11	24	3
79	Resolis, ...	1551	1568	13	15	28	1	–	1	11	15	26	7
80	Rosemarkie (incl. Burgh of FORTROSE), .	1776	1545	22	15	37	4	1	5	16	20	36	5
81	Rosskeen, . . .	3699	3766	47	66	113	2	6	8	26	43	69	11
82	TAIN (incl. Burgh), .	3574	3294	61	42	103	5	5	10	44	61	105	10
83	Tarbat, ...	2151	2269	31	26	57	2	–	2	37	23	60	4
84	Urquhart & Logie-Wester,	3153	3147	34	33	67	2	1	3	25	35	60	6
85	Urray, ...	2621	2355	21	28	49	1	1	2	7	24	31	4
	Insular.												
*a*86	Barvas, ...	4189	4609	94	87	181	1	2	3	30	40	70	41
*b*86	Carloway, . . .	*c.* 2120	2204	49	37	86	2	–	2	20	14	34	16
87	Lochs, ...	*c.* 3109	3568	74	57	131	3	–	3	23	16	39	32
88	Stornoway (incl. Town),	8057	8668	155	146	301	9	3	12	64	90	154	58
89	Uig, ...	*c.* 2236	2007	32	29	61	–	–	–	20	14	34	14
	Total,	83781	82427	1128	1061	2189	77	43	120	632	746	1378	391
	6. Inverness.												
	Mainland.												
90	Alvie, ...	914	833	8	12	20	2	1	3	13	15	28	1
91	Ardersier, . . .	1337	1239	17	27	44	–	–	–	10	12	22	4
92	Boleskine & Abertarff—												
	(1) Boleskine, . .	*c.* 936	813	10	10	20	2	1	3	1	4	5	3
	(2) Fort-Augustus or Abertarff, . . .	*c.* 1070	930	11	10	21	1	3	4	7	5	12	3
93	Cromdale—(1) Cromdale,	3990	*c.* 1647	23	16	39	2	5	7	10	8	18	5
	(2) Inverallan,		*c.* 2295	48	33	81	8	3	11	23	30	53	11
94	Croy and Dalcross, .	1777	1873	27	28	55	3	6	9	15	11	26	8
95	Daviot and Dunlichty, .	1857	1741	19	10	29	2	1	3	4	6	10	6
96	Dores, ...	1650	1506	18	21	39	–	2	2	12	12	24	4
97	Glenelg—(1) Glenelg, .	*c.* 1070	800	10	10	20	1	–	1	8	3	11	3
	(2) Knoydart, .	*c.* 770	574	6	12	18	–	1	1	2	4	6	3
	(3) North Morar,	*c.* 630	469	8	7	15	1	–	1	6	5	11	5
98	INVERNESS (including Burgh), . . .	16496	16162	302	260	562	17	22	39	195	217	412	120
99	Kilmonivaig—												
	(1) Glengarry, . .	*c.* 710	625	6	9	15	1	2	3	2	5	7	2
	(2) Lochaber, . .	*c.* 1873	1651	12	16	28	–	1	1	17	19	36	4
100	Kilmorack, . . .	3007	2852	29	30	59	2	3	5	30	30	60	8
101	Kiltarlity, . . .	2965	2839	20	26	46	2	4	6	17	18	35	12
102	Kingussie and Insh, .	2201	2033	25	33	58	3	8	11	13	21	34	9
103	Kirkhill, ...	1730	1757	23	20	43	1	1	2	11	14	25	4
104	Laggan, ...	1223	986	12	11	23	–	2	2	7	11	18	2
105	Moy and Dalarossie, .	1018	1026	12	15	27	–	–	–	3	11	14	3
106	Petty, ...	1784	1671	23	27	50	4	–	4	15	13	28	6
107	Urquhart, etc.—												
	(1) Urquhart, . .	*c.* 2585	2294	34	38	72	2	3	5	12	13	25	9
	(2) Glenmoriston, .	*c.* 695	617	10	15	25	3	–	3	1	7	8	2
	Insular.												
108	Barra, ...	1873	1853	33	25	58	1	2	3	16	20	36	14
109	Bracadale, . . .	1597	1335	15	12	27	–	1	1	8	17	25	2
110	Duirinish, . . .	5330	4775	61	54	115	2	3	5	38	35	73	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
111	Harris—(1) Harris, .	3663	3769	65	47	112	8	3	11	28	25	53	27
	(2) Bernera, .	477	336	4	7	11	2	1	3	1	3	4	6
	(3) St Kilda, .	110	78	–	–	–	–	–	–	1	–	1	–
112	Kilmuir—(1) Kilmuir, .	*c.* 1743	1561	15	17	32	–	1	1	14	6	20	16
	(2) Stenscholl,	*c.* 1464	1311	19	13	32	1	3	4	14	8	22	2
113	North Uist, . . .	3918	3959	70	60	130	5	3	8	24	24	48	26
114	Portree—(1) Portree, .	2805	2579	9	10	19	–	–	–	27	27	54	5
	(2) Raasay, .	752	580	27	38	65	2	5	7	2	5	7	2
115	Sleat, ...	2531	2330	26	36	62	–	–	–	18	11	29	12
116	Small Isles, . . .	916	567	8	5	13	–	–	–	4	2	6	–
117	Snizort—(1) North }	*c.* 3071	2613	{ 10	11	21	1	–	1	8	2	10	–
	(2) South }			{ 26	17	43	3	1	4	11	13	24	8
118	South Uist—												
	(1) Benbecula, . .	1762	1544	19	32	51	1	1	2	11	18	29	8
	(2) Howmore, . .	*c.* 2040	1763	24	31	55	2	4	6	16	12	28	11
	(3) Boisdale, . .	*c.* 2371	2051	34	25	60	2	2	4	8	13	21	4
119	Strath, ...	3243	2664	46	38	84	3	3	6	17	16	33	10
	—— Total,	91954	84902	1224	1175	2399	90	102	192	700	751	1451	398
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach, . . .	1278	1330	12	15	27	2	1	3	11	12	23	7
121	Auldearn, . . .	1480	1328	14	24	38	1	–	1	10	12	22	8
122	Cawdor, ...	1202	1203	11	16	27	–	–	–	7	12	19	10
123	NAIRN (incl. Burgh), .	4116	4486	69	73	142	12	11	23	44	56	100	34
	Total,	8076	8347	106	128	234	15	12	27	72	92	164	59
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	21	28	49	8	4	12	22	20	42	13
125	Alves, ...	919	1010	10	17	27	2	–	2	4	7	11	8
126	Bellie, ...	2017	1967	22	29	51	5	5	10	15	19	34	10
127	Birnie, ...	427	411	7	3	10	–	–	–	3	1	4	4
128	Boharm, ...	1368	1412	24	16	40	4	4	8	10	11	21	7
129	Dallas, ...	1226	1102	14	17	31	2	1	3	12	9	21	5
130	Drainy, ...	1856	3028	89	70	159	15	7	22	58	41	99	19
131	Duffus, ...	2983	3308	70	55	125	7	7	14	42	37	79	19
132	Duthil, etc.—(1) Duthil,	*c.* 1493	1609	30	21	51	5	2	7	14	9	23	7
	(2) Rothiemurchus, .	*c.* 295	319	8	4	12	1	–	1	3	7	10	4
133	Dyke, ...	1369	1247	19	17	36	1	2	3	8	12	20	10
134	Edinkillie, . . .	1343	1303	19	18	37	1	2	3	11	10	21	6
135	ELGIN (incl. Burgh), .	8231	9866	151	124	275	29	20	49	132	144	276	49
136	New Spynie, . . .	445	518	8	10	18	–	1	1	7	13	20	2
137	FORRES (incl. Burgh), .	4069	4112	69	70	139	14	9	23	69	55	124	25
138	Kinloss, ...	1370	1315	23	17	40	1	2	3	16	16	32	9
139	Knockando, . . .	1771	1736	32	24	56	7	4	11	14	16	30	8
140	Rafford, ...	1020	1055	15	13	28	2	–	2	17	14	31	7
141	Rothes, ...	2022	2407	28	45	73	8	10	18	17	22	39	15
142	St Andrews Lhanbryde, .	1208	1344	23	22	45	–	2	2	9	7	16	3
143	Speymouth, . . .	685	689	15	14	29	3	2	5	5	3	8	6
144	Urquhart, . . .	2544	2532	34	38	72	5	7	12	18	12	30	15
	Total,	40532	44218	731	672	1403	120	91	211	506	485	991	251
	9. Banff.												
145	Aberlour, . . .	1447	1665	33	20	53	3	7	10	7	18	25	8
146	Alvah, ...	1402	1467	18	19	37	3	5	8	11	12	23	11
147	BANFF—(1) Burgh, .	6084	6791	103	109	212	13	19	32	71	73	144	26
	(2) Landward,	869	949	16	23	39	2	4	6	5	3	8	7
148	Botriphnie, . . .	713	867	14	16	30	3	3	6	2	7	9	2
149	Boyndie, . . .	1564	1711	35	28	63	6	3	9	8	22	30	10
150	CULLEN (pt. of Burgh),	1697	1821	43	39	82	9	3	12	13	18	31	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
151	Deskford, . . .	917	1031	12	16	28	2	2	4	4	4	8	5
152	Enzie, ...	*c.* 1872	2072	33	32	65	3	4	7	20	19	39	14
153	Fordyce, . . .	3807	4145	63	69	132	8	16	24	47	40	87	23
154	Forglen, ...	695	783	13	17	30	–	2	2	5	5	10	1
*a*155	Gamrie, ...	2758	3019	58	42	100	6	8	14	20	33	53	29
*b*155	Glenrinnes, . . .	?	*c.* 472	5	4	9	1	–	1	4	3	7	2
156	Grange, ...	1851	1909	28	28	56	6	7	13	16	15	31	11
157	Inveravon—(1) Inveravon,	*c.* 894	868	15	14	29	–	2	2	6	5	11	6
	(2) Auchbreck,	*c.* 1820	1771	30	14	44	5	5	10	11	16	27	9
158	Inverkeithny, . . .	835	880	18	20	38	1	4	5	6	6	12	5
159	Keith, ...	4986	5943	98	108	206	17	19	36	53	61	114	43
160	Kirkmichael, etc.—												
	(1) Kirkmichael, . .	*c.* 568	551	6	4	10	1	1	2	3	3	6	3
	(2) Tomintoul, . .	*c.* 990	960	11	16	27	3	4	7	7	18	25	4
161	Marnoch, . . .	2994	3289	44	44	88	16	19	35	17	0	47	10
162	Mortlach, . . .	2804	3095	47	38	85	7	7	14	23	31	54	10
163	Ordiquhill, . . .	644	764	8	10	18	1	2	3	3	9	12	8
164	Rathven (incl. Buckie,												
	Town), . . .	*c.* 4664	4922	107	120	227	6	10	16	41	60	101	45
165	Rothiemay, . . .	1413	1414	23	29	52	4	6	10	10	15	25	10
166	St Fergus, . . .	1597	1608	28	20	48	5	5	10	8	9	17	7
167	Seafield (pt. of CULLEN,												
	Burgh), . . .	*c.* 1468	1725	33	26	59	4	3	7	22	14	36	11
	Total,	51353	56020	942	925	1867	135	170	305	443	549	992	327
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41465	41962	881	871	1752	132	126	258	725	678	1403	337
	(2) Old Machar (Burgh),	30503	31938	571	534	1105	73	72	145	419	502	921	353
	(3) Do. (Landward),	1254	1298	14	22	36	2	1	3	11	9	20	5
169	Aberdour, . . .	1707	1837	41	34	75	8	5	13	12	15	27	14
170	Aboyne, ...	1108	1160	27	26	53	2	4	6	10	13	23	6
171	Alford, ...	1143	1264	26	19	45	4	3	7	13	3	16	4
172	Auchindoir, . . .	1369	1593	26	15	41	2	3	5	10	18	28	5
173	Auchterless, . . .	1837	2010	49	40	89	9	7	16	9	16	25	8
174	Belhelvie, . . .	1692	1807	34	33	67	5	6	11	21	8	29	13
175	Birse, ...	1533	1284	13	18	31	2	1	3	8	9	17	4
176	Bourtie, ...	529	547	16	3	19	2	–	2	4	2	6	2
177	Cabrach, ...	750	794	16	9	25	6	5	11	3	10	13	5
178	Cairney, ...	1565	1490	25	20	45	3	7	10	9	9	18	5
179	Chapel of Garioch, . .	2102	2023	27	20	47	3	3	6	14	10	24	9
180	Clatt, ...	543	511	3	9	12	–	–	–	10	5	15	3
181	Cluny, ...	1149	1254	31	25	56	9	4	13	10	6	16	4
182	Coull, ...	734	792	5	23	28	1	1	2	4	2	6	4
183	Crathie and Braemar, .	1788	1574	21	17	38	1	3	4	13	10	23	9
184	Crimond, . . .	893	892	14	12	26	1	1	2	8	7	15	4
185	Cruden, ...	2479	2743	44	40	84	8	8	16	20	23	43	13
186	Culsamond, . . .	1042	1165	20	22	42	1	8	9	4	6	10	6
187	Daviot, ...	601	614	9	15	24	2	–	2	3	4	7	2
188	Drumblade, . . .	949	926	12	6	18	2	–	2	6	11	17	7
189	Drumoak, . . .	948	996	17	17	34	1	3	4	11	11	22	5
190	Dyce, ...	470	585	7	9	16	2	1	3	7	4	11	7
191	Echt, ...	1206	1287	22	10	32	1	2	3	10	11	21	4
192	Ellon, ...	*c.* 2750	3239	58	60	118	10	6	16	30	18	48	13
193	Fintray, ...	1080	1003	14	29	43	2	2	4	4	4	8	5
194	Forgue, ...	2626	2686	47	45	92	8	8	16	17	17	34	13
195	Foveran, . . .	1638	1891	36	35	71	5	7	12	17	16	33	13
196	Fraserburgh (incl. Twn.),	4447	4511	87	98	185	15	11	26	69	70	139	37
197	Fyvie, ...	*c.* 2927	*c.* 3264	47	64	111	10	11	21	19	20	39	24
198	Gartly, ...	990	1029	5	20	25	1	4	5	6	7	13	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Tot	Mal.	Fem	Total.	
199	Glass,	972	1049	20	12	32	4	3	7	6	5	11	6
200	Glenbucket,	542	552	13	9	22	1	–	1	2	4	6	6
201	Glenmuick, Tullich, and Glengairn,	1984	1668	40	29	69	5	4	9	15	11	26	13
202	Huntly (incl. Town),	4061	4329	71	60	131	14	6	20	33	51	84	19
203	Insch,	1519	1565	23	30	53	6	8	14	6	11	17	6
204	INVERURIE (including part of Burgh),	*c.* 2649	2668	57	61	118	13	15	28	30	28	58	18
205	Keig,	772	811	14	11	25	3	1	4	4	10	14	5
206	Keithhall,	920	933	18	9	27	3	–	3	4	7	11	4
207	Kemnay,	680	832	20	17	37	1	1	2	6	6	12	5
208	Kildrummy,	643	590	12	12	24	–	1	1	3	4	7	3
209	Kincardine O'Neil,	2098	2186	32	37	69	11	8	19	18	20	38	15
210	King-Edward,	2749	2843	53	40	93	6	12	18	22	16	38	22
211	Kinnellar,	590	691	11	8	19	2	–	2	5	4	9	3
212	Kinnethmont,	1108	1187	13	15	28	4	6	10	8	4	12	6
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE),	1342	1895	37	35	72	4	6	10	19	26	45	15
214	Leochel-Cushnie,	1068	1173	20	17	37	4	1	5	8	12	20	7
215	Leslie,	559	577	9	9	18	4	3	7	2	4	6	5
216	Logie-Buchan,	724	762	17	17	34	3	2	5	6	5	11	6
217	Logie-Coldstone,	889	932	13	14	27	1	1	2	8	9	17	4
218	Longside,	2952	3008	71	54	125	13	12	25	22	20	42	25
219	Lonmay,	1964	2142	33	39	72	5	7	12	20	19	39	13
220	Lumphanan,	1088	1251	16	16	32	3	3	6	15	10	25	6
221	Methlic,	1997	2157	40	22	62	5	5	10	22	30	52	10
*a*222	Midmar,	1166	1091	19	17	36	3	2	5	9	10	19	9
*b*222	Millbrex,	*c.* 1215	*c.* 1295	24	38	62	10	8	18	6	14	20	13
223	Monquhitter,	*c.* 2080	*c.* 2365	49	42	91	9	11	20	24	14	38	9
224	Monymusk,	940	988	18	6	24	2	1	3	10	7	17	2
225	New Deer,	*c.* 3383	3736	65	61	126	8	13	21	33	22	55	22
226	Newhills,	3325	3463	66	52	118	9	5	14	39	33	72	22
*a*227	New Machar,	*c.* 1338	1556	22	26	48	3	1	4	9	9	18	12
*b*227	New Pitsligo,	*c.* 2425	2609	65	65	130	10	13	23	23	26	49	23
228	Old Deer,	*c.* 4025	4392	70	60	130	11	18	29	30	43	73	35
229	Old Meldrum,	2002	2343	49	41	90	10	9	19	25	28	53	25
230	Oyne,	919	1127	24	11	35	5	3	8	9	12	21	1
231	Peterculter,	1351	1410	21	26	47	–	6	6	9	10	19	9
232	PETERHEAD (incl. Burgh),	9429	9796	203	199	402	19	26	45	117	131	248	74
233	Pitsligo,	1801	1890	49	45	94	9	7	16	22	27	49	16
234	Premnay,	793	916	27	19	46	8	6	14	12	6	18	6
235	Rathen,	2368	2554	51	50	101	9	5	14	29	24	53	15
236	Rayne,	1550	1514	19	22	41	1	2	3	11	16	27	12
*a*237	Rhynie,	1017	1061	28	30	58	6	8	14	13	13	26	5
b	Savoch,	*c.* 1852	2061	34	15	49	11	4	15	11	14	25	16
238	Skene,	1862	1831	27	30	57	4	4	8	15	12	27	8
239	Slains,	1232	1266	26	23	49	5	6	11	6	7	13	6
240	Strathdon,	1531	1459	19	20	39	5	6	11	9	12	21	10
241	Strichen,	*c.* 2223	2409	47	35	82	17	10	27	19	11	30	16
242	Tarland,	1197	1246	18	23	41	3	4	7	14	8	22	4
243	Tarves,	*c.* 2339	2377	33	38	71	6	6	12	17	19	36	13
244	Tough,	891	874	17	13	30	6	4	10	12	4	16	6
245	Towie,	758	839	11	9	20	3	2	5	5	13	18	7
246	Tullynessle and Forbes,	930	957	13	13	26	4	3	7	5	9	14	8
247	Turriff,	3584	3693	78	59	137	19	10	29	32	36	68	27
248	Tyrie,	*c.* 775	833	11	11	22	2	2	4	6	2	8	4
249	Udny,	*c.* 1473	1623	24	30	54	4	4	8	8	12	20	7
	Total,	213461	223344	4145	3922	8067	669	637	1306	2409	2474	4883	1613

No. of District.	Registration Districts.	Population.		Total Births including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	11. KINCARDINE.												
250	Arbuthnot, . . .	1002	932	16	15	31	1	3	4	4	5	9	4
251	Banchory-Devenick—												
	(1) Ban.-Devenick (incl. pt. of ABERDEEN, Burgh), . . .	*c.* 1298	1232	21	22	43	5	3	8	9	10	19	5
	(2) Portlethen, . .	*c.* 1780	1687	30	27	57	5	4	9	18	12	30	13
252	Banchory-Ternan, . .	2462	2947	53	57	110	10	5	15	21	26	47	17
253	Benholm, . . .	1641	1574	35	20	55	6	4	10	24	32	56	12
254	BERVIE (or Inverbervie) —(incl. Burgh), . .	1459	1561	35	39	74	3	4	7	19	10	29	16
255	Dunnottar (incl. part of STONEHAVEN, Town), .	1949	1828	34	35	69	3	5	8	17	16	33	21
256	Durris, ...	962	1109	16	23	39	3	4	7	7	10	17	7
257	Fettercairn, . . .	1741	1700	27	21	48	6	4	10	7	8	15	9
258	Fetteresso—												
	(1) Fetteresso (incl. pt. of STONEHAVEN, Town),	*c.* 3730	3575	52	48	100	10	6	16	42	45	87	14
	(2) Cookney, . .	*c.* 1990	1952	32	35	67	4	3	7	15	15	30	13
259	Fordoun, . . .	2386	2297	37	28	65	12	4	16	12	21	33	15
260	Garvock, . . .	457	458	7	9	16	–	–	–	2	3	5	1
261	Glenbervie, . . .	1239	1219	17	15	32	4	3	7	8	9	17	7
262	Kinneff and Catterline, .	1069	1054	25	17	42	4	1	5	12	8	20	9
263	Laurencekirk, . . .	2125	2110	38	25	63	3	2	5	16	20	36	19
264	Maryculter, . . .	1055	1055	16	11	27	3	2	5	6	5	11	5
265	Marykirk, . . .	2232	2068	24	40	64	3	5	8	24	20	44	16
266	Nigg, ...	1841	2074	38	42	80	3	6	9	16	20	36	14
267	St Cyrus, . . .	1579	1552	39	33	72	6	7	13	8	11	19	13
268	Strachan, . . .	947	870	11	8	19	1	–	1	5	2	7	7
	Total,	34944	34854	603	570	1173	95	75	170	292	308	600	237
	IV. EAST-MIDLAND. 12. FORFAR.												
269	Aberlemno, . . .	1116	1054	17	20	37	1	4	5	6	6	12	6
270	Airlie, ...	856	845	20	8	28	3	2	5	3	2	5	3
271	Arbirlot, . . .	990	960	16	14	30	–	–	–	11	9	20	7
272	ARBROATH (incl. Bur.),	17238	17831	345	353	698	41	29	70	183	251	434	170
273	Auchterhouse, . .	686	706	11	10	21	–	–	–	3	5	8	4
274	Barry, ...	2175	2465	36	36	72	2	6	8	24	27	51	28
275	BRECHIN (incl. Burgh),	8210	8810	128	151	279	32	30	62	104	112	216	56
276	Carmylie, . . .	1240	1286	25	21	46	3	2	5	10	10	20	6
277	Careston, . . .	207	225	3	7	10	–	2	2	1	2	3	2
278	Cortachy and Clova, .	722	653	6	9	15	–	3	3	4	3	7	2
279	Coupar-Angus. . .	2685	2642	44	41	85	7	4	11	24	32	56	21
280	Craig (incl. part of MONTROSE, Burgh), . .	1934	2177	41	28	69	6	3	9	21	18	39	17
281	Dun, ...	522	552	12	8	20	–	–	–	4	2	6	2
282	DUNDEE—												
	(1) First District, . .	*c.*39960	44064	1152	1004	2156	127	120	247	655	661	1316	559
	(2) Second District, .	*c.*34835	40813	972	928	1900	143	132	275	727	703	1430	502
	(3) Third (or Lochee) Dis.	*c.* 5232	6787	233	200	433	26	17	43	185	199	384	89
283	Dunnichen, . . .	1884	1932	37	31	68	6	7	13	16	17	33	12
284	Eassie and Nevay, . .	706	748	18	12	30	–	1	1	10	2	12	3
285	Edzell, ...	1084	1025	20	12	32	4	2	6	6	11	17	7
286	Farnell, ...	650	703	10	9	19	–	1	1	5	3	8	8
287	Fearn, ...	392	439	5	6	11	–	–	–	2	3	5	3
288	FORFAR (incl. Burgh),	11009	10838	206	216	422	41	37	78	117	130	247	100
289	Glammis, . . .	2152	1980	24	36	60	5	3	8	9	13	22	12
290	Glenisla, . . .	1050	1008	12	18	30	–	3	3	6	9	15	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie, . . .	469	476	5	2	7	2	–	2	2	4	6	5
292	Inverarity, . . .	948	961	13	12	25	-	1	1	3	6	9	4
293	Inverkeillor, . . .	1871	1792	33	26	59	–	3	3	10	7	17	14
294	Kettins, . . .	995	962	10	9	19	–	2	2	6	14	20	1
295	Kingoldrum, . . .	429	473	6	7	13	1	–	1	3	1	4	2
296	Kinnell, . . .	826	816	10	9	19	1	–	1	4	2	6	5
297	Kinnettles, . . .	460	447	6	4	10	–	–	–	4	1	5	2
298	Kirkden, . . .	1763	1862	24	21	45	2	4	6	11	13	24	7
299	Kirriemuir (incl. Town),	7617	7359	115	107	222	26	24	50	81	92	173	47
300	Lethnott and Navar, .	408	446	4	7	11	–	1	1	1	3	4	1
301	Liff, Benvie, and Invergowrie, . . .	1467	1430	21	23	44	1	1	2	18	17	35	16
302	Lintrathen, . . .	926	898	10	16	26	–	4	4	7	5	12	7
303	Lochlee, . . .	615	495	6	2	8	1	1	2	7	6	13	–
304	Logie-Pert, . . .	1609	1483	23	19	42	3	–	3	7	11	18	9
305	Lunan, . . .	279	259	2	7	9	–	–	–	–	3	3	1
306	Lundie, . . .	450	442	8	7	15	–	–	–	1	1	2	2
307	Mains, etc.—(1) Mains, .	1299	1392	28	20	48	5	2	7	8	12	20	8
	(2) Strathmartine, .	735	789	17	13	30	2	2	4	7	6	13	8
308	Marytown, . . .	366	417	8	6	14	–	3	3	2	2	4	–
309	Menmuir, . . .	693	796	10	10	20	–	–	–	4	1	5	4
310	Monifieth (including part of Broughty Ferry),	4267	5052	108	127	235	8	4	12	58	82	140	42
311	Monikie, . . .	1317	1460	22	24	46	2	3	5	9	11	20	12
312	MONTROSE (incl. part of Burgh), . . .	16037	15668	253	251	504	22	22	44	171	188	359	126
313	Murroes, . . .	643	763	6	16	22	–	1	1	4	4	8	6
314	Newtyle, . . .	1141	1139	17	16	33	2	–	2	5	10	15	9
315	Oathlaw, . . .	424	399	7	12	19	–	3	3	2	1	3	2
316	Panbride, . . .	1372	1299	25	25	50	3	4	7	6	10	16	14
317	Rescobie, . . .	711	747	10	16	26	1	2	3	4	5	9	4
318	Ruthven, . . .	503	265	5	3	8	–	–	–	5	1	6	1
319	St Vigeans, . . .	2591	2553	35	42	77	3	3	6	9	17	26	8
320	Stracathro, . . .	505	546	5	11	16	1	–	1	–	2	2	4
321	Tannadice, . . .	1517	1438	17	24	41	2	1	3	12	7	19	6
322	Tealing, . . .	844	883	14	10	24	-	–	–	6	11	17	6
	Total,	193627	206750	4276	4082	8358	535	499	1034	2613	2786	5399	2008
	13. Perth.												
323	Aberdalgie, . . .	343	295	7	3	10	–	1	1	3	2	5	3
324	Aberfeldy, . . .	*c.* 2702	2402	27	28	55	3	4	7	16	26	42	20
325	Aberfoyle, . . .	514	565	4	7	11	–	–	–	4	3	7	1
326	Abernethy, . . .	2026	1960	28	26	54	2	2	4	18	8	26	13
327	Abernyte, . . .	275	310	8	6	14	3	–	3	1	3	4	1
328	Alyth (incl. Town), .	*c.* 2946	3198	54	41	95	8	5	13	26	30	56	13
329	Auchterarder (including Town), . . .	4160	4208	44	53	97	5	7	12	36	31	67	22
330	Auchtergaven, . .	3232	2562	41	29	70	5	–	5	28	22	50	17
331	Balquhidder, . . .	*c.* 974	*c.* 846	10	11	21	1	1	2	12	14	26	6
332	Bendochy, . . .	*c.* 552	549	10	6	16	2	–	2	2	5	7	2
333	Blackford, . . .	*c.* 2012	2084	27	30	57	3	1	4	16	12	28	12
334	Blair-Athol, . . .	*c.* 1951	1553	26	15	41	3	2	5	13	11	24	8
335	Blairgowrie (including Town), . . .	*c.* 4081	4423	77	65	142	4	11	15	47	54	101	37
336	Callander, . . .	1716	1676	17	12	29	–	1	1	19	15	34	13
337	Caputh, ...	*c.* 1920	1728	20	20	40	3	–	3	8	16	24	10
338	Cargill, ...	1629	1647	20	17	37	2	2	4	13	19	32	7
339	Clunie, ...	723	699	7	11	18	–	2	2	5	4	9	2
340	Collace, ...	581	534	7	2	9	–	–	–	3	5	8	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
341	Comrie,	*c.* 2363	*c.* 2126	27	19	46	2	1	3	16	18	34	7
342	Crieff (incl. Town),	4504	4490	65	56	121	4	8	12	41	36	77	27
343	CULROSS (incl. Burgh),	1487	1423	27	36	63	2	2	4	10	17	27	11
344	Dowally,	*c.* 531	486	5	9	14	1	–	1	4	5	9	3
345	Dron,	394	376	4	6	10	–	–	–	3	–	3	2
346	Dull,	*c.* 855	753	7	5	12	–	1	1	8	6	14	2
347	Dunbarney,	1066	1035	20	6	26	2	–	2	11	10	21	5
348	Dunblane,	*c.* 3213	3096	43	55	98	11	10	21	29	27	56	18
349	Dunkeld,	*c.* 1199	1086	13	19	32	1	1	2	11	12	23	6
350	Dunning,	2206	2084	45	35	80	8	5	13	14	11	25	11
351	Errol,	2796	2759	45	46	91	4	9	13	17	25	42	12
352	Findo-Gask,	405	399	8	1	9	3	–	3	4	8	12	–
353	Forgandenny,	828	739	5	9	14	1	2	3	6	4	10	3
354	Forteviot,	638	595	7	5	12	–	–	–	4	2	6	4
*a*355	Fortingall,	*c.* 1409	1244	9	9	18	–	2	2	8	15	23	11
*b*355	Foss,	*c.* 432	381	5	4	9	–	1	1	3	4	7	–
356	Fowlis-Easter,	300	317	2	10	12	–	3	3	2	2	4	–
357	Fowlis-Wester,	1321	1276	14	14	28	3	2	5	10	11	21	5
358	Glendevon,	128	138	2	–	2	–	–	–	1	1	2	–
359	Inchture,	745	659	14	15	29	1	2	3	7	6	13	2
360	Kenmore,	*c.* 1718	1515	16	12	28	1	2	3	10	13	23	7
361	Killin,	*c.* 1817	1681	23	17	40	4	2	6	11	12	23	6
362	Kilmadock,	3659	3312	32	39	71	3	3	6	21	30	51	25
363	Kilspindie,	684	665	11	16	27	–	2	2	4	–	4	4
364	Kincardine,	1993	1778	20	23	43	1	3	4	18	15	33	10
365	Kinclaven,	881	758	10	8	18	1	1	2	6	3	9	3
366	Kinfauns,	650	659	6	11	17	2	1	3	2	3	5	1
367	Kinloch-Rannoch,	*c.* 1303	1147	11	13	24	–	3	3	7	15	22	3
368	Kinnaird,	370	318	3	4	7	1	–	1	4	4	8	1
369	Kinnoull,	771	796	7	14	21	–	–	–	4	5	9	5
370	Kirkmichael—												
	(1) Kirkmichael,	*c.* 849	812	14	7	21	2	1	3	13	3	16	4
	(2) Glenshee,	*c.* 349	334	4	3	7	–	–	–	2	1	3	2
371	Lecropt,	442	538	7	5	12	1	–	1	7	6	13	1
372	Lethendy and Kinloch,	*c.* 544	530	6	6	12	–	–	–	4	2	6	3
373	Little Dunkeld,	*c.* 2140	2089	35	39	74	3	1	4	28	27	55	9
374	Logie (including part of STIRLING),	2551	3483	44	41	85	3	5	8	26	43	69	19
375	Logiealmond,	*c.* 959	815	7	4	11	1	1	2	1	5	6	2
376	Logierait,	*c.* 2109	1902	21	24	45	3	3	6	20	17	37	5
377	Longforgan,	1787	1823	29	22	51	4	2	6	23	8	31	7
378	Madderty,	593	536	8	7	15	3	–	3	4	3	7	1
379	Meigle,	978	1122	13	16	29	2	3	5	7	12	19	4
380	Methven,	*c.* 2394	2290	23	38	61	2	3	5	12	22	34	15
381	Moneydie,	321	252	1	4	5	1	1	2	2	–	2	2
382	Monzie,	*c.* 569	461	4	1	5	–	–	–	1	1	2	–
383	Monzievaird,	790	782	12	11	23	–	1	1	8	6	14	7
384	Moulin,	*c.* 1772	1605	20	23	43	3	2	5	14	10	24	7
385	Muckhart,	685	615	9	8	17	1	–	1	3	4	7	5
*a*386	Muthill,	*c.* 2972	2008	36	46	82	4	11	15	17	35	52	5
*b*386	Persie,	*c.* 814	839	11	8	19	1	1	2	4	6	10	4
387	PERTH (incl. Burgh),	24670	26094	433	427	860	39	45	84	301	312	613	244
388	Port of Menteith,	1419	1375	17	5	22	2	1	3	9	10	19	2
389	Rattray,	*c.* 2308	2234	26	37	63	4	6	10	22	30	52	11
390	Redgorton,	*c.* 1955	1596	20	15	35	5	1	6	17	10	27	6
391	Rhynd,	338	297	10	5	15	–	2	2	2	2	4	2
392	St Madoes,	288	280	2	2	4	–	–	–	2	4	6	–
393	St Martins,	983	904	16	9	25	1	1	2	4	8	12	4
*a*394	Scone,	2332	2153	37	32	69	3	2	5	16	24	40	20
*b*394	Strathfillan,	*c.* 435	411	4	4	8	1	1	2	3	1	4	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
c394	Tenandry,	c. 681	595	4	7	11	–	–	–	4	10	14	5
395	Tibbermore,	1469	1182	22	13	35	3	1	4	8	5	13	5
396	Trinity-Gask,	597	488	9	4	13	–	–	–	4	1	5	–
397	Tulliallan (including Kincardine),	3043	2410	30	38	68	5	3	8	23	30	53	14
398	Weem,	c. 230	215	1	2	3	–	–	–	2	3	5	3
	Total,	137369	133198	1875	1811	3686	197	203	400	1179	1261	2440	802
	14. Fife.												
399	Abbotshall,	688	808	3	13	16	1	2	3	7	9	16	4
400	Abdie,	c. 1353	1257	22	29	51	–	3	3	10	3	13	4
401	Aberdour,	1945	1874	34	33	67	6	2	8	24	19	43	13
402	ANSTRUTHER-EASTER (pt. of Burgh),	1161	1155	22	17	39	2	1	3	9	3	12	6
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	9	12	21	2	–	2	8	5	13	3
404	Arngask,	689	705	8	8	16	–	–	–	4	3	7	8
405	Auchterderran,	3210	3457	90	77	167	10	10	20	41	30	71	29
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	52	38	90	10	6	16	39	28	67	17
407	Auchtertool,	517	609	8	8	16	1	1	2	6	3	9	2
408	Ballingry,	568	736	24	20	44	2	1	3	5	6	11	4
409	Balmerino,	945	815	8	13	21	–	1	1	6	8	14	8
410	Beath,	1252	2390	84	67	151	1	3	4	35	28	63	8
411	BURNTISLAND (incl. Burgh),	3158	3670	74	65	139	6	6	12	24	31	55	14
412	Cameron,	1207	1362	19	18	37	3	–	3	7	10	17	11
413	Carnbee,	1129	1157	16	19	35	1	3	4	5	7	12	6
414	Carnock,	3191	2925	36	44	80	3	1	4	11	25	36	17
415	Ceres,	2833	2723	24	48	72	3	4	7	17	24	41	22
416	Collessie,	1520	1530	24	22	46	3	3	6	15	9	24	8
417	CRAIL (incl. Burgh),	1903	1931	29	33	62	5	1	6	12	17	29	12
418	Creich,	386	377	5	3	8	–	–	–	1	2	3	2
419	Cults,	915	800	14	14	28	4	1	5	4	8	12	10
420	CUPAR (incl. Burgh),	7427	6750	93	110	203	15	12	27	91	89	180	60
421	Dairsie,	708	638	7	6	13	3	–	3	6	4	10	5
422	Dalgetty,	1513	1569	30	27	57	1	1	2	14	7	21	10
423	Dunbog,	c. 409	414	12	7	19	–	–	–	2	5	7	2
424	DUNFERMLINE—												
	(1) Burgh,	13836	13506	220	226	446	16	18	34	139	144	283	148
	(2) Landward,	c. 7602	7609	161	120	281	16	9	25	83	59	142	57
425	Dunino,	289	370	2	4	6	–	1	1	1	2	3	3
426	DYSART (incl. Burgh),	8739	8842	188	153	341	11	11	22	88	93	181	88
427	Elie,	843	826	7	12	19	–	1	1	3	8	11	2
428	FALKLAND (incl. Burgh)	3102	2937	45	30	75	6	4	10	17	23	40	13
429	Ferry-Port-on-Craig,	2238	2013	53	38	91	5	8	13	21	17	38	21
430	Flisk,	c. 157	230	4	5	9	–	1	1	–	2	2	–
431	Forgan,	1125	1326	18	21	39	2	3	5	12	20	32	8
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	59	62	121	4	7	11	33	33	66	20
433	Kemback,	956	896	20	9	29	4	4	8	5	6	11	10
434	Kennoway,	2257	2012	26	16	42	4	1	5	17	11	28	8
435	Kettle,	2601	2474	43	43	86	2	4	6	23	22	45	18
436	Kilconquhar (including EARLSFERRY),	2489	2431	37	27	64	2	2	4	19	30	49	15
437	Kilmany,	662	656	14	16	30	1	1	2	4	3	7	6
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER),	2194	2534	56	47	103	3	2	5	20	21	41	13
439	KINGHORN (incl. Burgh),	2455	2349	42	41	83	5	6	11	30	40	70	22

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
440	Kinglassie, . . .	1186	1266	16	20	36	3	2	5	11	8	19	8
441	Kingsbarns, . . .	893	937	17	15	32	2	3	5	1	9	10	7
442	KIRKCALDY (including Burgh), . . .	10636	11117	194	224	418	13	14	27	151	160	311	112
443	Largo, ...	2800	2626	36	45	81	4	7	11	24	25	49	19
444	Leslie (incl. Town), .	3800	4332	66	49	115	11	11	22	42	54	96	35
445	Leuchars, . . .	1991	1903	22	22	44	3	4	7	16	10	26	14
446	Logie, ...	467	410	9	8	17	2	1	3	6	3	9	3
447	Markinch, . . .	5843	5375	77	85	162	12	6	18	54	81	135	34
448	Monimail, . . .	1102	1054	18	9	27	2	2	4	8	6	14	7
449	Moonzie, . . .	198	179	3	4	7	–	1	1	1	–	1	1
450	NEWBURGH (including Burgh), . . .	2986	2693	49	41	90	5	3	8	32	18	50	14
451	Newburn, . . .	375	374	7	9	16	1	–	1	5	3	8	3
452	PITTENWEEM (incl. Burgh), . . .	1473	1710	25	18	43	–	2	2	25	35	60	10
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews), . .	7327	7605	99	122	221	8	12	20	60	58	118	66
454	St Monance (or Abercrombie), . . .	1241	1498	28	42	70	–	2	2	19	17	36	7
455	Saline, ...	1792	1610	31	30	61	3	2	5	11	10	21	10
456	Scoonie (incl. Leven), .	3115	3257	44	54	98	–	4	4	62	81	143	28
457	Strathmiglo, . . .	2509	2261	27	29	56	5	2	7	13	22	35	13
458	Torryburn, . . .	1341	1229	17	14	31	3	1	4	12	10	22	8
459	Wemyss, . . .	5647	6003	154	107	261	12	6	18	139	150	289	48
	Total,	153789	155021	2681	2568	5249	252	230	482	1610	1677	3287	1184
	15. Kinross.												
460	Cleish, ...	659	649	11	8	19	2	–	2	4	3	7	5
461	Fossoway and Tulliebole,	1621	1584	22	18	40	1	2	3	12	9	21	13
462	Kinross (incl. Town), .	3227	2649	32	30	62	4	3	7	19	22	41	18
463	Orwell, ...	2569	2399	28	36	64	–	4	4	21	22	43	19
464	Portmoak, . . .	1550	1450	13	22	35	–	1	1	10	10	20	5
	Total,	9626	8731	106	114	220	7	10	17	66	66	132	60
	16. Clackmannan.												
465	Alloa (incl. Town), .	9493	8867	159	158	317	11	10	21	96	98	194	66
466	Clackmannan, . .	5802	4425	111	86	197	10	9	19	44	37	81	26
467	Dollar, ...	1574	1776	31	20	51	4	–	4	14	18	32	6
468	Tillicoultry (including Town), . . .	4686	5054	77	81	158	10	11	21	37	39	76	30
	—— Total,	21555	20122	378	345	723	35	30	65	191	192	383	128
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth, ...	1319	1194	18	22	40	–	1	1	17	10	27	12
470	Alva (incl. Town), .	3204	3283	74	66	140	7	2	9	28	29	57	25
471	Baldernock, . . .	801	718	9	12	21	1	1	2	4	6	10	1
472	Balfron, . . .	1900	1517	20	32	52	–	1	1	12	24	36	4
473	Bothkennar, . . .	1179	1722	54	31	85	3	4	7	21	17	38	19
474	Buchanan, . . .	632	705	12	3	15	1	1	2	10	4	14	3
475	Campsie (including Lennoxtown), . . .	6918	6483	108	92	200	9	9	18	59	55	114	58
476	Denny (incl. Town), .	4754	4988	100	84	184	9	5	14	44	40	84	39
477	Drymen, . . .	1481	1619	15	19	34	1	4	5	15	10	25	5
478	Dunipace, . . .	1472	1731	35	42	77	4	1	5	14	18	32	6
479	FALKIRK—(1) Burgh, .	8752	9030	199	172	371	16	21	37	121	104	225	73
	(2) Landward,	7686	7996	172	140	312	11	7	18	101	77	178	73

No. of District	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
480	Fintry,	823	685	11	8	19	1	1	2	5	10	15	8
481	Gargunnock,	754	728	8	9	17	1	1	2	2	4	6	6
482	Killearn,	1176	1171	16	10	26	3	–	3	6	5	11	7
483	Kilsyth (incl. Town),	5346	6112	168	154	322	18	14	32	87	84	171	51
484	Kippen,	1892	1722	23	25	48	5	4	9	14	14	28	6
485	Larbert,	4606	4999	117	94	211	12	8	20	56	53	109	29
486	Muiravonside,	2647	2660	63	61	124	2	1	3	26	22	48	15
487	Polmont,	3764	4111	84	66	150	9	11	20	34	35	69	19
488	St Ninians (includ. Bannockburn, Town),	7630	6648	127	119	246	8	8	16	63	64	127	64
489	Slamannan,	1655	2916	100	83	183	5	3	8	35	33	68	32
490	STIRLING (incl. Burgh),	12401	14012	282	230	512	22	30	52	149	166	315	149
491	Strathblane,	1010	1388	20	23	43	1	2	3	13	11	24	10
	Total,	83802	88138	1835	1597	3432	149	140	289	936	895	1831	714
	18. Dumbarton.												
492	Arrochar,	562	629	12	5	17	–	–	–	6	6	12	–
493	Bonhill (includ. Town, & Alexandria, Town),	7819	9059	153	147	300	19	16	35	75	87	162	86
494	Cardross (incl. Renton),	3402	4168	93	86	179	9	11	20	37	38	75	33
495	Cumbernauld,	3778	3513	79	77	156	8	6	14	37	42	79	22
496	DUMBARTON (incl. Burgh)	5445	8268	223	211	434	11	10	21	118	101	219	52
497	Kilmaronock,	1033	1085	19	11	30	2	1	3	7	6	13	4
498	Kirkintilloch (incl. Town)	8426	8179	164	170	334	22	17	39	87	107	194	53
499	Luss,	907	831	12	5	17	1	–	1	10	7	17	4
500	New, or East, Kilpatrick,	4286	4910	112	107	219	11	6	17	83	56	139	36
501	Old, or West, Kilpatrick (incl. Duntocher, Town)	5921	5577	90	106	196	6	2	8	58	57	115	36
502	Roseneath,	1044	1626	20	18	38	2	–	2	12	12	24	7
503	Row (incl. Helensburgh),	4372	6334	115	75	190	4	7	11	64	65	129	34
	Total,	46995	54179	1092	1018	2110	95	76	171	594	584	1178	367
	19. Argyll. *Mainland.*												
504	Ardchattan,	1525	1381	13	12	25	1	2	3	4	5	9	5
505	Ardnamurchan—												
	(1) Aharacle,	*c.* 1791	1544	24	19	43	3	2	5	10	10	20	8
	(2) Arisaig,	*c.* 1555	1343	16	24	40	3	1	4	6	7	13	8
	(3) Sunart (or Strontian)	*c.* 875	759	12	7	19	1	2	3	6	6	12	2
	(4) Western District,	*c.* 1225	1054	18	14	32	2	–	2	9	12	21	1
506	Ballachulish and Corran of Ardgour,	*c.* 1125	919	12	12	24	1	1	2	8	7	15	4
507	CAMPBELTOWN (incl. Burgh),	9381	8149	123	130	253	6	17	23	65	90	155	39
508	Craignish,	756	618	8	7	15	–	–	–	9	5	14	4
509	Cumlodden,	1095	1033	12	18	30	–	2	2	2	3	5	6
510	Dunoon and Kilmun (incl. Duncon & Kirn),	4518	5461	68	92	160	5	5	10	59	50	109	35
511	Glassary,	*c.* 1860	1769	26	25	51	–	1	1	10	11	21	11
512	Glenorchy and Inishail,	1450	1307	13	9	22	1	1	2	6	7	13	1
513	INVERARAY (including Burgh),	1755	1650	16	20	36	–	2	2	16	9	25	12
514	Inverchaolain,	474	424	7	7	14	1	–	1	2	3	5	4
515	Kilbrandon & Kilchattan,	*c.* 2571	2053	35	18	53	–	1	1	17	27	44	6
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	*c.* 930	742	10	9	19	3	1	4	5	2	7	4
	(2) Kilberry,	689	583	6	8	14	–	–	–	5	2	7	4
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	3	3	6	1	–	1	2	2	4	1
	(2) Dalavich,	282	230	3	4	7	–	–	–	–	–	–	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
518	Kilfinan, . . .	1695	1891	36	36	72	3	2	5	30	16	49	14
519	Killean and Kilchenzie, .	2219	1890	24	27	51	–	1	1	5	15	20	10
520	Kilmalie, . . .	*c.* 4110	3353	43	41	84	7	8	15	34	45	79	10
521	Kilmartin, . . .	1144	949	12	14	26	2	1	3	4	8	12	6
522	Kilmodan, . . .	500	433	4	3	7	–	–	–	3	2	5	1
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	39	39	78	1	1	2	24	34	58	18
524	Kilninver, etc.—												
	(1) Kilninver, . .	449	314	5	1	6	–	–	–	2	1	3	–
	(2) Kilmelford, . .	265	486	8	5	13	–	–	–	6	5	11	2
525	Lismore, etc.—												
	(1) Lismore, . .	*c.* 1167	1023	13	9	22	–	–	–	14	6	20	1
	(2) Appin, . . .	*c.* 940	825	8	11	19	–	1	1	2	11	13	–
	(3) Glencoe & Ballachulish, . . .	*c.* 1510	1324	25	25	50	1	–	1	11	14	25	5
	(4) Duror, . . .	*c.* 480	423	3	9	12	1	1	2	3	5	8	1
526	Lochgilphead, . .	*c.* 3263	3312	60	52	112	3	3	6	46	29	75	28
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead, .	446	418	4	2	6	–	–	–	2	2	4	2
	(2) Kilmorich, . .	388	284	3	4	7	–	–	–	4	1	5	2
528	Morvern, . . .	1547	1226	18	14	32	1	–	1	6	5	11	6
529	Muckairn, . . .	788	729	3	4	7	–	–	–	7	4	11	5
530	North Knapdale, . .	1666	1327	8	17	25	1	1	2	6	1	7	7
531	Saddell, etc.—												
	(1) Saddell, . . .	791	739	13	8	21	3	1	4	10	7	17	6
	(2) Skipness, . .	*c.* 705	533	7	3	10	–	–	–	10	2	12	2
532	Southend, . . .	1406	1214	25	16	41	3	3	6	7	11	18	2
533	South Knapdale, . .	565	654	7	8	15	–	–	–	5	5	10	2
534	Stralachlan, etc.—												
	(1) Stralachlan, . .	397	309	6	3	9	–	–	–	3	3	6	1
	(2) Strachur, . .	518	563	9	14	23	2	2	4	6	9	15	2
535	Tarbert, . . .	*c.* 1828	1661	26	39	65	1	1	2	11	30	41	11
	Insular.												
536	Bowmore (or Kilarrow), .	3469	2701	24	32	56	3	4	7	23	18	41	10
537	Gigha, ...	547	467	6	2	8	1	–	1	1	2	3	2
538	Iona, ...	*c.* 900	743	8	13	21	–	1	1	21	5	26	–
539	Jura, etc.—(1) Jura, .	*c.* 868	858	6	7	13	–	1	1	4	5	9	3
	(2) Colonsay,	837	598	7	3	10	1	1	2	4	3	7	–
540	Kilchoman, . . .	*c.* 2865	2377	32	27	59	5	1	6	18	12	30	2
541	Kildalton, . . .	*c.* 2450	2187	24	26	50	2	3	5	21	12	33	7
542	Kilfinichen & Kilvickeon,	*c.* 2171	1792	20	24	44	1	2	3	7	18	25	6
543	Kilmeny, . . .	1413	1268	21	18	39	3	4	7	6	15	21	6
544	Kilninian and Kilmore, .	*c.* 1890	1641	14	7	21	–	–	–	8	10	18	5
545	Kinlochspelvie, . .	*c.* 420	428	5	4	9	–	–	–	2	3	5	–
546	Oa, ...	*c.* 860	769	6	8	14	2	1	3	3	3	6	–
547	Portnahaven, . . .	*c.* 1277	1059	10	16	26	–	2	2	13	8	21	1
548	Salen, ...	*c.* 634	604	13	9	22	–	2	2	2	5	7	–
549	Tobermory, . . .	*c.* 1804	1566	20	16	36	2	1	3	21	20	41	3
550	Torosay, . .	*c.* 550	557	7	6	13	1	1	2	5	5	10	5
551	Tyree, etc.—(1) Tyree, .	3709	3217	37	46	83	3	1	4	28	30	58	11
	(2) Coll, .	1109	781	13	6	19	1	–	1	4	6	10	5
	Total,	94042	83859	1107	1112	2219	82	89	171	693	709	1402	365
	20. Bute.												
552	Cumbraes, . . .	1275	1256	20	19	39	–	3	3	19	14	33	3
553	Kilbride, part of—												
	(1) Brodick, .	*c.* 2340	*c* 1253	12	6	18	2	1	3	8	7	15	1
	(2) Kilbride, .		*c* 1000	10	15	25	1	–	1	17	13	30	2
554	Kilmory, . .	*c.* 2724	2515	28	14	42	3	1	4	20	16	36	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
555	Kingarth, . . .	1007	905	9	13	22	2	2	4	11	10	21	9
556	Lochranza, . . .	*c.* 883	824	8	11	19	1	1	2	12	11	23	6
557	North Bute, . . .	*c.* 1235	1351	13	17	30	2	5	7	7	6	13	8
558	ROTHESAY, . .	*c.* 7144	7227	96	122	218	13	9	22	97	121	218	54
	Total,	16608	16331	196	217	413	24	22	46	191	198	389	91
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Part of PAISLEY,	16351	15889	309	288	597	17	31	48	193	210	403	135
	(2) Landward (including part of Barrhead),	*c.* 4867	5670	99	106	205	7	5	12	46	58	104	26
	(3) Johnstone (including Town), . .	*c.* 7363	8142	181	179	360	17	22	39	96	110	206	86
560	Cathcart, . . .	2916	3782	75	78	153	7	5	12	44	50	94	33
561	Eaglesham, . . .	2524	2328	25	15	40	1	4	5	12	11	23	11
562	Eastwood, . . .	9243	11314	218	223	441	23	30	53	149	180	329	106
563	Erskine, ...	1232	1457	24	25	49	1	–	1	9	10	19	3
564	GREENOCK—												
	(1) New, or Middle .	9414	9446	245	219	464	23	20	43	165	170	335	45
	(2) East, . . .	7704	12135	369	367	736	13	11	24	173	159	332	123
	(3) Old, or West, . .	20318	22313	626	608	1234	31	32	63	421	400	821	305
565	Houston and Killellan, .	2753	2490	45	23	68	4	4	8	28	33	61	14
566	Inchinnan, . .	649	619	11	5	16	1	1	2	5	4	9	2
567	Innerkip—												
	(1) Innerkip. . .	*c.* 1026	1188	21	22	43	1	–	1	3	9	12	4
	(2) Gourock (including Town), . . .	*c.* 1992	2307	60	33	93	7	3	10	28	33	61	20
568	Kilbarchan, . . .	5474	6348	107	114	221	6	10	16	71	83	154	34
569	Kilmalcolm, . . .	1399	1455	25	28	53	4	4	8	11	17	28	14
570	Lochwinnoch, . .	4153	3821	56	63	119	11	9	20	43	51	94	28
571	Mearns, ...	3704	3547	69	52	121	5	2	7	38	43	81	23
572	Neilston (including part of Barrhead), . .	12233	11013	176	188	364	22	19	41	96	110	206	77
573	PAISLEY—												
	(1) High, . . .	14643	14900	321	307	628	25	24	49	166	176	342	109
	(2) Low, . . .	7205	6712	110	101	211	13	6	19	165	117	282	91
	(3) Middle, . . .	9904	9926	188	193	381	28	21	49	130	188	318	69
574	PORT-GLASGOW (incl. Burgh), . . .	7017	7294	260	241	501	32	19	51	137	134	271	97
575	RENFREW (incl. Burgh),	3866	4650	107	95	202	5	4	9	39	44	83	30
	Total,	157950	168746	3727	3573	7300	304	286	590	2268	2400	4668	1485
	22. Ayr.												
576	Ardrossan—												
	(1) Old (including part of Saltcoats), .	*c.* 3434	3530	60	56	116	5	6	11	52	39	91	41
	(2) New (including Ardrossan), . .	*c.* 2147	3246	77	69	146	1	2	3	48	26	74	26
577	Auchinleck, . . .	3697	4213	120	102	222	8	7	15	49	46	95	23
578	AYR (incl. Burgh), .	18845	19659	291	313	604	31	38	69	176	228	404	138
579	Ballantrae, . . .	1801	1483	20	28	48	5	6	11	11	11	22	6
580	Barr, ...	907	910	12	9	21	–	1	1	5	6	11	2
581	Beith (incl. Town), .	6425	5775	122	138	260	7	11	18	80	77	157	55
582	Colmonell, . . .	2934	2588	25	32	57	4	7	11	16	11	27	12
583	Coylton, ...	1542	1604	18	24	42	2	1	3	17	9	26	6
584	Craigie, ...	793	730	16	13	29	2	1	3	5	1	6	4
585	Dailly, ...	2413	2050	44	26	70	4	3	7	19	25	44	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
586	Dalmellington, . .	2910	4194	122	116	238	8	6	14	42	56	98	33
587	Dalry (incl. Town), .	8865	11156	271	286	557	12	20	32	142	142	284	100
588	Dalrymple, . . .	1096	1325	26	33	59	5	2	7	8	14	22	9
589	Dreghorn, . . .	1828	3283	63	73	136	5	8	13	29	20	49	21
590	Dundonald (incl. Troon),	4555	4694	80	61	141	4	3	7	48	35	83	25
591	Dunlop, . . .	1115	1038	22	13	35	2	2	4	11	10	21	10
592	Fenwick, . . .	1741	1532	16	19	35	2	2	4	19	16	35	8
593	Galston (incl. Town), .	4392	5254	141	146	287	8	7	15	69	77	146	58
594	Girvan (incl. Town), .	8588	7053	120	98	218	29	20	49	97	91	188	34
595	IRVINE (incl. Burgh), .	8463	8607	155	175	330	14	26	40	100	119	219	73
596	Kilbirnie (incl. Town),	5484	5265	116	113	229	11	11	22	60	43	103	57
597	KILMARNOCK (incl. part of Burgh), . .	21287	23556	517	428	945	38	36	74	375	339	714	199
598	Kilmaurs, . . .	3144	3526	59	63	122	4	7	11	41	30	71	32
599	Kilwinning (incl. Town),	6359	7717	173	165	338	7	9	16	84	69	153	59
600	Kirkmichael, . . .	3262	2823	40	36	76	5	8	13	21	22	43	18
601	Kirkoswald, . . .	2242	2060	27	33	60	3	2	5	13	14	27	15
602	Largs (incl. Town), .	3715	3620	63	54	117	1	2	3	45	63	108	26
603	Loudoun (incl. Newmilns), ...	4720	4840	89	102	191	7	10	17	47	50	97	46
604	Mauchline, . . .	2470	2303	45	37	82	8	3	11	37	30	67	22
605	Maybole (incl. Town), .	7615	6713	123	105	228	18	22	40	71	69	140	44
606	Monkton and Prestwick,	1960	1937	30	21	51	3	4	7	14	12	26	9
607	Muirkirk (incl. Town),	3423	3270	62	65	127	7	7	14	29	39	68	27
608	New Cumnock, . .	2759	2891	62	57	119	7	13	20	30	28	58	22
609	Ochiltree, . . .	1787	1676	21	18	39	4	4	8	6	8	14	4
610	Old Cumnock (including Town), . . .	3777	3721	64	80	144	11	8	19	35	38	73	30
611	Riccarton (incl. part of KILMARNOCK), .	4583	5629	149	118	267	13	4	17	71	62	133	52
612	St Quivox and Newton-upon-Ayr, . . .	2231	1870	23	26	49	5	4	9	16	15	31	13
613	Sorn (incl. Catrine), .	4174	4042	75	60	135	8	8	16	39	35	74	31
614	Stair, ...	820	743	7	12	19	2	2	4	3	2	5	–
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	106	105	211	6	7	13	52	66	118	31
616	Stewarton (incl. Town),	4572	4449	78	71	149	12	6	18	40	42	82	30
617	Straiton, . . .	1540	1544	25	21	46	1	4	5	12	15	27	15
618	Symington, . . .	902	855	13	13	26	1	2	3	9	10	19	2
619	Tarbolton, . . .	2824	2669	69	52	121	10	4	14	52	47	99	27
620	West Kilbride, . .	2021	1968	41	34	75	6	6	12	17	25	42	17
	Total,	189973	199063	3898	3719	7617	356	372	728	2262	2232	4494	1523
	23. Lanark.												
621	Avondale (incl. Strathaven), ...	6451	6125	95	96	191	8	7	15	57	41	98	42
622	Barony—												
	(1) Maryhill (incl. Town and part of GLASGOW), .	*c.* 4007	6734	155	154	309	9	9	18	88	89	177	60
	(2) Springburn (incl. pt. of GLASGOW), .	*c.* 6386	8911	283	254	537	41	26	67	292	301	593	65
	(3) Shettleston, . .	*c.* 6564	6914	141	138	279	12	15	27	78	66	144	49
623	Biggar, ...	2049	1999	21	28	49	1	–	1	16	19	35	15
624	Blantyre, . . .	2848	3092	51	44	95	3	6	9	29	23	52	21
625	Bothwell—												
	(1) Bothwell (including Bellshill), .	*c.* 5583	7059	173	146	319	8	8	16	73	77	150	52
	(2) Holytown, . .	*c.* 9700	10844	247	255	502	13	18	31	118	130	248	76

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
626	Cadder—												
	(1) Western District, .	*c.* 2550	3023	61	67	128	1	1	2	47	39	86	16
	(2) Eastern District, .	*c.* 2464	2925	74	56	130	5	3	8	31	25	56	12
626	Calderhead, . . .	*c.* 2140	3789	80	82	162	7	5	12	45	26	71	34
627	Cambuslang, . . .	3306	3647	81	48	129	3	4	7	39	20	59	21
628	Cambusnethan (including Wishaw) (part of), .	*c.* 8571	*c.*13377	405	395	800	26	26	52	222	194	416	147
629	Carluke (incl. Town), .	6283	6176	162	109	271	12	9	21	60	51	111	59
630	Carmichael, . . .	805	836	13	12	25	1	1	2	5	5	10	1
631	Carmunnock, . . .	710	734	12	8	20	1	–	1	5	4	9	7
632	Carnwath, . . .	3551	3584	105	100	205	17	15	32	46	37	83	23
633	Carstairs, . . .	1066	1345	29	27	56	1	3	4	16	11	27	6
634	Covington & Thankerton,	548	532	6	8	14	5	–	5	6	3	9	1
635	Crawford—												
	(1) Crawford, . .	*c.* 730	694	14	16	30	1	1	2	3	4	7	1
	(2) Leadhills, . .	*c.* 940	896	24	21	45	5	3	8	11	9	20	8
636	Crawfordjohn, . .	1111	980	11	14	25	2	4	6	6	7	13	9
637	Culter, ...	472	665	6	9	15	–	2	2	4	6	10	6
638	Dalserf—												
	(1) Larkhall (including Town), . .	*c.* 2670	3629	96	117	213	7	7	14	51	56	107	32
	(2) Dalserf, . . .	*c.* 913	1247	33	33	66	1	–	1	13	11	24	12
639	Dalziel (incl. Motherwell), . . .	2262	5438	186	218	404	8	11	19	89	82	171	43
640	Dolphington, . . .	305	260	5	–	5	–	–	–	4	2	6	3
641	Douglas, ...	2611	2490	40	34	74	6	5	11	23	20	43	25
642	Dunsyre, . . .	312	312	5	3	8	1	2	3	2	3	5	2
643	East Kilbride, . .	3760	4064	77	60	137	8	3	11	34	36	70	24
644	GLASGOW—												
	(1) Central District, .	*c.* 43270	49678	1267	1208	2475	259	243	502	1025	1024	2049	431
	(2) High, . . .	*c.* 42005	48119	1137	1089	2226	106	122	228	1249	944	2193	466
	(3) Bridgeton, . .	*c.* 38385	45485	1053	1027	2080	105	75	180	634	674	1308	453
	(4) Calton, . . .	*c.* 33310	36625	773	789	1562	82	86	168	512	568	1080	498
	(5) Clyde, . . .	*c.* 32800	29975	539	536	1075	74	81	155	418	437	855	256
	(6) Blythswood, . .	*c.* 21405	28697	443	470	913	32	25	57	256	331	587	572
	(7) Milton, . . .	*c.* 26240	33360	894	826	1720	69	60	129	453	508	961	343
	(8) Anderston, . .	*c.* 30035	40945	1083	1046	2129	80	83	163	598	640	1238	396
	(9) Tradeston, . .	*c.* 27163	38600	976	917	1893	75	64	139	600	635	1235	560
	(10) Hutchesontown, .	*c.* 34484	44019	1137	1078	2215	79	73	152	669	654	1323	350
645	Glassford, . . .	1955	1938	24	17	41	1	3	4	17	8	25	10
646	Govan—												
	(1) Govan (incl. Town),	*c.* 6238	13725	470	451	921	13	19	32	219	216	435	160
	(2) Partick (incl. Town)	*c.* 7852	14859	383	368	751	19	18	37	174	219	393	161
647	HAMILTON (incl. Burgh),	11740	14047	306	293	599	28	25	53	169	148	317	131
648	LANARK (incl. Burgh),	8243	7891	143	143	286	20	16	36	80	111	191	56
649	Lesmahagow, . . .	7746	9266	149	150	299	18	19	37	82	72	154	61
650	Libberton, . . .	800	836	10	14	24	2	4	6	9	9	18	2
651	New Monkland—												
	(1) AIRDRIE, . .	14435	12922	293	259	552	30	19	49	198	202	400	158
	(2) Landward, . .	8766	7632	180	159	339	12	16	28	127	93	220	59
652	Old Monkland—												
	(1) Western District, .	*c.* 6646	6932	181	166	347	11	11	22	98	93	191	30
	(2) Middle District (incl. Coatbridge), .	*c.* 13168	15303	415	385	800	15	19	34	231	194	425	123
	(3) Eastern District (incl. Calderbank),	*c.* 7519	7308	140	147	287	11	9	20	84	79	163	18
653	Pettinain, . . .	428	407	3	7	10	–	–	–	–	–	–	4
654	RUTHERGLEN (incl. Burgh), . . .	7954	9335	190	225	415	8	12	20	120	116	236	110
655	Shotts (part of), . .	*c.* 3892	*c.* 4778	108	113	221	9	6	15	40	37	77	21

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
656	Stonehouse (incl. Town),	2781	3267	82	65	147	2	5	7	31	52	83	2
657	Symington, . . .	536	528	11	11	22	3	3	6	7	3	10	
658	Walston, . . .	497	480	5	7	12	–	1	1	5	6	11	
659	Wandell and Lamington,	369	380	6	6	12	1	–	1	1	2	3	
660	Wiston and Roberton, .	839	786	8	10	18	4	1	5	4	8	12	
	Total,	533169	640444	15100	14534	29634	1381	1312	2693	9623	9480	19103	634
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn, . . .	977	965	13	21	34	1	2	3	8	11	19	6
662	Bathgate (incl. Town and Armadale), .	4533	10134	304	282	586	25	23	48	167	165	332	81
663	Borrowstounness (incl. Town), . . .	5192	5698	140	139	279	9	16	25	79	79	158	44
664	Carriden, . . .	1724	1821	32	40	72	4	3	7	26	19	45	15
665	Dalmeny, . . .	768	804	17	18	35	1	3	4	9	7	16	3
666	Ecclesmachen, . .	289	309	10	6	16	–	1	1	3	1	4	4
667	Kirkliston, . . .	2029	1907	42	47	89	4	5	9	15	24	39	14
668	LINLITHGOW—												
	(1) Burgh, . . .	4213	3843	69	45	114	8	7	15	52	43	95	34
	(2) Landward, . .	1902	1941	21	26	47	1	9	10	20	26	46	13
669	Livingstone, . . .	1289	1366	37	30	67	5	4	9	12	14	26	11
670	QUEENSFERRY (incl. Burgh), . . .	1195	1391	25	37	62	1	7	8	15	22	37	10
671	Torphichen, . . .	1356	1848	32	35	67	4	3	7	18	15	33	10
672	Uphall, ...	1331	1507	34	44	78	2	3	5	29	17	46	13
673	Whitburn, . . .	3792	5511	171	143	314	11	10	21	76	53	129	43
	Total,	30590	39045	947	913	1860	76	96	172	529	496	1025	301
	25. Edinburgh.												
674	Borthwick, . . .	1614	1742	25	38	63	–	4	4	16	12	28	9
675	Carrington, . . .	710	681	12	12	24	1	–	1	5	8	13	4
676	Cockpen, . . .	3228	2902	73	60	133	5	5	10	37	35	72	16
677	Colinton, . . .	2676	2656	51	48	99	5	4	9	36	32	68	23
678	Corstorphine, . . .	1499	1579	20	24	44	1	2	3	16	12	28	10
679	Cramond, . . .	2547	2695	50	63	113	3	4	7	27	22	49	20
680	Cranston, . . .	1235	1035	12	15	27	2	–	2	10	12	22	7
681	Crichton, . . .	1387	1304	22	26	48	3	4	7	13	11	24	10
682	Currie, ...	2190	2248	34	31	65	2	2	4	21	17	38	8
683	Dalkeith (incl. Town),	6521	7114	134	126	260	8	10	18	85	85	170	62
684	Duddingston—												
	(1) PORTOBELLO, .	3559	4366	93	70	163	13	6	19	30	56	86	39
	(2) Landward, . .	904	857	17	19	36	3	2	5	11	11	22	3
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuthbert), . . .	*c.* 38540	42068	777	740	1517	44	47	91	561	563	1124	349
	(2) St Andrew, . .	*c.* 37435	38731	486	472	958	28	26	54	296	365	661	417
	(3) Canongate (incl. Landward), . .	*c.* 29230	30169	700	601	1301	73	66	139	794	591	1385	309
	(4) St Giles, . . .	*c.* 29245	29679	651	639	1290	158	137	295	425	418	843	299
	(5) Newington, . .	*c.* 27198	29797	594	586	1180	32	33	65	346	454	800	408
686	Fala and Soutra, . .	434	382	8	1	9	1	–	1	2	5	7	3
687	Glencross, . . .	1138	1217	14	15	29	1	2	3	6	8	14	7
688	Heriot, ...	352	407	5	7	12	–	1	1	5	2	7	6
689	Inveresk (incl. MUSSELBURGH), . . .	8653	9518	175	178	353	16	17	33	140	156	296	64

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
690	Kirknewton and East-Calder,	1630	1549	28	28	56	–	5	5	15	20	35	15
691	Lasswade,	5821	5688	102	88	190	14	11	25	63	59	122	43
692	LEITH—												
	(1) North Leith,	*c.* 9494	11562	245	222	467	12	9	21	133	132	265	129
	(2) South Leith	*c.* 22725	24467	576	507	1083	53	39	92	348	311	659	270
693	Liberton,	3528	3510	62	54	116	5	4	9	43	34	77	16
694	Mid-Calder,	1474	1389	38	21	59	4	5	9	22	14	36	23
695	Newbattle,	2518	2837	58	59	117	7	5	12	31	26	57	29
696	Newton,	1780	1553	24	15	39	3	2	5	6	4	10	9
697	Penicuik,	3003	3249	58	59	117	7	3	10	25	26	51	20
698	Ratho,	1718	1659	25	20	45	3	1	4	13	4	17	14
699	Stow,	1973	2171	44	38	82	4	8	12	25	15	40	13
700	Temple,	1414	1385	21	29	50	4	4	8	11	16	27	6
701	West-Calder,	2120	1927	102	101	203	7	8	15	49	37	86	27
	Total,	259493	274093	5336	5012	10348	522	476	998	3666	3573	7239	2687
	26. Haddington.												
702	Aberlady,	1099	1019	17	22	39	1	3	4	13	12	25	6
703	Athelstaneford,	971	902	10	11	21	1	1	2	5	7	12	2
704	Bolton,	373	332	6	5	11	1	–	1	1	2	3	–
705	Dirleton,	1634	1540	18	19	37	2	3	5	10	13	23	5
706	DUNBAR (incl. Burgh),	4415	4944	83	70	153	4	4	8	57	68	125	21
707	Garvald,	869	891	8	21	29	1	1	2	4	15	19	2
708	Gladsmuir,	1780	1945	32	29	61	2	2	4	7	16	23	8
709	HADDINGTON (incl. Burgh),	5525	5548	105	68	173	9	3	12	58	57	115	38
710	Humbie,	925	997	13	12	25	2	2	4	8	10	18	4
711	Innerwick,	1012	937	14	10	24	1	1	2	7	10	17	5
712	Morham,	249	281	3	1	4	–	–	–	1	2	3	1
713	NORTH BERWICK (incl. Burgh),	1643	2071	34	28	62	–	1	1	26	20	46	10
714	Oldhamstocks,	692	615	7	7	14	1	2	3	4	3	7	4
715	Ormiston,	811	915	17	14	31	–	4	4	5	4	9	4
716	Pencaitland,	1175	1187	32	12	44	3	–	3	14	14	28	6
717	Prestonkirk,	1894	1960	36	30	66	6	3	9	20	18	38	9
718	Prestonpans,	2123	2080	51	38	89	5	3	8	20	29	49	13
719	Salton,	697	712	6	9	15	1	2	3	8	3	11	3
720	Spott,	595	555	12	7	19	1	–	1	6	5	11	2
721	Stenton,	719	692	10	7	17	3	–	3	3	4	7	3
722	Tranent (incl. Town),	4158	4647	111	99	210	10	8	18	75	69	144	44
723	Whitekirk & Tynninghame	1131	1113	13	12	25	2	–	2	11	6	17	3
724	Whittinghame,	671	710	7	9	16	1	1	2	3	4	7	2
725	Yester (or Gifford),	1202	1033	18	17	35	3	–	3	12	9	21	6
	Total,	36363	37626	663	557	1220	60	44	104	378	400	778	201
	27. Berwick.												
726	Abbey St Bathans,	155	179	1	3	4	–	–	–	–	1	1	1
727	Ayton,	1959	2014	32	32	64	3	1	4	23	27	50	14
728	Bunkle and Preston,	715	756	11	11	22	2	–	2	2	4	6	2
729	Channelkirk,	728	671	19	9	28	–	2	2	9	7	16	2
730	Chirnside,	1384	1502	26	16	42	3	2	5	15	14	29	10
731	Cockburnspath,	1196	1194	21	11	32	2	1	3	11	6	17	8
732	Coldingham,	3188	3241	44	57	101	9	4	13	26	29	55	14
733	Coldstream,	3245	2823	38	39	77	5	14	19	26	21	47	12
734	Cranshaws,	127	134	3	3	6	–	–	–	–	–	–	–
735	Dunse (incl. Town),	3407	3595	67	47	114	9	8	17	36	42	78	16
736	Earlston,	1819	1825	22	43	65	3	5	8	15	17	32	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
737	Eccles,	1892	1861	38	37	75	7	5	12	16	10	26	8
738	Edrom,	1474	1592	18	31	49	3	4	7	11	15	26	7
739	Eyemouth,	1488	1804	58	47	105	5	2	7	28	29	57	12
740	Fogo,	604	559	12	7	19	1	2	3	4	2	6	3
741	Foulden,	430	431	6	5	11	–	–	–	2	4	6	2
742	Gordon,	983	931	16	8	24	3	2	5	7	4	11	3
743	Greenlaw,	1378	1370	24	22	46	2	2	4	7	11	18	3
744	Hume,	406	420	5	4	9	–	1	1	1	–	1	4
745	Hutton,	1102	1067	9	14	23	1	–	1	9	15	24	8
746	Ladykirk,	561	564	9	4	13	2	1	3	3	6	9	2
747	Langton,	484	502	10	5	15	2	–	2	8	3	11	–
748	LAUDER (incl. Burgh),	2154	2198	42	37	79	5	5	10	20	19	39	12
749	Legerwood,	587	599	14	5	19	–	2	2	10	8	18	3
750	Longformacus,	411	448	11	8	19	2	3	5	5	2	7	2
751	Merton,	692	729	8	5	13	1	2	3	5	9	14	7
752	Mordington,	427	377	5	7	12	–	1	1	5	4	9	4
753	Nenthorn,	441	461	10	9	19	1	1	2	4	8	12	2
754	Polwarth,	331	251	4	4	8	1	1	2	3	2	5	–
755	Swinton,	994	964	20	19	39	2	3	5	4	3	7	5
756	Westruther,	791	786	10	13	23	2	1	3	7	4	11	4
757	Whitsome,	612	640	5	7	12	–	–	–	4	5	9	5
	Total,	36165	36488	618	569	1187	76	75	151	326	331	657	180
	28. Peebles.												
758	Broughton,	284	297	4	3	7	1	–	1	2	–	2	2
759	Drumelzier,	244	209	1	4	5	–	3	3	–	–	–	3
760	Eddlestone,	790	753	5	8	13	–	2	2	4	7	11	8
761	Glenholm,	252	198	5	4	9	2	–	2	5	–	5	2
762	Innerleithen,	1236	1823	42	38	80	3	3	6	14	16	30	11
763	Kilbucho,	345	228	7	2	9	–	1	1	4	–	4	2
764	Kirkurd,	326	362	5	6	11	–	–	–	5	3	8	1
765	Lyne, etc.—(1) Lyne,	95	81	2	3	5	–	–	–	–	1	1	–
	(2) Meggat,	63	53	2	1	3	–	1	1	–	–	–	–
766	Manor,	256	247	6	4	10	–	–	–	3	1	4	2
767	Newlands,	950	987	14	9	23	1	1	2	12	10	22	4
768	PEEBLES (incl. Burgh),	2673	2850	51	35	86	4	3	7	28	29	57	15
769	Skirling,	316	317	8	6	14	–	–	–	1	1	2	2
770	Stobo,	478	478	12	8	20	–	1	1	4	2	6	3
771	Traquair,	646	687	8	13	21	1	1	2	2	7	9	4
772	Tweedsmuir,	220	196	2	5	7	2	–	2	1	3	4	1
773	West Linton,	1630	1534	23	33	56	5	5	10	14	17	31	5
	Total,	10804	11300	197	182	379	19	21	40	99	97	196	65
	29. Selkirk.												
774	Ettrick,	477	454	5	5	10	–	–	–	2	2	4	6
775	Galashiels (incl. part of Town),	3014	3379	111	76	187	9	5	14	53	66	119	26
776	Kirkhope,	*c.* 600	555	9	13	22	2	2	4	4	5	9	6
777	Roberton,	670	640	19	10	29	3	3	6	3	3	6	5
778	SELKIRK (incl. Burgh),	4347	4739	93	86	179	14	5	19	45	47	92	33
779	Yarrow,	*c.* 694	643	12	12	24	–	4	4	3	5	8	3
	Total,	9802	10410	249	202	451	28	19	47	110	128	238	79
	VIII. SOUTHERN. 30. Roxburgh.												
780	Ancrum,	1554	1511	26	26	52	7	1	8	7	12	19	4
781	Ashkirk,	578	578	11	9	20	–	1	1	2	2	4	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
782	Bedrule, . . .	240	222	3	2	5	–	–	–	2	3	5	2
783	Bowden, . . .	981	864	17	12	29	2	–	2	6	7	13	6
784	Castleton, . . .	2130	3688	35	43	78	3	7	10	17	13	30	10
785	Cavers, ...	1495	1824	25	27	52	2	4	6	13	9	22	11
786	Crailing, . . .	734	673	16	9	25	2	1	3	4	5	9	2
*a*787	Eckford, . . .	1073	957	16	15	31	3	2	5	4	7	11	4
*b*787	Edgerston, . . .	*c.* 373	359	9	4	13	–	1	1	2	–	2	1
788	Ednam, ...	658	599	12	9	21	2	1	3	5	7	12	3
789	Hawick (incl. part of Town), . . .	7801	8726	167	165	332	16	23	39	90	96	186	59
790	Hobkirk, . . .	720	771	15	13	28	–	3	3	3	7	10	4
791	Hownam, . . .	252	289	4	2	6	–	–	–	2	1	3	2
792	JEDBURGH (incl. Burgh), . . .	*c.* 5220	5011	78	77	155	13	11	24	55	42	97	26
793	Kelso (incl. Town), .	5634	5192	91	67	158	10	12	22	51	66	117	23
794	Kirktown, . . .	282	421	10	2	12	1	–	1	–	1	1	1
795	Lilliesleaf, . . .	798	772	23	8	31	1	–	1	6	4	10	2
796	Linton, ...	630	608	9	8	17	3	3	6	1	7	8	4
797	Makerston, . . .	345	380	4	11	15	–	2	2	4	6	10	–
798	Maxton, . . .	550	497	8	5	13	1	–	1	1	1	2	4
799	Melrose—												
	(1) Melrose, . .	3592	3557	60	43	103	7	1	8	32	25	57	16
	(2) Ladhope (incl. part of Galashiels), .	3773	4154	90	77	167	13	4	17	51	52	103	45
800	Minto, ...	467	430	7	8	15	2	–	2	5	5	10	–
801	Morebattle, . . .	997	1031	14	14	28	2	2	4	8	8	16	7
802	Oxnam, ...	*c.* 632	592	15	11	26	2	1	3	3	1	4	7
803	Roxburgh, . . .	1141	1178	21	13	34	4	2	6	11	4	15	7
804	St Boswells, . . .	884	865	15	20	35	1	1	2	7	8	15	9
805	Smailholm, . . .	617	554	7	10	17	3	3	6	2	6	8	4
806	Southdean, . . .	*c.* 765	687	12	13	25	1	–	1	3	5	8	6
807	Sprouston, . . .	1424	1305	19	3	22	4	–	4	10	3	13	4
808	Stitchel, . . .	426	425	5	3	8	–	1	1	2	2	4	1
809	Teviothead, . . .	550	438	8	7	15	1	1	2	2	1	3	5
810	Wilton (incl. Town and part of Hawick), .	2557	3357	68	66	134	6	5	11	28	29	57	21
811	Yetholm, . . .	1352	1207	19	20	39	2	2	4	11	13	24	10
	Total,	51225	53722	939	822	1761	114	95	209	450	458	908	312
	31. Dumfries.												
812	ANNAN (incl. part of Burgh), . . .	*c.* 5128	5113	97	95	192	10	13	23	59	70	129	26
*a*813	Applegarth, . . .	918	935	20	18	38	1	2	3	3	2	5	4
*b*813	Brydekirk (incl. part of ANNAN), . . .	*c.* 864	779	17	14	31	4	2	6	8	7	15	6
814	Canonbie, . . .	3163	3219	62	63	125	11	9	20	31	30	61	15
815	Carlaverock, . . .	1418	1248	9	13	22	3	2	5	15	19	34	8
816	Closeburn, . . .	1732	1651	23	23	46	4	3	7	24	11	35	12
817	Cummertrees, . .	*c.* 1334	1184	11	15	26	2	1	3	12	8	20	6
818	Dalton, ...	761	679	13	8	21	1	1	2	5	3	8	6
819	Dornock, . . .	936	856	12	16	28	1	4	5	9	7	16	7
820	Dryfesdale, . . .	2409	2509	38	51	89	8	13	21	30	41	71	16
821	DUMFRIES (incl. part of Burgh), . . .	12298	13523	202	214	416	28	36	64	204	199	403	88
822	Dunscore, . . .	1578	1554	20	19	39	1	1	2	12	14	26	10
823	Durrisdeer, . . .	1795	1320	16	18	34	2	2	4	8	8	16	7
824	Eskdalemuir, . . .	672	590	6	5	11	1	2	3	4	–	4	2
825	Ewes, ...	354	356	4	3	7	–	1	1	2	1	3	2
826	Glencairn, . . .	1980	1867	36	30	66	5	6	11	12	17	29	16

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
827	Graitney (or Gretna), .	1830	1620	28	24	52	6	7	13	12	19	31	10
828	Halfmorton, . . .	687	713	9	3	12	1	2	3	5	3	8	1
829	Hoddam, . . .	*c.* 1705	1568	30	25	55	5	5	10	20	15	35	6
830	Holywood, . . .	1060	1115	22	18	40	–	2	2	11	7	18	10
831	Hutton, ...	836	876	13	10	23	3	1	4	17	18	35	3
832	Johnstone, . . .	1261	1149	19	17	36	–	4	4	4	6	10	6
833	Keir, ...	960	849	14	17	31	3	3	6	9	10	19	5
834	Kirkconnel, . . .	1245	996	11	18	29	2	3	5	6	7	13	5
835	Kirkmahoe, . . .	1553	1462	19	12	31	1	3	4	7	15	22	8
836	Kirkmichael, . . .	1124	1026	16	12	28	3	1	4	9	4	13	7
837	Kirkpatrick-Fleming—												
	(1.) Northern Dist., }	1829	*c* 483	7	9	16	1	1	2	4	1	5	4
	(2.) Southern Dist., }		*c*1442	19	15	34	4	4	8	13	16	29	5
838	Kirkpatrick-Juxta, .	1097	1025	15	15	30	–	1	1	11	6	17	14
839	Langholm, . . .	2990	2979	47	48	95	2	6	8	37	28	65	7
840	LOCHMABEN (includ.												
	Burgh), . . .	3127	3087	51	55	106	12	10	22	33	29	62	21
841	Middlebie, . . .	2163	2004	41	24	65	9	4	13	24	19	43	15
842	Moffat, ...	2304	2232	45	23	68	7	2	9	20	27	47	12
843	Morton, ...	2482	2253	35	24	59	3	2	5	15	22	37	12
844	Mousewald, . . .	686	633	16	11	27	5	3	8	7	4	11	1
845	Penpont, . . .	1411	1326	18	21	39	4	1	5	7	9	16	10
846	Ruthwell, . . .	1110	1046	18	15	33	5	4	9	9	11	20	5
847	St Mungo, . . .	645	686	8	12	20	1	1	2	4	4	8	7
848	SANQUHAR (including												
	Burgh), . . .	*c.* 3155	2758	35	34	69	7	5	12	23	30	53	19
849	Tinwald, . . .	1080	1079	16	20	36	2	2	4	12	7	19	8
850	Torthorwald, . . .	1313	1254	26	23	49	7	5	12	17	23	40	5
851	Tundergarth, . . .	577	507	9	6	15	1	1	2	8	3	11	3
852	Tynron, ...	482	446	10	3	13	1	1	2	1	2	3	5
*a*853	Wamphray, . . .	523	559	7	4	11	–	1	1	5	2	7	2
*b*853	Wanlockhead, . .	*c.* 916	811	21	14	35	–	3	3	4	6	10	9
854	Westerkirk, . . .	658	537	9	8	17	3	1	4	4	–	4	2
	Total,	78149	75904	1220	1145	2365	180	187	367	796	790	1586	458
	32. KIRKCUDBRIGHT.												
855	Anwoth, ...	900	899	6	18	24	2	–	2	9	13	22	5
856	Balmaclellan, . . .	*c.* 938	890	10	18	28	1	1	2	10	9	19	2
*a*857	Balmaghie, . . .	1217	1225	19	15	34	2	2	4	12	6	18	6
*b*857	Bargrennan, . . .	*c.* 500	*c.* 500	21	15	36	2	–	2	3	1	4	2
858	Borgue, ...	1043	1162	14	20	34	–	1	1	6	9	15	6
859	Buittle, ...	1042	1165	1	6	7	–	–	–	7	12	19	7
860	Carsphairn, . . .	855	553	7	5	12	1	1	2	2	3	5	–
861	Colvend, . . .	1398	1366	20	16	36	3	1	4	12	7	19	6
862	Corsock-Bridge, . .	*c.* 550	544	8	10	18	2	2	4	3	4	7	1
863	Crossmichael, . . .	1362	1536	29	20	49	7	2	9	9	16	25	5
864	Dalbeattie, . . .	*c.* 1927	2054	51	33	84	9	7	16	20	32	52	12
865	Dalry, ...	1238	1149	9	17	26	3	4	7	11	11	22	7
866	Girthon, ...	1787	1702	27	22	49	4	4	8	15	10	25	8
867	Irongray, . . .	918	913	14	10	24	2	1	3	4	5	9	2
868	Kells (incl. NEW GAL-												
	LOWAY), . . .	1091	1170	15	15	30	3	1	4	9	7	16	7
869	Kelton	3186	3436	45	63	108	4	8	12	39	47	86	29
870	Kirkbean, . . .	982	942	13	9	22	1	1	2	8	9	17	4
871	KIRKCUDBRIGHT (in-												
	cluding Burgh), . .	3555	3407	50	46	96	7	8	15	34	34	68	16
872	Kirkgunzeon, . . .	734	793	11	13	24	1	1	2	11	6	17	3
873	Kirkmabreck, . . .	2266	1851	40	28	68	2	3	5	16	27	43	13
874	Kirkpatrick-Durham, .	*c.* 1349	1323	13	19	32	1	4	5	13	19	32	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
875	Lochrutton, . . .	726	677	14	8	22	1	1	2	1	5	6	8
876	Minnigaff, . . .	*c.* 1804	*c.* 1554	24	27	51	6	4	10	10	16	26	6
877	New Abbey, . . .	1098	1063	11	15	26	1	4	5	6	11	17	3
878	Parton, ...	*c.* 547	572	5	6	11	1	–	1	3	3	6	1
879	Rerrick, ...	1725	1738	39	28	67	7	2	9	14	13	27	8
880	Terregles (incl. part of DUMFRIES), . .	566	580	7	5	12	–	–	–	4	3	7	4
881	Tongland, . . .	924	892	13	11	24	2	5	7	3	1	4	7
882	Troqueer (incl. part of DUMFRIES), . .	4925	4743	105	73	178	11	10	21	69	71	140	22
883	Twynholm, . . .	782	815	15	15	30	1	2	3	7	11	18	1
884	Urr, ...	*c.* 1436	1531	32	25	57	2	6	8	13	12	25	3
	Total,	43121	42495	688	631	1319	89	86	175	383	433	816	212
	33. Wigtown.												
885	Glasserton, . . .	1487	1472	26	20	46	1	7	8	12	9	21	7
886	Inch, ...	2579	2460	33	34	67	4	6	10	17	15	32	18
887	Kirkcolm, . . .	2018	1860	25	21	46	3	6	9	25	13	38	14
888	Kirkcowan, . . .	1541	1434	19	14	33	4	1	5	11	10	21	10
889	Kirkinner, . . .	1914	1716	20	15	35	3	1	4	5	16	21	7
890	Kirkmaiden, . . .	2681	2333	38	31	69	4	8	12	13	20	33	18
891	Leswalt, . . .	1703	1417	24	17	41	4	2	6	9	8	17	7
892	Mochrum, . . .	2946	2694	43	35	78	2	7	9	27	17	44	12
893	New Luce, . . .	791	731	12	9	21	3	1	4	4	1	5	3
894	Old Luce (or Glenluce), .	2841	2800	42	24	66	5	2	7	20	13	33	17
895	Penninghame (incl. Newton-Stewart), . .	4155	4061	56	56	112	9	6	15	36	35	71	17
896	Portpatrick, . . .	1963	2189	33	32	65	5	8	13	14	11	25	9
897	Sorbie, ...	1886	1814	24	21	45	4	1	5	11	10	21	10
898	Stoneykirk, . . .	3321	3228	40	34	74	9	6	15	18	22	40	18
899	STRANRAER (incl. Burgh)	5738	6315	114	106	220	16	18	34	61	66	127	35
900	WHITHORN (incl. Burgh)	3001	2934	38	41	79	8	5	13	25	31	56	18
901	WIGTOWN (incl. Burgh)	2824	2637	40	32	72	7	4	11	21	29	50	9
	Total,	43389	42095	627	542	1169	91	89	180	329	326	655	229

SUMMARY.

DISTRICTS.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem.	Total.	
Insular, ...	166,487	1,60733	2212	2041	4253	138	126	264	1305	1356	2661	815
Mainland-Rural, . .	1,711,717	1,762,576	31044	29376	60420	3338	3205	6543	16930	17385	34315	11127
Town, ...	1,010,538	1,138,985	25104	23890	48994	2498	2368	4866	17120	17252	34372	11746
SCOTLAND, . .	2,888,742	3,062,294	58360	55307	113667	5974	5699	11673	35355	35993	71348	23688

MARRIAGES registered in SCOTLAND in 1866 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Total Marriages.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed Regis by Mar
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.
SCOTLAND.	23688	10392	5570	3385	516	2259	1483	41	42	20080	601	2094	715	198	2656
INSULAR DISTRICTS . . .	815	345	309	64	1	34	61	1	–	676	13	83	14	29	241
MAINLAND-RURAL DISTRICTS	11127	5914	2566	1511	130	595	384	22	5	9638	203	907	224	155	899
TOWN DISTRICTS	11746	4133	2695	1810	385	1630	1038	18	37	9766	385	1104	477	14	1516
	DIVISIONS.														
I.	Northern	619	223	266	65	–	1	63	1	–	541	7	52	9	10	28
II.	North-Western	789	197	509	17	11	44	11	–	–	660	9	73	10	37	277
III.	North-Eastern	2487	1462	599	149	92	57	128	–	–	2176	44	216	40	11	62
IV.	East-Midland	4182	2034	845	709	114	276	196	7	1	3626	53	358	111	34	306
V.	West-Midland	1537	754	333	205	12	156	74	3	–	1294	38	139	33	33	213
VI.	South-Western	9350	3442	2008	1414	195	1414	842	14	21	7757	314	853	391	35	1492
VII.	South-Eastern	3513	1599	763	672	83	251	115	12	18	2996	110	292	99	16	218
VIII.	Southern	1211	681	247	154	9	60	54	4	2	1030	26	111	22	22	60
	COUNTIES.														
1	Shetland	182	107	21	18	–	1	35	–	–	153	4	19	4	2	17
2	Orkney	154	72	28	39	–	–	15	–	–	135	3	13	3	–	1
3	Caithness	194	39	133	8	–	–	13	1	–	180	–	11	2	1	5
4	Sutherland	89	5	84	–	–	–	–	–	–	73	–	9	–	7	5
5	Ross and Cromarty ...	391	61	316	3	5	1	5	–	–	332	1	39	5	14	149
6	Inverness	398	136	193	14	6	43	6	–	–	328	8	34	5	23	128
7	Nairn	59	16	25	11	–	5	2	–	–	54	–	5	–	–	10
8	Elgin	251	116	92	30	4	4	5	–	–	221	5	22	1	2	8
9	Banff	327	194	75	20	4	22	12	–	–	286	4	27	9	1	13
10	Aberdeen	1613	967	364	76	72	25	109	–	–	1399	33	148	26	7	26
11	Kincardine	237	169	43	12	12	1	–	–	–	216	2	14	4	1	5
12	Forfar	2008	832	374	327	92	242	140	–	1	1719	33	187	68	1	237
13	Perth	802	398	238	104	18	17	24	3	–	712	6	66	13	5	25
14	Fife	1184	710	190	231	4	17	30	2	–	1039	11	90	27	17	38
15	Kinross	60	33	19	6	–	–	–	2	–	52	–	5	–	3	3
16	Clackmannan	128	61	24	41	–	–	2	–	–	104	3	10	3	8	3
17	Stirling	714	322	128	143	3	71	45	2	–	605	17	61	14	17	91
18	Dumbarton	367	176	70	41	2	65	13	–	–	304	11	37	12	3	71
19	Argyll	365	211	106	16	6	16	10	–	–	311	9	29	4	12	45
20	Bute	91	45	29	5	1	4	6	1	–	74	1	12	3	1	6
21	Renfrew	1485	630	282	169	38	261	101	–	4	1213	63	140	65	4	260
22	Ayr	1523	799	313	220	8	87	96	–	–	1280	37	130	59	17	211
23	Lanark	6342	2013	1413	1025	149	1066	645	14	17	5264	214	583	267	14	1021
24	Linlithgow	301	142	49	55	3	48	3	1	–	258	8	24	7	4	42
25	Edinburgh	2687	1160	622	514	75	189	99	11	17	2273	97	223	85	9	151
26	Haddington	201	132	41	18	1	8	1	–	–	180	3	16	1	1	18
27	Berwick	180	82	35	52	1	4	6	–	–	160	2	15	2	1	6
28	Peebles	65	39	9	14	–	2	1	–	–	56	–	5	3	1	1
29	Selkirk	79	44	7	19	3	–	5	–	1	69	–	9	1	–	–
30	Roxburgh	312	160	45	62	4	23	18	–	–	271	10	25	5	1	14
31	Dumfries	458	249	105	54	4	17	26	1	2	395	5	42	6	10	16
32	Kirkcudbright	212	140	40	16	1	8	7	–	–	178	2	25	3	4	8
33	Wigtown	229	132	57	22	–	12	3	3	–	186	9	19	8	7	22

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1866.

CONDITION.	TOTAL.	AGES.																				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
BACHELORS with SPINSTERS.	20080	–	–	1	15	125	478	1065	8018	6607	2279	804	361	162	96	28	21	7	–	1	1	–	11
	20080	–	9	71	295	868	1539	1985	8488	4911	1266	419	152	42	6	4	1	–	–	–	–	–	24
BACHELORS with WIDOWS.	601	–	–	–	–	–	5	7	94	167	126	95	52	28	15	9	–	1	2	–	–	–	–
	601	–	–	–	1	–	1	1	44	166	170	126	59	21	9	2	–	1	–	–	–	–	–
WIDOWERS with SPINSTERS.	2094	–	–	1	–	–	1	1	48	290	402	378	328	259	162	112	63	41	6	2	–	–	–
	2094	–	–	2	5	15	27	49	344	509	457	337	188	99	44	11	6	–	–	–	–	–	1
WIDOWERS with WIDOWS.	715	–	–	–	–	–	–	–	4	30	73	95	158	129	104	56	38	18	6	3	–	–	1
	715	–	–	–	–	–	–	–	11	60	147	147	157	105	48	25	9	2	–	–	–	–	4
Condition not stated. MEN.	198	–	–	–	–	–	2	5	53	58	29	25	11	7	4	1	2	–	–	–	–	–	1
Condition not stated. WOMEN.	198	–	–	2	2	4	6	14	60	61	26	11	4	3	–	1	–	–	–	–	–	–	4
TOTAL MEN.....	23688	–	–	2	15	125	486	1078	8217	7152	2909	1397	910	585	381	206	124	67	14	6	1	–	13
TOTAL WOMEN.....	23688	–	9	75	303	887	1573	2049	8947	5707	2066	1040	560	270	107	43	16	3	–	–	–	–	33

AGES of MALES married in Scotland in 1866.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1866.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	23688	–	–	2	15	125	486	1078	8217	7152	2909	1397	910	585	381	206	124	67	14	6	1	–	13
DISTRICTS.																							
Insular . .	815	–	–	–	–	2	4	6	155	302	186	70	33	18	15	10	8	6	–	–	–	–	–
Mainland-Rural	11127	–	–	2	7	56	218	494	3860	3434	1357	671	395	272	163	94	54	31	5	2	–	–	12
Town . . .	11746	–	–	–	8	67	264	578	4202	3416	1366	656	482	295	203	102	62	30	9	4	1	–	1
DIVISIONS.																							
1. Northern . .	619	–	–	–	–	2	8	11	132	230	111	55	26	11	12	7	6	5	–	1	–	–	2
2. North-Western	789	–	–	–	1	1	2	13	124	265	185	77	41	31	24	11	8	5	–	–	–	–	1
3. North-Eastern	2487	–	–	–	2	18	46	88	764	801	325	182	108	70	43	19	8	9	2	1	–	–	1
4. East-Midland .	4182	–	–	–	4	31	65	210	1514	1228	502	234	153	90	66	39	27	14	3	1	–	–	1
5. West-Midland	1537	–	–	1	1	6	30	61	487	489	208	103	65	31	21	17	12	–	2	1	–	–	2
6. South-Western	9350	–	–	–	7	50	246	531	3570	2627	983	468	346	219	150	84	40	19	3	2	1	–	4
7. South-Eastern	3513	–	–	1	–	14	73	111	1199	1125	454	210	125	98	50	20	17	12	3	–	–	–	1
8. Southern . .	1211	–	–	–	–	3	16	53	427	387	141	68	46	35	15	9	6	3	1	–	–	–	1
COUNTIES.																							
Shetland . .	182	–	–	–	–	2	1	3	47	65	28	14	10	3	2	2	3	2	–	–	–	–	–
Orkney . .	154	–	–	–	–	–	2	1	39	59	28	11	4	4	1	1	1	3	–	–	–	–	–
Caithness . .	194	–	–	–	–	–	3	6	36	78	32	20	5	3	5	1	2	–	–	1	–	–	2
Sutherland . .	89	–	–	–	–	–	2	1	10	28	23	10	7	1	4	3	–	–	–	–	–	–	–
Ross and Cromarty	391	–	–	–	1	–	1	8	59	136	93	34	20	15	12	8	3	1	–	–	–	–	–
Inverness . .	398	–	–	–	–	1	1	5	65	129	92	43	21	16	12	3	5	4	–	–	–	–	1

AGES of MALES married in Scotland in 1866.

| | | |

AGES of FEMALES married in Scotland in 1866.

	Total Females.	AGES OF FEMALES MARRIED IN SCOTLAND IN 1866.																				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	23688	–	9	75	303	887	1573	2049	8947	5707	2066	1040	560	270	107	43	16	3	–	–	–	–	33
DISTRICTS.																							
Insular . .	815	–	–	1	6	10	25	35	293	274	98	44	18	8	2	–	1	–	–	–	–	–	–
Mainland-Rural	11127	–	3	35	143	381	724	930	4266	2781	971	441	243	117	49	13	4	1	–	–	–	–	25
Town . . .	11746	–	6	39	154	496	824	1084	4388	2652	997	555	299	145	56	30	11	2	–	–	–	–	8
DIVISIONS.																							
1. Northern . .	619	–	–	1	5	7	19	30	210	199	88	34	12	10	1	–	1	–	–	–	–	–	2
2. North-Western	789	–	1	–	6	10	23	47	263	264	97	42	21	9	3	2	–	–	–	–	–	–	1
3. North-Eastern	2487	–	1	14	38	93	137	204	874	643	251	135	57	22	15	3	–	–	–	–	–	–	–
4. East-Midland .	4182	–	2	5	25	108	242	351	1605	1097	372	176	99	57	18	5	6	1	–	–	–	–	13
5. West-Midland .	1537	–	1	8	26	62	104	125	548	381	150	68	40	13	5	2	–	–	–	–	–	–	4
6. South-Western	9350	–	2	34	151	445	756	950	3642	1895	699	380	206	113	46	20	5	1	–	–	–	–	5
7. South-Eastern	3513	–	2	10	45	128	225	235	1340	908	298	154	97	36	13	10	4	1	–	–	–	–	7
8. Southern . .	1211	–	–	3	7	34	67	107	465	320	111	51	28	10	6	1	–	–	–	–	–	–	1
COUNTIES.																							
Shetland . .	182	–	–	–	–	1	3	6	60	63	29	10	3	5	1	–	1	–	–	–	–	–	–
Orkney . .	154	–	–	–	3	2	7	11	53	45	15	11	6	1	–	–	–	–	–	–	–	–	–
Caithness . .	194	–	–	–	1	3	8	11	68	64	24	8	2	3	–	–	–	–	–	–	–	–	2
Sutherland . .	89	–	–	1	1	1	1	2	29	27	20	5	1	1	–	–	–	–	–	–	–	–	–
Ross and Cromarty	391	–	–	–	2	5	10	22	130	135	46	21	12	5	3	–	–	–	–	–	–	–	–
Inverness . .	398	–	1	–	4	5	13	25	133	129	51	21	9	4	–	2	–	–	–	–	–	–	1

AGES of FEMALES married in Scotland in 1866.

| | | |

DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—BOTH SEXES.

	POPULATION.		BOTH SEXES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	2888742	3062294	71348	6874	2422	4619	5964	2868	1858	1337	3437	1748	2373	2720	2641
Insular . .	166487	160733	2661	206	68	97	109	55	43	32	77	60	82	122	129
Mainland .	1711717	1762576	34315	3206	987	1921	2439	1249	829	644	1716	953	1213	1241	1159
Towns . .	1010538	1138985	34372	3462	1367	2601	3416	1564	986	661	1644	735	1078	1357	1353
Shetland . .	31078	31670	576	41	16	22	18	20	6	7	24	14	19	32	36
Orkney . .	31455	32395	471	17	7	13	13	3	8	7	14	13	18	21	15
Caithness .	39782	42200	669	57	22	27	38	25	13	10	32	12	25	26	13
Sutherland .	24720	24157	369	25	6	7	11	5	10	6	24	7	19	17	12
Ross & Cromarty	83781	82427	1378	100	26	57	73	45	30	21	58	38	38	46	42
Inverness .	91954	84902	1451	138	45	55	64	29	30	19	43	21	41	49	46
Nairn . .	8076	8347	164	13	2	8	7	6	1	3	5	1	3	5	3
Elgin . .	40532	44218	991	103	34	65	63	46	39	27	63	29	34	38	30
Banff . .	51353	56020	992	85	26	54	50	34	18	21	51	32	44	36	31
Aberdeen .	213461	223344	4883	450	169	293	353	190	124	113	290	126	188	171	153
Kincardine .	34944	34854	600	43	10	28	32	11	14	8	16	13	26	20	16
Forfar . .	193627	206750	5399	648	236	327	356	170	114	75	226	108	176	214	198
Perth . .	137369	133198	2440	176	60	84	76	59	29	31	83	42	89	106	77
Fife . . .	153789	155021	3287	290	86	173	220	121	90	57	176	92	116	93	122
Kinross . .	9626	8731	132	12	1	4	7	3	2	–	5	2	1	3	8
Clackmannan .	21555	20122	383	35	14	25	32	10	5	5	10	12	24	11	17
Stirling . .	83802	88138	1831	182	62	130	177	67	39	34	76	52	52	70	61
Dumbarton .	46995	54179	1178	125	44	80	91	61	26	26	60	28	45	43	47
Argyll . .	94042	83859	1402	96	30	51	57	32	15	12	33	37	45	69	64
Bute . .	16608	16331	389	21	11	17	15	10	8	5	10	9	10	12	25
Renfrew . .	157950	168746	4668	435	172	371	490	199	152	107	233	114	168	185	175
Ayr . .	189973	199063	4494	435	139	274	416	230	160	98	302	135	140	170	145
Lanark . .	533169	640444	19103	1947	754	1607	2254	1002	619	431	1042	500	617	750	740
Linlithgow .	30590	39045	1025	118	36	92	129	68	42	29	56	21	17	39	36
Edinburgh .	259493	274093	7239	696	245	455	555	248	138	102	280	144	212	273	322
Haddington .	36363	37626	778	78	23	29	57	33	20	13	38	22	24	24	20
Berwick . .	36165	36488	657	61	13	36	40	23	26	9	35	13	28	28	21
Peebles . .	10804	11300	196	16	6	12	12	3	2	4	8	2	8	13	5
Selkirk . .	9802	10410	238	38	13	12	19	5	5	6	12	8	14	9	11
Roxburgh .	51225	53722	908	115	28	55	68	22	14	12	23	23	26	28	33
Dumfries . .	78149	75904	1586	142	50	74	99	49	32	16	58	42	55	61	55
Kirkcudbright	43121	42495	816	77	21	51	43	19	16	13	29	22	22	29	38
Wigtown . .	43389	42095	655	59	15	31	29	20	11	10	22	14	29	29	24

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—BOTH SEXES.

Inverness .	16496	16162	412	39	19	20	17	9	9	6	16	6	10	10	8
Aberdeen .	71973	73900	2324	228	94	168	206	112	75	53	130	51	73	83	67
Arbroath .	17238	17831	434	54	18	28	29	15	8	8	13	13	23	15	14
Dundee . .	80027	91664	3130	414	166	215	260	122	79	42	146	50	97	134	111
Forfar . .	11009	10838	247	19	13	15	8	4	3	3	5	5	10	11	7
Montrose .	16037	15668	359	26	11	21	13	3	9	3	12	8	13	16	18
Perth . .	24670	26094	613	62	24	29	26	20	10	8	20	10	22	23	23
Dunfermline .	13836	13506	283	26	11	17	25	14	4	2	7	14	11	2	11
Kirkcaldy .	10636	11117	311	22	12	15	27	27	15	9	30	9	8	9	9
Stirling . .	12401	14012	315	34	19	18	15	9	5	7	10	7	7	12	11
Greenock .	37436	43894	1488	143	60	133	184	55	50	29	72	29	47	63	65
Paisley . .	48071	47427	1345	113	48	92	125	56	43	27	47	25	50	55	48
Ayr . . .	18845	19659	404	37	11	20	29	13	5	9	25	8	13	18	15
Kilmarnock .	21287	23556	714	76	22	51	64	45	35	24	65	10	22	23	23
Glasgow . .	329097	395503	12829	1320	510	1075	1566	684	415	287	631	295	398	540	532
Barony . .	16050	22559	914	89	42	73	90	37	29	20	38	18	26	37	35
Govan . .	14996	28584	828	72	42	89	98	49	28	13	28	23	23	35	35
Hamilton . .	11740	14047	317	29	9	34	24	17	10	6	23	13	21	7	13
Airdrie . .	14435	12922	400	26	12	31	56	27	13	13	40	11	20	11	7
Coatbridge, etc.	13168	13303	425	40	14	45	56	27	12	9	42	11	8	14	13
Edinburgh .	161648	170444	4813	430	159	297	365	155	92	65	182	88	141	191	237
Leith . .	32219	36029	924	127	33	74	77	46	20	14	39	18	19	26	34
Dumfries . .	17223	18266	543	36	18	41	56	18	17	4	23	13	16	22	17

DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—BOTH SEXES.

	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	2397	2403	2428	2401	2529	2574	2994	3259	3395	3260	2567	1474	525	175	32	74
Insular . . .	120	82	75	62	91	69	113	160	205	194	172	127	61	27	4	19
Mainland . . .	995	958	1004	1038	1062	1213	1445	1723	2013	2044	1682	1036	351	126	23	45
Towns . . .	1282	1363	1349	1301	1376	1292	1436	1376	1177	1022	713	311	113	22	5	10
Shetland . . .	23	23	18	13	20	8	17	39	36	33	31	30	15	7	–	8
Orkney . . .	15	11	11	11	15	13	22	35	59	39	35	44	5	6	–	1
Caithness . . .	15	15	23	12	22	18	29	42	41	52	41	31	13	9	1	5
Sutherland . .	8	10	6	8	14	14	13	17	25	37	34	19	12	3	–	–
Ross and Cromarty .	32	30	26	21	39	55	64	90	99	97	124	70	35	14	5	3
Inverness . . .	50	48	47	42	54	48	82	77	97	112	101	57	32	6	7	11
Nairn . . .	8	8	5	4	4	6	16	11	6	16	12	6	3	2	–	–
Elgin . . .	17	26	19	20	19	22	33	50	57	49	60	32	13	1	–	2
Banff . . .	25	25	21	20	15	27	46	44	60	76	68	46	14	12	1	2
Aberdeen . . .	141	127	148	153	137	141	194	231	238	291	226	163	52	14	5	2
Kincardine . .	20	17	22	20	20	27	26	29	57	42	41	25	15	2	–	–
Forfar . . .	180	190	200	181	246	249	274	264	241	242	160	87	28	8	–	1
Perth . . .	90	77	81	95	86	123	127	166	184	202	154	90	39	8	5	1
Fife	106	92	111	96	111	139	143	181	211	209	134	85	24	8	–	1
Kinross . . .	7	6	3	1	2	6	8	10	11	12	11	7	–	–	–	–
Clackmannan . .	6	11	19	18	16	12	16	25	19	21	8	8	3	–	–	1
Stirling . . .	45	55	42	73	65	66	78	83	96	82	76	45	16	3	1	3
Dumbarton . .	38	36	43	51	43	38	49	54	39	47	37	20	3	2	–	2
Argyll . . .	65	41	43	36	46	46	72	90	110	114	89	66	26	11	1	5
Bute	20	17	12	18	14	11	17	23	33	23	28	10	6	4	–	–
Renfrew . . .	165	167	191	162	179	153	166	195	172	136	124	33	14	5	–	5
Ayr	128	137	144	135	143	141	172	158	214	190	152	88	26	14	1	7
Lanark . . .	689	702	721	688	685	608	680	604	546	432	290	126	52	8	4	5
Linlithgow . .	17	23	20	35	29	29	28	36	57	28	24	14	2	–	–	–
Edinburgh . .	312	330	284	300	323	327	357	375	319	313	214	88	19	4	1	3
Haddington . .	19	19	27	30	26	37	29	49	57	49	26	22	6	–	–	1
Berwick . . .	23	18	22	19	20	21	30	32	37	43	28	25	6	–	–	–
Peebles . . .	7	7	2	5	8	12	9	10	11	15	11	6	–	2	–	–
Selkirk . . .	5	4	3	10	7	6	10	8	9	8	10	4	1	1	–	–
Roxburgh . . .	25	34	18	24	26	43	46	59	61	55	44	18	3	2	–	3
Dumfries . . .	49	53	56	49	49	78	75	78	93	104	88	49	22	8	–	2
Kirkcudbright . .	27	25	23	24	27	26	36	56	53	46	44	30	12	7	–	–
Wigtown . . .	20	19	17	19	19	24	30	38	47	45	42	30	8	4	–	–

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—BOTH SEXES.

Inverness . . .	11	17	19	18	17	19	26	19	23	32	20	14	7	1	–	–
Aberdeen . . .	72	70	66	84	71	74	101	112	112	100	64	40	15	2	1	–
Arbroath . . .	9	12	12	9	21	20	17	23	20	28	15	10	–	–	–	–
Dundee . . .	109	112	138	109	143	154	161	119	95	79	46	21	7	1	–	–
Forfar . . .	9	12	9	9	10	13	19	17	13	16	8	5	3	1	–	–
Montrose . . .	13	14	11	19	21	12	22	28	18	18	15	12	3	–	–	–
Perth . . .	33	27	30	35	18	23	32	36	32	31	30	5	3	1	–	–
Dunfermline . .	10	11	12	6	6	11	16	18	12	21	10	3	3	–	–	–
Kirkcaldy . . .	14	7	9	6	5	11	6	13	17	14	7	6	1	2	–	1
Stirling . . .	10	15	9	17	10	15	8	14	16	14	17	12	4	–	–	–
Greenock . . .	66	56	54	44	62	47	60	51	49	32	23	8	3	3	–	–
Paisley . . .	41	62	74	58	55	45	53	67	53	44	45	11	6	–	–	2
Ayr	11	22	11	11	18	14	18	25	19	22	20	6	3	–	–	1
Kilmarnock . .	28	24	24	24	17	16	24	17	24	28	13	10	2	2	–	1
Glasgow . . .	483	501	506	486	503	437	463	412	313	230	153	53	29	3	4	–
Barony . . .	22	26	47	41	42	36	43	31	35	26	19	9	–	1	–	2
Govan . . .	42	34	24	31	34	19	28	17	19	18	16	8	3	–	–	–
Hamilton . . .	14	13	5	7	7	5	9	9	16	14	5	5	1	–	–	1
Airdrie . . .	13	9	10	11	12	19	9	9	11	17	9	4	–	–	–	–
Coatbridge, etc. .	7	13	18	16	14	18	12	12	13	5	3	2	–	1	–	–
Edinburgh . .	210	254	195	209	231	235	229	256	205	198	122	53	10	3	–	1
Leith . . .	44	28	45	32	37	25	48	35	38	26	30	3	5	–	–	1
Dumfries . . .	11	24	21	19	22	24	32	36	24	9	23	11	5	1	–	–

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—MALES.

	MALE POPULATION.		MALES.												
				AGE UNDER											
				MONTHS.											
	1851.	1861.	ALL AGES.	3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1375479	1449848	35355	3797	1339	2537	3069	1474	967	640	1781	903	1182	1378	1266
Insular . .	76760	73409	1305	124	34	43	55	31	22	17	41	37	49	74	70
Mainland .	828852	848998	16930	1794	529	1091	1248	630	434	311	888	480	619	654	559
Towns . .	469867	527441	17120	1879	776	1403	1766	813	511	312	852	386	514	650	637
Shetland . .	13145	13053	282	25	10	9	6	14	5	4	14	11	14	21	14
Orkney . .	14350	14924	218	11	4	7	7	2	3	2	7	5	8	9	11
Caithness .	18809	19846	323	34	12	14	24	13	9	6	17	6	14	18	7
Sutherland .	11437	11058	186	13	3	3	7	1	4	4	13	4	10	9	7
Ross & Cromarty	39489	38462	632	55	20	20	45	23	18	10	29	25	19	25	20
Inverness .	42814	39479	700	77	25	29	39	9	15	9	20	13	24	34	29
Nairn . .	3831	3976	72	4	–	7	3	5	1	1	4	1	1	3	2
Elgin . .	18943	20737	506	64	19	41	37	27	23	14	33	18	16	23	12
Banff . .	24195	26401	443	49	15	30	25	17	8	6	29	12	13	21	19
Aberdeen .	100935	105322	2409	252	97	164	178	96	67	59	161	68	99	96	81
Kincardine .	17188	16939	292	22	6	26	14	8	8	4	7	5	13	13	8
Forfar . .	89408	93280	2613	345	126	172	194	89	59	30	121	45	88	88	80
Perth . .	65697	63169	1179	98	32	51	33	24	15	13	43	28	47	50	35
Fife . . .	73305	72714	1610	168	47	99	111	62	43	28	93	47	55	41	48
Kinross . .	4660	4150	66	6	–	1	3	–	1	–	4	–	1	–	2
Clackmannan .	10634	9742	191	23	8	17	17	7	2	1	1	6	11	6	7
Stirling . .	41113	43487	936	105	37	71	89	31	20	13	39	30	31	41	31
Dumbarton .	23340	26455	594	71	18	39	49	31	13	14	29	20	26	23	24
Argyll . .	46197	40914	693	56	13	28	29	17	6	8	14	19	25	37	39
Bute . .	7518	7208	191	13	4	9	10	7	6	4	4	6	6	6	17
Renfrew . .	74224	79380	2268	225	89	190	260	111	83	50	134	57	79	87	83
Ayr . .	92933	97035	2262	257	70	151	209	114	79	48	152	62	62	87	71
Lanark . .	258449	308263	9623	1043	435	871	1149	526	316	202	533	265	284	346	346
Linlithgow .	15422	20069	529	62	21	48	69	30	24	9	28	10	8	26	19
Edinburgh .	119428	126429	3666	390	138	266	280	133	69	53	155	76	123	155	157
Haddington .	17592	17866	378	51	8	17	35	20	11	7	15	8	12	12	9
Berwick . .	17367	17354	326	40	6	21	17	10	16	5	13	4	14	13	7
Peebles . .	5400	5603	99	8	1	8	5	2	1	4	2	1	3	7	2
Selkirk . .	4836	5069	110	22	6	7	8	2	4	4	8	3	4	3	5
Roxburgh .	25002	26593	450	61	14	30	31	8	7	7	10	12	15	15	13
Dumfries .	37200	35687	796	76	36	39	51	21	19	7	28	21	31	29	29
Kirkcudbright	20223	19789	383	39	11	30	19	4	7	10	10	9	12	14	19
Wigtown .	20335	19395	329	32	8	22	16	10	5	4	11	6	14	20	13
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—MALES.															
Inverness .	7401	7261	195	20	13	11	11	3	4	2	6	5	6	7	6
Aberdeen .	31746	32554	1144	127	57	92	110	55	40	30	65	29	34	42	40
Arbroath .	7866	7770	183	26	9	10	12	8	5	4	5	6	12	5	4
Dundee . .	36364	40395	1567	232	96	118	147	66	40	17	79	21	48	58	45
Forfar . .	5017	4735	117	10	4	6	5	1	2	1	4	3	6	4	4
Montrose .	7061	6736	171	17	6	11	7	2	2	–	8	3	6	8	7
Perth . .	11689	11947	301	35	12	13	12	7	6	4	11	7	13	11	10
Dunfermline .	6901	6447	139	15	7	12	14	7	1	–	3	7	1	2	4
Kirkcaldy .	4906	5074	151	12	4	8	15	13	8	3	18	3	6	2	2
Stirling . .	5908	6814	149	23	8	14	11	2	3	2	6	2	4	8	6
Greenock .	17905	21567	759	76	32	56	104	34	33	14	39	17	26	26	35
Paisley . .	22608	21913	654	59	25	57	62	31	24	15	30	17	22	27	21
Ayr . . .	8675	9094	176	21	3	6	13	4	3	4	11	2	6	6	4
Kilmarnock .	10163	11398	375	47	10	32	36	20	19	14	33	6	6	11	12
Glasgow . .	154930	185556	6414	695	306	581	795	367	209	128	325	156	180	248	257
Barony . .	8090	11221	458	44	23	39	43	18	14	12	20	12	11	16	12
Govan . .	7286	13603	393	40	22	45	48	21	11	5	13	10	7	17	14
Hamilton .	5576	6798	169	22	3	20	15	10	6	3	6	6	10	6	3
Airdrie . .	7333	6242	198	11	6	17	33	15	8	8	20	4	9	4	3
Coatbridge, etc.	7084	8155	231	21	8	20	25	14	7	4	21	6	5	6	6
Edinburgh .	72067	76013	2422	238	95	172	182	84	47	31	97	48	77	110	115
Leith . .	15482	17894	481	70	17	41	38	24	10	9	25	10	11	15	20
Dumfries .	7809	8254	273	18	10	22	28	7	9	2	7	6	8	11	7

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1133	1083	1189	1232	1251	1329	1441	1530	1479	1421	1085	578	181	49	5	36
Insular . . .	54	32	36	33	32	37	48	68	100	105	73	48	23	9	1	9
Mainland . . .	451	403	470	527	541	624	695	831	885	912	747	419	127	34	4	23
Towns . . .	628	648	683	672	678	668	698	631	494	404	265	111	31	6	–	4
Shetland . . .	11	10	11	8	8	6	4	18	13	16	10	10	6	1	–	3
Orkney . . .	11	5	3	5	5	5	11	15	30	14	17	15	1	4	–	1
Caithness . . .	8	4	13	6	9	8	10	19	15	17	17	14	5	2	–	2
Sutherland . .	6	6	3	3	8	3	9	8	12	19	15	9	6	1	–	–
Ross and Cromarty .	12	8	13	8	16	30	30	34	47	38	40	33	8	3	1	2
Inverness . . .	21	18	23	20	15	26	32	36	45	60	41	20	12	3	1	4
Nairn . . .	4	4	4	2	–	3	5	6	3	4	3	1	1	–	–	–
Elgin . . .	7	13	9	11	7	10	15	27	24	16	22	13	5	–	–	–
Banff . . .	14	9	5	13	6	10	17	20	20	34	27	19	5	–	–	–
Aberdeen . . .	56	58	68	73	57	67	95	101	123	111	107	62	12	1	–	–
Kincardine . .	10	7	9	6	6	16	12	10	31	17	16	12	6	–	–	–
Forfar . . .	77	87	101	88	121	120	140	120	103	117	61	31	8	2	–	–
Perth . . .	46	33	27	42	50	67	58	82	84	90	86	27	14	3	1	–
Fife . . .	45	42	56	56	57	68	77	88	90	86	63	31	6	3	–	–
Kinross . . .	4	3	1	1	1	3	4	4	7	6	9	5	–	–	–	–
Clackmannan . .	1	4	8	12	7	8	5	10	9	12	4	3	1	–	–	1
Stirling . . .	20	22	20	42	39	38	47	35	33	42	34	17	7	1	–	1
Dumbarton . .	16	17	23	24	23	16	28	24	20	23	13	8	–	–	–	2
Argyll . . .	30	16	18	20	25	24	28	45	50	61	33	31	12	4	1	4
Bute	9	8	8	7	5	5	8	8	12	15	10	3	1	–	–	–
Renfrew . . .	67	77	73	84	88	88	69	84	61	60	49	9	5	2	–	4
Ayr	59	58	73	68	78	73	96	86	97	82	74	34	9	6	1	6
Lanark . . .	341	328	389	374	346	332	320	286	226	182	112	50	17	3	–	1
Linlithgow . .	7	12	11	21	14	16	20	17	25	15	9	8	–	–	–	–
Edinburgh . .	171	161	150	147	175	155	169	164	132	122	81	38	3	1	–	2
Haddington . .	9	8	9	14	7	20	19	21	25	19	10	9	2	–	–	1
Berwick . . .	12	6	11	8	14	10	14	22	15	20	14	12	2	–	–	–
Peebles . . .	2	2	1	3	5	9	5	5	6	6	8	3	–	–	–	–
Selkirk . . .	1	3	1	6	2	3	3	5	3	3	4	–	–	–	–	–
Roxburgh . .	10	12	10	9	13	18	23	34	37	30	19	8	2	1	–	1
Dumfries . . .	27	23	19	25	27	41	40	45	40	44	39	19	15	4	–	1
Kirkcudbright . .	9	14	10	13	10	14	17	33	18	22	19	13	4	3	–	–
Wigtown . . .	10	5	9	13	7	17	11	18	23	18	19	11	6	1	–	–

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—MALES.

Inverness . . .	3	8	9	7	5	14	10	10	9	13	8	5	–	–	–	–
Aberdeen . . .	31	30	32	35	26	36	55	51	59	31	22	13	2	–	–	–
Arbroath . . .	3	5	6	3	10	7	11	10	5	10	2	5	–	–	–	–
Dundee . . .	46	53	67	50	70	82	78	49	40	37	19	7	1	1	–	–
Forfar . . .	6	7	4	4	3	6	9	6	8	8	3	2	1	–	–	–
Montrose . . .	5	7	7	10	12	4	14	14	5	6	4	5	1	–	–	–
Perth . . .	18	11	12	17	11	12	19	17	14	10	17	1	–	1	–	–
Dunfermline . .	3	8	4	4	2	4	11	10	5	9	4	–	2	–	–	–
Kirkcaldy . . .	7	5	6	2	3	5	2	8	7	6	3	2	–	1	–	–
Stirling . . .	6	3	5	9	4	8	3	3	2	6	5	4	2	–	–	–
Greenock . . .	33	27	23	33	27	31	26	26	19	14	8	–	–	–	–	–
Paisley . . .	17	29	32	25	31	23	19	25	21	18	19	1	3	–	–	1
Ayr	3	15	6	4	8	5	10	13	6	10	10	3	–	–	–	–
Kilmarnock . .	13	9	16	17	8	9	12	8	11	13	6	4	1	1	–	1
Glasgow . . .	241	230	264	256	247	224	213	188	127	93	52	20	11	1	–	–
Barony . . .	12	16	27	27	17	24	22	20	11	9	6	2	–	–	–	1
Govan . . .	17	10	9	18	19	8	16	12	11	10	7	2	1	–	–	–
Hamilton . . .	10	6	1	4	2	4	5	5	11	4	3	4	–	–	–	–
Airdrie . . .	4	5	6	7	8	11	3	3	3	6	3	1	–	–	–	–
Coatbridge, etc. .	6	10	13	9	9	14	9	6	8	3	1	–	–	–	–	–
Edinburgh . .	117	126	101	104	127	111	105	107	87	74	43	22	1	1	–	–
Leith	19	13	25	15	19	12	30	20	14	9	12	2	–	–	–	1
Dumfries . . .	8	15	8	12	10	14	16	20	11	5	8	6	5	–	–	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—FEMALES.

	FEMALE POPULATION.		FEMALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1513263	1612446	35993	3077	1083	2082	2895	1394	891	697	1656	845	1191	1342	1375
Insular . .	89727	87324	1356	82	34	54	54	24	21	15	36	23	33	48	59
Mainland .	882865	913578	17385	1412	458	830	1191	619	395	333	828	473	594	587	600
Towns . .	540671	611544	17252	1583	591	1198	1650	751	475	349	792	349	564	707	716
Shetland . .	17933	18617	294	16	6	13	12	6	1	3	10	3	5	11	22
Orkney . .	17105	17471	253	6	3	6	6	1	5	5	7	8	10	12	4
Caithness .	20973	22354	346	23	10	13	14	12	4	4	15	6	11	8	6
Sutherland .	13283	13099	183	12	3	4	4	4	6	2	11	3	9	8	5
Ross & Cromarty	44292	43965	746	45	6	37	28	22	12	11	29	13	19	21	22
Inverness .	49140	45523	751	61	20	26	25	20	15	10	23	8	17	15	17
Nairn . .	4245	4371	92	9	2	1	4	1	–	2	1	–	2	2	1
Elgin . .	21589	23481	485	39	15	24	26	19	16	13	30	11	18	15	18
Banff . .	27158	29619	549	36	11	24	25	17	10	15	22	20	31	15	12
Aberdeen .	112526	118022	2474	198	72	129	175	94	57	54	129	58	89	75	72
Kincardine .	17756	17915	308	21	4	2	18	3	6	4	9	8	13	7	8
Forfar . .	104219	113470	2786	303	110	155	162	81	55	45	105	63	88	126	118
Perth . .	71672	70029	1261	78	28	33	43	35	14	18	40	14	42	56	42
Fife . .	80484	82307	1677	122	39	74	109	59	47	29	83	45	61	52	74
Kinross . .	4966	4581	66	6	1	3	4	3	1	–	1	2	–	3	6
Clackmannan .	10921	10380	192	12	6	8	15	3	3	4	9	6	13	5	10
Stirling . .	42689	44651	895	77	25	59	88	36	19	21	37	22	21	29	30
Dumbarton .	23655	27724	584	54	26	41	42	30	13	12	31	8	19	20	23
Argyll . .	47845	42945	709	40	17	23	28	15	9	4	19	18	20	32	25
Bute . .	9090	9123	198	8	7	8	5	3	2	1	6	3	4	6	8
Renfrew . .	83726	89366	2400	210	83	181	230	88	69	57	99	57	89	98	92
Ayr . .	96980	102028	2232	178	69	123	207	116	81	50	150	73	78	83	74
Lanark . .	274420	332181	9480	904	319	736	1105	476	303	229	509	235	333	404	394
Linlithgow .	15168	18976	496	56	15	44	60	38	18	20	28	11	9	13	17
Edinburgh .	140065	147664	3573	306	107	189	275	115	69	49	125	68	89	118	165
Haddington .	18771	19760	400	27	15	12	22	13	9	6	23	14	12	12	11
Berwick . .	18798	19134	331	21	7	15	23	13	10	4	22	9	14	15	14
Peebles . .	5404	5697	97	8	5	4	7	1	1	–	6	1	5	6	3
Selkirk . .	4966	5341	128	16	7	5	11	3	1	2	4	5	10	6	6
Roxburgh .	26223	27129	458	54	14	25	37	14	7	5	13	11	11	13	20
Dumfries .	40949	42217	790	66	14	35	48	28	13	9	30	24	24	32	26
Kirkcudbright	22898	22706	433	38	10	21	24	15	9	3	19	13	10	15	19
Wigtown .	23054	22700	326	27	7	9	13	10	6	6	11	8	15	9	11
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—FEMALES.																
Inverness .	9095	8901	217	19	6	9	6	6	5	4	10	1	4	3	2
Aberdeen .	40227	41346	1180	101	37	76	96	57	35	23	65	22	39	41	27
Arbroath .	9372	10061	251	28	9	18	17	7	3	4	8	7	11	10	10
Dundee .	43663	51269	1563	182	70	97	113	56	39	25	67	29	49	76	66
Forfar . .	5992	6103	130	9	9	9	3	3	1	2	1	2	4	7	3
Montrose .	8976	8932	188	9	5	10	6	1	7	3	4	5	7	8	11
Perth . .	12981	14147	312	27	12	16	14	13	4	4	9	3	9	12	13
Dunfermline .	6935	7059	144	11	4	5	11	7	3	2	4	7	10	–	7
Kirkcaldy .	5730	6043	160	10	8	7	12	14	7	6	12	6	2	7	7
Stirling . .	6493	7198	166	11	11	4	4	7	2	5	4	5	3	4	5
Greenock .	19531	22327	729	67	28	77	80	21	17	15	33	12	21	37	30
Paisley . .	25463	25514	691	54	23	35	63	25	19	12	17	8	28	28	27
Ayr . .	10170	10565	228	16	8	14	16	9	2	5	14	6	7	12	11
Kilmarnock .	11124	12158	339	29	12	19	28	25	16	10	32	4	16	12	11
Glasgow . .	174167	209947	6415	625	204	494	771	317	206	159	306	139	218	292	275
Barony . .	7960	11338	456	45	19	34	47	19	15	8	18	6	15	21	23
Govan . .	7710	14981	435	32	20	44	50	28	17	8	15	13	16	18	21
Hamilton .	6164	7249	148	7	6	14	9	7	4	3	17	7	11	1	10
Airdrie . .	7102	6680	202	15	6	14	23	12	5	5	20	7	11	7	4
Coatbridge, etc.	6084	7148	194	19	6	25	31	13	5	5	21	5	3	8	7
Edinburgh .	89581	94431	2391	192	64	125	183	71	45	34	85	40	64	81	122
Leith . .	16737	18135	443	57	16	33	39	22	10	5	14	8	8	11	14
Dumfries .	9414	10012	270	18	8	19	28	11	8	2	16	7	8	11	10

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1264	1320	1239	1169	1278	1245	1553	1729	1916	1839	1482	896	344	126	27	38
Insular . . .	66	50	39	29	59	32	65	92	105	89	99	79	38	18	3	10
Mainland . . .	544	555	534	511	521	589	750	892	1128	1132	935	617	224	92	19	22
Towns . . .	654	715	666	629	698	624	738	745	683	618	448	200	82	16	5	6
Shetland . . .	12	13	7	5	12	2	13	21	23	17	21	20	9	6	–	5
Orkney . . .	4	6	8	6	10	8	11	20	29	25	18	29	4	2	–	–
Caithness . . .	7	11	10	6	13	10	19	23	26	35	24	17	8	7	1	3
Sutherland . .	6	4	3	5	6	11	4	9	13	18	19	10	6	2	–	–
Ross and Cromarty .	20	22	13	13	23	25	34	56	52	59	84	37	27	11	4	1
Inverness . . .	29	30	24	22	39	22	50	41	52	52	60	37	20	3	6	7
Nairn . . .	4	4	1	2	4	3	11	5	3	12	9	5	2	2	–	–
Elgin . . .	10	13	10	9	12	12	18	23	33	33	38	19	8	1	–	2
Banff . . .	11	16	16	15	9	17	29	24	40	42	41	27	9	12	1	2
Aberdeen . . .	85	69	80	80	80	74	99	130	115	180	119	101	40	13	5	2
Kincardine . .	10	10	13	14	14	11	14	19	26	25	25	13	9	2	–	–
Forfar . . .	103	103	99	93	125	129	134	144	138	125	99	56	20	6	–	1
Perth	44	44	54	53	36	56	69	84	100	112	68	63	25	5	4	1
Fife	61	50	55	40	54	71	66	93	121	123	71	54	18	5	–	1
Kinross . . .	3	3	2	–	1	3	4	6	4	6	2	2	–	–	–	–
Clackmannan . .	5	7	11	6	9	4	11	15	10	9	4	5	2	–	–	–
Stirling . . .	25	33	22	31	26	28	31	48	63	40	42	28	9	2	1	2
Dumbarton . .	22	19	20	27	20	22	21	30	19	24	24	12	3	2	–	–
Argyll . . .	35	25	25	16	21	22	44	45	60	53	56	35	14	7	–	1
Bute	11	9	4	11	9	6	9	15	21	8	18	7	5	4	–	–
Renfrew . . .	98	90	118	78	91	65	97	111	111	76	75	24	9	3	–	1
Ayr	69	79	71	67	65	68	76	72	117	108	78	54	17	8	–	1
Lanark . . .	348	374	332	314	339	276	360	318	320	250	178	76	35	5	4	4
Linlithgow . .	10	11	9	14	15	13	8	19	32	13	15	6	2	–	–	–
Edinburgh . .	141	169	134	153	148	172	188	211	187	191	133	50	16	3	1	1
Haddington . .	10	11	18	16	19	17	10	28	32	30	16	13	4	–	–	–
Berwick . . .	11	12	11	11	6	11	16	10	22	23	14	13	4	–	–	–
Peebles . . .	5	5	1	2	3	3	4	5	5	9	3	3	–	2	–	–
Selkirk . . .	4	1	2	4	5	3	7	3	6	5	6	4	1	1	–	–
Roxburgh . . .	15	22	8	15	13	25	23	25	24	25	25	10	1	1	–	2
Dumfries . . .	22	30	37	24	22	37	35	33	53	60	49	30	7	4	–	1
Kirkcudbright . .	18	11	13	11	17	12	19	23	35	24	25	17	8	4	–	–
Wigtown . . .	10	14	8	6	12	7	19	20	24	27	23	19	2	3	–	–
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—FEMALES.																
Inverness . . .	8	9	10	11	12	5	16	9	14	19	12	9	7	1	–	–
Aberdeen . . .	41	40	34	49	45	38	46	61	53	69	42	27	13	2	1	–
Arbroath . . .	6	7	6	6	11	13	6	13	15	18	13	5	–	–	–	–
Dundee . . .	63	59	71	59	73	72	83	70	55	42	27	14	6	–	–	–
Forfar . . .	3	5	5	5	7	7	10	11	5	8	5	3	2	1	–	–
Montrose . . .	8	7	4	9	9	8	8	14	13	12	11	7	2	–	–	–
Perth . . .	15	16	18	18	7	11	13	19	18	21	13	4	3	–	–	–
Dunfermline . .	7	3	8	2	4	7	5	8	7	12	6	3	1	–	–	–
Kirkcaldy . .	7	2	3	4	2	6	4	5	10	8	4	4	1	1	–	1
Stirling . . .	4	12	4	8	6	7	5	11	14	8	12	8	2	–	–	–
Greenock . . .	33	29	31	11	35	16	34	25	30	18	15	8	3	3	–	–
Paisley . . .	24	33	42	33	24	22	34	42	32	26	26	10	3	–	–	1
Ayr	8	7	5	7	10	9	8	12	13	12	10	3	3	–	–	1
Kilmarnock . .	15	15	8	7	9	7	12	9	13	15	7	6	1	1	–	–
Glasgow . . .	242	271	242	230	256	213	250	224	186	137	101	33	18	2	4	–
Barony . . .	10	10	20	14	25	12	21	11	24	17	13	7	–	1	–	1
Govan . . .	25	24	15	13	15	11	12	5	8	8	9	6	2	–	–	–
Hamilton . . .	4	7	4	3	5	1	4	4	5	10	2	1	1	–	–	1
Airdrie . . .	9	4	4	4	4	8	6	6	8	11	6	3	–	–	–	–
Coatbridge, etc. .	1	3	5	7	5	4	3	6	5	2	2	2	–	1	–	–
Edinburgh . .	93	128	94	105	104	124	124	149	118	124	79	31	9	2	–	1
Leith	25	15	20	17	18	13	18	15	24	17	18	1	5	–	–	–
Dumfries . . .	3	9	13	7	12	10	16	16	13	4	15	5	–	1	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	71348	576	471	669	369	1378	1451	164	991	992	4883	600	5399	2440	3287	132
SPECIFIED CAUSES . .	68196	433	425	614	315	1169	1273	150	914	938	4692	581	5200	2319	3111	130
I. Zymotic Class . .	15564	61	59	121	50	251	210	22	288	226	1219	163	1228	338	864	19
II. Diseases of Uncer. Seat	2450	11	14	24	13	55	46	9	28	32	163	31	226	95	120	4
III. Tubercular Class .	11653	62	71	69	50	141	172	31	113	135	737	67	871	386	406	19
IV. Brain and Nervous Sys.	5474	10	30	47	23	90	95	14	73	80	412	47	424	196	233	9
V. Organs of Circulation	3218	8	14	35	4	25	41	2	35	39	222	27	306	148	167	12
VI. Respiratory Organs .	10036	31	34	81	27	99	150	12	66	106	590	45	728	282	388	19
VII. Organs of Digestion .	4952	39	23	46	21	45	86	10	71	79	350	53	350	193	200	9
VIII. Urinary Organs .	1016	4	6	15	5	18	25	1	21	29	114	9	66	45	34	5
IX. Organs of Generation	546	10	1	4	3	17	18	1	9	3	35	8	36	23	27	1
X. Organs of Locomotion	387	4	3	9	3	12	14	1	4	8	33	6	13	18	20	–
XI. Skin, etc. . . .	75	1	–	3	1	4	1	1	1	–	4	1	4	3	1	–
XII. Malformation . .	168	–	–	–	–	2	1	–	2	1	6	3	13	8	4	–
XIII. Premature Debility .	3475	14	6	22	5	26	45	3	39	42	199	18	341	104	129	10
XIV. Atrophy . . .	526	3	2	3	2	2	9	–	5	2	21	1	33	20	23	–
XV. Age	6255	145	151	114	101	354	319	37	126	140	457	85	399	369	395	21
XVI. Sudden Deaths .	156	2	1	–	1	3	3	–	–	1	2	1	20	8	10	–
XVII. Violent Deaths . .	2245	28	10	21	6	25	38	6	33	15	128	16	142	83	90	2
I. Small Pox . . .	200	1	–	1	1	1	–	1	1	–	12	1	24	2	1	–
Measles . . .	1038	1	–	–	–	1	–	–	2	18	88	6	10	4	25	–
Scarlatina . . .	2706	2	4	4	14	62	53	1	166	33	275	16	112	14	145	–
Diphtheria . .	685	1	5	20	5	16	4	–	8	16	84	12	51	28	48	2
Hooping Cough .	1860	–	28	27	–	37	27	8	26	25	131	21	83	26	31	1
Croup . . .	903	2	2	16	8	37	30	4	12	13	46	7	78	26	75	1
Thrush . . .	39	–	–	–	–	–	1	–	1	1	4	–	11	3	4	–
Diarrhœa . . .	1504	3	2	2	6	15	28	3	16	12	107	15	125	45	60	1
Dysentery . . .	294	1	–	1	–	2	4	1	4	7	30	6	37	17	12	1
Cholera . . .	1270	1	1	–	–	1	–	1	–	1	142	22	214	24	260	–
Influenza . . .	200	3	2	3	1	8	6	–	5	7	28	7	20	4	9	–
Purpura . . .	41	–	–	–	–	–	1	–	1	1	3	2	2	4	2	–
Ague	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	26	–	–	–	1	2	2	–	–	–	–	–	–	1	–	–
Typhus . . .	2172	21	2	4	–	21	5	1	2	16	80	9	235	59	64	3
Enteric Fever . .	1404	14	4	19	6	19	26	2	19	42	93	28	112	42	82	7
Relapsing Fever .	34	1	1	–	–	–	–	–	–	1	7	1	3	2	3	1
Simple Cont. Fever .	249	7	3	11	5	23	11	–	11	17	34	2	35	3	3	–
Infantile Remittent .	159	1	–	4	–	1	2	–	4	3	7	5	8	3	13	–
Metria . . .	181	–	–	1	–	1	2	–	3	3	10	–	15	10	9	1
Rheumatic Fever .	103	–	1	5	1	2	4	–	–	5	5	1	8	3	1	–
Erysipelas . .	295	–	4	3	2	1	2	–	5	5	23	2	27	10	13	1
Pyæmia . . .	20	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–
Syphilis . . .	156	–	–	–	–	–	1	–	2	–	9	–	15	7	3	–
Noma . . .	24	1	–	–	–	–	1	–	–	–	1	–	2	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	63	1	–	1	–	–	3	1	1	–	2	1	9	2	2	–
Dropsy . . .	721	6	6	7	4	18	19	1	7	4	33	4	76	33	39	1
Abscess . . .	134	–	–	1	–	3	–	3	3	–	7	3	13	6	10	–
Ulcer . . .	38	1	–	–	–	5	–	–	–	–	3	1	2	1	1	–
Fistula . . .	15	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–
Mortification . .	144	–	1	1	–	5	3	–	2	–	13	–	12	6	6	–
Cancer . . .	1327	2	7	14	9	24	21	4	15	27	104	22	113	46	59	3
Gout . . .	8	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–
III. Scrofula . . .	617	2	4	5	2	4	2	2	8	21	49	4	22	22	26	–
Tabes Mesenterica .	859	1	–	1	1	2	7	1	7	8	51	1	38	11	23	–
Phthisis . . .	8283	52	63	50	41	127	149	27	82	93	531	54	646	305	293	17
Hydrocephalus . .	1894	7	4	13	6	8	14	1	16	13	106	8	165	48	64	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Clackmannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	383	1831	1178	1402	389	4668	4494	19103	1025	7239	778	657	196	238	908	1586	816	655
SPECIFIED CAUSES .	353	1674	1118	1258	366	4445	4366	18650	977	7135	757	635	190	230	882	1480	782	634
Zymotic Class . .	64	347	200	176	53	1057	1268	4448	283	1563	182	187	29	63	146	202	113	64
Uncertain Seat . .	16	70	45	63	14	139	148	522	24	285	30	40	9	8	43	60	31	32
Tubercular Class .	75	276	236	184	71	861	789	3534	154	1193	93	59	30	30	164	273	159	142
Brain, etc. . .	26	140	104	111	41	361	313	1380	54	646	77	71	23	10	84	132	64	54
Heart, etc. . .	16	79	75	60	26	207	192	663	35	429	44	43	23	20	76	77	44	24
Respiratory Organs .	44	213	148	143	43	594	536	3564	189	1144	84	59	19	31	116	222	136	93
Digestive Organs .	18	157	90	92	27	391	262	1327	78	471	45	43	20	24	67	134	66	65
Urinary Organs . .	8	23	11	21	3	33	63	214	13	134	14	11	–	4	11	33	10	13
Generative Organs .	2	12	9	16	6	42	32	127	7	45	6	9	4	1	8	11	10	3
Locomotive Organs .	1	7	5	8	1	29	25	88	4	44	6	6	–	2	7	8	5	2
Skin	–	3	1	–	1	6	6	21	1	6	–	1	–	–	–	3	–	1
Malformation . .	–	5	4	3	1	6	8	45	5	38	2	2	–	–	3	3	2	1
Premature Debility .	26	101	52	44	8	252	226	1047	48	384	58	23	9	20	53	63	30	28
Atrophy . . .	4	11	11	8	–	46	36	167	3	61	21	2	–	–	10	9	4	7
Age	42	173	70	249	62	283	296	825	53	386	72	59	20	11	75	189	86	91
Sudden Deaths . .	3	5	–	2	–	8	1	52	4	18	1	–	–	1	2	7	–	–
Violent Deaths .	8	52	57	78	9	139	165	626	22	288	22	20	4	5	17	54	22	14
Small Pox . . .	–	–	1	5	–	6	2	125	–	12	–	–	–	1	1	1	–	–
Measles . . .	6	27	7	14	1	117	76	435	13	51	13	40	2	16	32	15	16	2
Scarlatina . . .	1	56	22	15	3	216	343	859	111	77	43	11	3	5	7	13	13	7
Diphtheria . .	2	22	13	5	3	28	29	138	8	67	7	14	–	7	3	29	6	4
Hooping Cough .	9	37	29	18	17	94	177	633	24	232	16	19	6	1	21	23	29	4
Croup . . .	16	32	19	9	–	58	81	216	12	44	11	7	–	2	7	16	8	8
Thrush . . .	–	–	–	–	–	2	4	3	1	3	–	–	–	–	1	–	–	–
Diarrhœa . . .	7	49	20	29	5	106	107	449	19	181	21	13	–	8	11	23	7	9
Dysentery . . .	1	10	8	3	3	18	18	49	3	25	2	–	–	2	6	14	9	–
Cholera . . .	3	6	7	14	2	39	36	111	15	333	24	3	1	2	3	1	1	2
Influenza . . .	1	6	1	9	3	6	15	31	1	12	–	2	1	–	2	2	3	2
Purpura . . .	–	2	1	–	–	2	1	6	1	8	–	1	1	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	1	–	1	–	3	2	6	–	2	–	2	–	–	1	2	–	–
Typhus . . .	10	53	29	15	8	243	157	808	23	238	14	14	1	1	11	11	3	11
Enteric Fever . .	6	17	27	21	3	56	137	275	27	151	22	53	13	12	24	34	8	3
Relapsing Fever .	–	1	–	1	–	1	1	7	–	1	1	1	–	–	–	–	–	–
Simple Cont. Fever .	–	3	4	1	–	4	18	30	7	5	–	1	–	–	3	3	2	3
Infantile Remittent .	1	6	1	1	–	9	13	42	1	17	3	–	–	–	1	5	1	7
Metria . . .	–	6	1	2	3	16	13	49	5	18	1	2	1	1	2	3	3	–
Rheumatic Fever .	1	4	3	6	1	3	5	21	–	13	1	1	–	1	5	2	–	–
Erysipelas . . .	–	3	3	6	1	22	23	90	8	28	1	3	–	1	3	2	2	1
Pyæmia . . .	–	–	–	–	–	–	1	5	–	8	–	–	–	1	–	–	–	1
Syphilis . . .	–	6	3	1	–	8	8	54	3	32	1	–	–	2	1	–	–	–
Noma	–	–	1	–	–	–	1	6	1	5	1	–	–	–	–	2	2	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	3	2	2	–	1	8	12	–	5	–	1	–	–	3	1	1	1
Dropsy . . .	9	27	15	20	1	61	40	184	6	50	6	9	3	–	6	13	6	7
Abscess . . .	–	4	4	3	–	7	6	34	2	16	3	–	–	–	1	2	1	2
Ulcer	–	–	–	3	–	3	2	3	–	5	–	1	1	–	4	2	–	–
Fistula . . .	–	–	–	–	–	2	3	1	–	3	–	–	–	1	–	–	–	–
Mortification . .	1	5	1	1	1	9	5	32	5	18	–	2	1	–	3	4	4	3
Cancer . . .	6	31	23	34	12	55	84	256	11	185	21	27	4	7	26	30	18	19
Gout	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	–
Scrofula . . .	3	19	7	12	8	44	46	171	19	73	5	4	–	2	5	9	8	9
Tabes Mesenterica .	2	14	12	7	5	58	79	316	24	99	11	1	3	3	30	22	11	10
Phthisis . . .	60	190	180	156	46	606	538	2407	69	794	66	44	21	21	101	222	123	109
Hydrocephalus . .	10	53	37	9	12	153	126	640	42	227	11	10	6	4	28	20	17	14

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	390	–	2	4	5	9	7	–	11	8	26	2	24	4	26	–
	Apoplexy	1179	–	9	16	3	8	14	7	13	20	92	7	98	45	52	2
	Paralysis	1621	4	9	12	11	39	42	3	21	21	109	25	111	81	89	1
	Delirium Tremens	60	–	–	1	–	–	–	–	1	–	6	–	7	3	4	–
	Chorea	11	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
	Epilepsy	255	3	–	6	–	3	5	–	3	2	29	1	16	12	17	–
	Tetanus	45	–	–	–	–	7	–	–	–	–	3	1	2	–	2	1
	Insanity	35	–	–	–	–	1	3	–	–	–	3	–	1	–	1	–
	Convulsions	932	1	5	5	2	13	8	–	14	10	78	6	105	19	12	1
	Brain Disease	946	2	5	3	2	10	16	4	10	19	65	5	59	32	29	4
V.	Pericarditis	49	–	–	–	–	–	–	–	–	–	2	–	2	2	3	–
	Aneurism	85	–	–	–	–	1	1	–	3	1	7	2	8	7	3	–
	Heart Disease	3084	8	14	35	4	24	40	2	32	38	213	25	296	139	161	12
VI.	Laryngitis	98	–	1	2	–	–	2	–	–	1	8	–	8	4	4	–
	Bronchitis	6629	13	17	43	12	51	53	8	38	54	363	30	488	178	262	12
	Pleurisy	252	–	–	3	2	1	29	–	7	10	24	1	11	11	13	2
	Pneumonia	2207	12	3	17	7	13	30	3	17	36	157	11	149	62	81	5
	Asthma	500	6	6	12	6	32	25	1	4	2	19	1	36	17	15	–
	Lung Disease	350	–	7	4	–	2	11	–	–	3	19	2	36	10	13	–
VII.	Teething	1038	11	–	1	3	6	12	3	17	14	104	9	111	31	35	3
	Quinsey	51	2	–	3	1	1	1	1	1	1	3	–	–	3	2	–
	Gastritis	187	–	–	3	–	3	4	1	4	–	13	4	5	11	8	3
	Enteritis	886	2	2	6	2	9	13	1	13	11	36	8	37	34	36	–
	Peritonitis	257	2	–	2	1	–	6	–	2	4	22	2	12	13	8	–
	Ascites	62	1	4	2	–	–	1	–	–	–	2	–	6	3	4	–
	Ulceration of Intestines	178	2	1	3	1	1	1	–	4	7	25	4	9	4	7	–
	Hernia	118	1	–	2	–	1	4	–	–	6	14	–	13	7	4	–
	Ileus	272	5	1	3	1	3	3	1	11	8	23	3	21	16	12	–
	Intussusception	34	–	–	–	–	1	–	–	–	2	2	2	4	–	7	–
	Stricture of Intestines	40	–	–	1	–	–	1	–	–	–	3	2	1	–	3	–
	Stomach Disease	750	6	11	10	7	10	19	1	8	14	40	7	58	33	32	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	171	3	–	5	–	2	4	–	–	1	2	1	9	4	12	1
	Jaundice	173	2	1	1	2	2	4	1	4	2	14	4	17	7	8	–
	Liver Disease	698	2	3	3	3	6	13	1	7	9	42	7	46	25	22	1
	Spleen Disease	37	–	–	1	–	–	–	–	–	–	5	–	1	2	–	–
VIII.	Nephritis	69	–	–	–	–	2	1	–	1	–	7	–	7	1	–	–
	Nephria	235	–	–	2	–	8	6	–	4	6	13	–	22	9	5	–
	Addison's Disease	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
	Ischuria	50	1	–	1	–	–	2	1	2	2	4	–	3	5	–	–
	Diabetes	75	–	–	1	–	2	1	–	2	2	9	1	–	3	4	1
	Stone	63	1	5	4	3	3	4	–	1	–	11	3	–	4	2	–
	Cystitis	179	2	–	3	1	1	3	–	5	9	18	2	13	12	11	3
	Stricture of Urethra	16	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–
	Kidney Disease	322	–	1	3	–	2	7	–	6	10	51	2	21	11	11	1
IX.	Paramenia	25	1	–	–	–	1	–	–	1	–	1	–	4	1	1	–
	Ovarian Dropsy	77	–	–	1	–	–	–	–	–	–	3	2	6	7	6	1
	Childbirth	356	9	1	3	3	13	16	1	6	1	20	5	20	12	17	–
	Organs of Generation	88	–	–	–	–	3	2	–	2	2	11	1	6	3	3	–
X.	Arthritis	77	–	2	1	–	2	2	–	1	1	8	2	–	3	6	–
	Rheumatism	182	3	1	7	2	10	11	1	1	5	16	3	5	8	11	–
	Joint and Bone Disease	128	1	–	1	1	–	1	–	2	2	9	1	8	7	3	–
XI.	Carbuncle	24	–	–	3	1	2	1	–	–	–	1	–	2	1	–	–
	Phlegmon	9	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	Skin Disease	42	1	–	–	–	2	–	1	–	–	3	–	2	1	1	–
XVII.	Intemperance	78	–	–	–	–	–	1	–	2	–	3	–	4	3	4	–
	Privation	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Want of Breast Milk	100	–	–	–	–	–	–	–	1	–	10	–	5	1	5	–
	Neglect	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	Cold	27	2	–	–	1	–	1	–	1	–	1	–	–	4	1	–
	Poison	46	–	–	–	–	1	–	–	–	–	1	1	2	2	–	–
	Poisoned Wounds	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Burns and Scalds	304	3	–	4	2	2	7	1	3	3	21	4	11	6	16	2
	Hanging, etc.	55	–	–	–	–	–	2	–	–	–	4	–	5	4	3	–
	Suffocation	102	–	–	1	–	–	2	–	2	1	13	–	12	2	4	–
	Drowning	429	21	6	8	–	13	12	1	11	4	17	4	26	17	15	–
	Fracture and Contusion	913	2	3	4	2	5	10	1	9	5	46	5	58	28	33	–
	Gunshot Wounds	25	–	–	–	–	1	2	–	1	–	1	1	3	2	–	–
	Cuts and Stabs	36	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–
	Other Violent Causes	121	–	1	4	–	3	1	3	3	2	7	–	13	14	8	–
	Not Specified	3152	143	46	55	54	209	178	14	77	54	191	19	199	121	176	2

CAUSES o DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	4	8	6	3	26	16	111	8	42	5	5	1	–	6	11	5	4
Apoplexy	3	27	21	29	10	95	75	265	10	132	21	20	9	2	14	23	20	17
Paralysis	9	56	32	33	15	91	108	296	12	205	32	22	4	5	40	52	18	13
Delirium Tremens	1	1	2	–	1	1	1	21	–	7	1	–	–	–	–	1	–	1
Chorea	–	1	–	–	–	2	–	2	–	3	–	–	–	–	–	–	–	–
Epilepsy	2	6	–	10	–	12	13	49	4	43	4	3	–	–	3	6	1	2
Tetanus	–	–	–	7	2	2	3	4	–	5	–	–	1	–	2	2	–	1
Insanity	–	–	–	1	–	6	1	7	–	7	1	–	–	–	–	3	–	–
Convulsions	3	14	19	16	4	57	48	339	14	85	8	10	4	2	4	14	7	5
Brain Disease	7	31	22	9	6	69	48	286	6	117	5	11	4	1	15	20	13	11
Pericarditis	–	2	1	1	1	11	1	15	–	4	–	–	1	1	–	1	1	–
Aneurism	1	2	3	–	–	5	3	13	1	19	–	–	–	–	1	4	–	–
Heart Disease	15	75	71	59	25	191	188	635	34	406	44	43	22	19	75	72	43	24
Laryngitis	–	2	3	3	1	4	8	21	–	18	–	3	–	–	3	1	1	–
Bronchitis	33	128	112	96	25	412	347	2449	138	788	54	38	12	23	68	127	85	72
Pleurisy	–	2	3	1	3	10	19	28	6	41	2	2	–	2	6	8	4	1
Pneumonia	7	44	17	26	11	124	117	830	32	201	23	13	4	6	25	69	37	18
Asthma	4	12	6	16	1	20	38	134	3	49	2	2	1	–	10	12	8	–
Lung Disease	–	25	7	1	2	24	7	102	10	47	3	1	2	–	4	5	1	2
Teething	3	24	19	11	2	137	32	341	20	60	6	–	4	1	2	9	2	5
Quinsey	–	1	2	1	–	4	3	9	1	3	1	2	–	–	–	2	–	3
Gastritis	1	1	2	3	2	10	16	56	3	18	2	1	–	–	1	9	2	1
Enteritis	1	32	18	7	6	82	65	279	19	70	3	10	2	6	18	26	20	12
Peritonitis	1	5	3	1	1	23	16	76	4	34	–	1	1	3	1	5	6	2
Ascites	–	1	1	3	1	4	4	12	1	5	–	1	–	–	1	2	3	–
Ulceration of Intestines	1	10	8	2	–	5	6	26	2	21	3	6	3	2	6	3	–	5
Hernia	–	2	–	7	1	4	7	21	–	16	–	–	–	–	2	4	1	1
Ileus	1	5	3	12	1	9	9	62	6	20	9	4	–	1	8	5	4	2
Intussusception	–	–	1	1	–	1	2	4	–	3	–	–	–	–	–	2	1	1
Stricture of Intestines	–	2	1	–	–	–	1	7	–	13	–	1	–	–	–	3	–	1
Stomach Disease	1	27	15	20	7	32	47	168	9	79	9	11	5	8	10	25	11	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	6	4	4	2	17	10	48	1	11	2	–	1	1	2	11	3	2
Jaundice	1	5	2	4	–	10	11	30	4	21	4	3	1	–	3	1	3	1
Liver Disease	6	36	10	15	4	50	29	179	8	95	6	3	3	–	11	27	7	19
Spleen Disease	–	–	1	1	–	3	4	9	–	2	–	–	–	2	2	–	3	1
Nephritis	1	2	2	2	–	3	2	27	–	6	–	–	–	1	–	2	–	2
Nephria	3	7	2	8	1	5	14	49	8	43	5	1	–	2	2	7	1	2
Addison's Disease	–	–	–	–	–	2	1	–	–	1	–	1	–	–	–	–	–	–
Ischuria	1	1	–	4	–	3	7	2	–	7	–	–	–	–	–	1	2	1
Diabetes	–	3	2	2	–	2	5	17	1	5	1	–	–	1	2	4	–	4
Stone	–	–	–	–	–	1	5	6	–	4	–	2	–	–	–	3	1	–
Cystitis	2	3	2	5	1	4	10	26	1	19	1	5	–	–	5	8	2	2
Stricture of Urethra	–	–	–	–	–	–	–	5	–	6	–	–	–	–	–	–	1	–
Kidney Disease	1	7	3	–	1	13	19	82	3	43	7	2	–	–	2	8	3	2
Paramenia	–	–	1	–	–	2	2	2	–	–	–	1	–	–	1	3	3	–
Ovarian Dropsy	1	1	1	2	–	5	4	16	–	11	–	–	1	–	2	2	3	2
Childbirth	1	9	4	12	3	29	22	87	5	29	3	7	2	1	5	6	3	1
Organs of Generation	–	2	3	2	3	6	4	22	2	5	3	1	1	–	–	–	1	–
Arthritis	–	–	–	–	–	2	7	15	1	15	1	1	–	–	4	3	–	–
Rheumatism	1	2	4	6	1	8	11	37	1	12	2	2	–	–	3	2	4	2
Joint Disease	–	5	1	2	–	10	7	36	2	17	3	3	–	2	–	3	1	–
Carbuncle	–	1	–	–	1	2	–	6	–	2	–	–	–	–	–	–	–	1
Phlegmon	–	2	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	3	6	14	–	3	–	1	–	–	–	3	–	–
Intemperance	1	–	–	1	1	5	9	27	–	12	1	2	–	–	1	1	–	–
Privation	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	2	1	4	–	4	4	47	–	13	–	–	–	–	–	1	1	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	4	6	–	1	–	–	–	–	–	4	–	–
Poison	–	4	2	2	–	4	5	15	–	7	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	8	6	12	1	13	15	103	1	36	1	2	1	–	1	10	–	2
Hanging, etc.	–	–	–	1	–	4	7	14	–	5	1	1	1	–	–	1	2	–
Suffocation	–	2	2	–	1	4	3	31	–	13	1	1	–	1	4	1	–	1
Drowning	3	8	25	37	4	35	25	84	2	20	4	4	2	–	3	11	4	3
Fracture and Contusion	4	25	16	15	2	58	84	266	18	154	10	9	–	3	7	19	6	6
Gunshot Wounds	–	–	–	–	–	–	–	4	–	5	2	–	–	1	–	1	–	1
Cuts and Stabs	–	1	1	2	–	4	2	8	1	9	2	–	–	–	–	2	–	–
Other Violent Causes	–	2	4	3	–	8	7	19	–	12	–	1	–	–	1	3	2	–
Not Specified	30	157	60	144	23	223	128	453	48	104	21	22	6	8	26	106	34	21

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	35355	282	218	323	186	632	700	72	506	443	2409	292	2613	1179	1610	66
SPECIFIED CAUSES . .	33716	207	199	298	158	537	613	64	471	411	2320	282	2511	1117	1515	65
I. Zymotic Class . .	7542	25	25	65	21	127	102	11	159	92	612	78	589	146	415	10
II. Diseases of Uncer. Seat	899	4	2	7	6	24	22	3	12	7	59	10	88	41	51	2
III. Tubercular Class .	5734	37	37	40	25	70	87	16	62	63	364	34	413	191	184	5
IV. Brain and Nervous Sys.	2879	6	18	22	13	50	42	6	41	41	234	22	229	96	120	3
V. Organs of Circulation	1649	4	8	16	1	13	19	–	18	14	107	12	148	79	96	8
VI. Respiratory Organs .	5256	22	14	41	16	37	79	2	36	52	288	24	375	145	209	11
VII Organs of Digestion	2592	14	11	22	12	31	61	8	31	32	193	32	174	100	107	3
VIII. Urinary Organs .	675	4	6	11	4	13	17	1	12	17	76	8	38	33	23	4
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	212	2	1	5	2	6	7	–	3	6	17	1	7	12	10	–
XI. Skin, etc. . . .	44	–	–	2	1	4	1	1	–	–	3	1	2	2	–	–
XII. Malformation . .	93	–	–	–	–	1	–	–	1	1	5	1	6	3	2	–
XIII. Premature Debility .	1848	11	5	13	3	14	25	2	24	24	111	10	167	53	74	5
XIV. Atrophy . . .	244	3	1	1	2	2	1	–	1	1	10	–	17	11	9	–
XV. Age	2333	50	61	40	47	121	123	11	48	49	159	36	143	140	147	13
XVI. Sudden Deaths . .	88	1	–	–	–	3	2	–	–	1	–	1	12	3	4	–
XVII. Violent Deaths . .	1627	24	10	13	5	21	25	3	23	11	82	12	103	62	64	1
I. Small Pox . . .	103	–	–	–	1	–	–	–	–	–	6	1	11	–	–	–
Measles . . .	536	1	–	–	–	–	–	–	2	11	50	3	8	2	18	–
Scarlatina . . .	1411	1	2	2	6	38	25	1	102	10	143	9	59	9	72	–
Diphtheria . .	339	1	1	13	3	9	2	–	3	8	42	8	21	8	21	1
Hooping Cough .	820	–	13	14	–	15	16	2	16	12	67	9	34	10	18	1
Croup . . .	466	1	1	7	3	22	12	3	6	5	27	4	41	13	45	–
Thrush . . .	19	–	–	–	–	–	–	–	–	–	3	–	6	1	2	–
Diarrhœa . . .	723	1	1	1	3	9	14	1	9	6	54	6	59	21	27	–
Dysentery . . .	139	–	–	–	–	1	1	1	1	3	14	1	19	11	6	–
Cholera . . .	593	–	1	–	–	–	–	1	–	–	67	9	97	11	117	–
Influenza . . .	90	1	–	2	1	2	4	–	1	4	12	2	9	1	3	–
Purpura . . .	26	–	–	–	–	–	–	–	1	1	2	1	2	3	1	–
Ague	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	15	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	1090	8	2	1	–	7	2	–	–	5	36	5	113	24	30	1
Enteric Fever . .	640	6	1	11	1	11	13	2	10	12	47	13	53	16	42	5
Relapsing Fever .	21	–	–	–	–	–	–	–	–	1	4	1	2	1	–	1
Simple Cont. Fever .	121	4	–	7	2	10	7	–	4	10	13	–	24	1	2	–
Infantile Remittent .	84	–	–	2	–	1	1	–	2	2	4	4	3	3	4	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	59	–	–	3	–	1	3	–	–	1	3	–	5	2	1	–
Erysipelas . . .	155	–	3	2	–	–	2	–	1	1	14	2	14	6	6	1
Pyæmia . . .	12	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Syphilis . . .	70	–	–	–	–	–	–	–	1	–	4	–	8	2	–	–
Noma . . .	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	35	1	–	1	–	–	2	1	1	1	2	1	6	1	–	–
Dropsy . . .	280	–	1	3	2	8	10	1	2	2	13	2	30	15	22	1
Abscess . . .	70	–	–	1	–	1	–	1	2	–	5	1	5	3	5	–
Ulcer . . .	24	1	–	–	–	2	–	–	–	–	2	–	2	1	1	–
Fistula . . .	10	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–
Mortification . .	73	–	–	–	–	3	2	–	2	–	10	–	5	2	4	–
Cancer . . .	403	1	1	2	4	10	8	–	5	4	27	6	40	18	16	1
Gout	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
III. Scrofula . . .	325	2	2	4	2	3	2	–	3	9	26	2	14	11	15	–
Tabes Mesenterica .	451	1	–	1	–	1	5	1	3	5	28	1	25	7	9	–
Phthisis . . .	3871	29	33	27	21	59	73	14	46	42	253	25	278	147	125	5
Hydrocephalus . .	1087	5	2	8	2	7	7	1	10	7	57	6	96	26	35	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	191	936	594	693	191	2268	2262	9623	529	3666	378	326	99	110	450	796	383	329
SPECIFIED CAUSES .	174	850	567	625	174	2147	2198	9365	499	3619	367	315	95	102	435	738	363	315
Zymotic Class . .	31	160	94	86	22	531	610	2154	130	793	82	85	13	31	72	90	52	29
Uncertain Seat . .	5	22	21	27	1	46	50	196	6	93	12	13	4	2	18	23	11	11
Tubercular Class .	35	146	115	91	38	399	386	1713	77	631	43	30	14	15	80	137	80	76
Brain, etc. . .	15	69	56	56	18	178	160	736	28	356	39	31	12	4	52	65	31	30
Heart, etc. . .	8	36	38	33	14	111	82	340	19	239	21	27	13	10	40	40	24	11
Respiratory Organs .	24	134	84	67	25	297	335	1893	112	556	50	30	9	14	57	111	60	47
Digestive Organs .	8	88	46	52	17	196	135	714	44	230	20	26	10	8	26	75	31	35
Urinary Organs . .	2	13	7	14	3	26	46	139	5	80	11	8	–	1	10	23	10	10
Generative Organs .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	3	3	5	–	12	14	49	3	25	3	5	–	–	4	4	2	1
Skin	–	2	1	–	–	6	5	8	–	2	–	–	–	–	–	2	–	1
Malformation . .	–	3	2	3	1	4	5	25	3	22	1	–	–	–	1	2	–	1
Premature Debility .	17	56	25	26	4	119	124	547	22	216	33	18	5	12	24	34	13	12
Atrophy . . .	2	3	7	3	–	23	17	82	1	26	11	–	–	–	4	3	1	2
Age	18	75	23	104	25	84	106	293	27	142	22	27	12	–	33	84	32	38
Sudden Deaths . .	2	3	–	–	–	7	1	32	2	7	1	–	–	1	1	4	–	–
Violent Deaths . .	7	37	45	58	5	108	122	444	20	201	18	15	3	4	13	41	16	11
Small Pox . . .	–	–	1	3	–	3	2	66	–	7	–	–	–	–	1	1	–	–
Measles . . .	4	14	2	8	1	53	39	221	7	29	7	17	–	6	16	8	8	1
Scarlatina . . .	1	30	11	7	1	116	168	438	49	47	26	7	3	5	3	8	9	3
Diphtheria . .	1	10	6	2	2	17	19	68	4	35	5	5	–	2	2	15	3	2
Hooping Cough .	4	16	12	8	6	44	70	267	10	112	5	8	–	–	8	9	14	–
Croup . . .	6	17	9	7	–	28	39	110	8	26	5	3	–	–	4	7	3	4
Thrush . . .	–	–	–	–	–	–	3	1	–	2	–	–	–	–	1	–	–	–
Diarrhœa . . .	2	17	9	13	2	55	59	214	12	83	10	7	–	6	5	9	4	4
Dysentery . . .	1	3	5	–	2	7	8	26	1	14	1	–	–	2	3	6	2	–
Cholera . . .	3	3	3	5	1	18	20	47	10	163	9	2	1	1	1	1	–	2
Influenza . . .	–	3	–	2	1	4	8	18	–	4	–	2	1	–	1	2	2	–
Purpura . . .	–	1	1	–	–	1	1	4	1	4	–	1	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	1	–	3	2	4	–	1	–	1	–	–	1	1	–	–
Typhus . . .	5	23	16	6	3	133	74	418	11	135	7	7	–	–	7	4	1	6
Enteric Fever . .	3	7	13	14	2	23	64	122	10	70	3	21	7	5	13	14	6	–
Relapsing Fever .	–	1	–	1	–	1	–	6	–	1	–	1	–	–	–	–	–	–
Simple Cont. Fever .	–	3	–	–	–	2	11	14	2	3	–	–	–	–	1	–	–	1
Infantile Remittent .	–	4	–	–	–	6	8	24	–	9	2	–	–	–	–	1	–	4
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	1	3	2	4	1	1	2	12	–	7	–	1	–	1	3	2	–	–
Erysipelas . . .	–	3	2	4	–	11	9	45	3	18	1	2	–	1	2	1	–	1
Pyæmia . . .	–	–	–	–	–	–	–	3	–	5	–	–	–	1	–	–	–	1
Syphilis . . .	–	2	2	1	–	5	3	23	2	16	–	–	–	1	–	–	–	–
Noma . . .	–	–	–	–	–	–	1	3	–	2	1	–	–	–	–	1	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	1	–	2	–	–	4	5	–	2	–	1	–	–	1	1	1	1
Dropsy . . .	3	7	9	8	–	17	16	72	3	18	3	3	1	–	3	4	–	1
Abscess . . .	–	2	3	1	–	2	2	20	1	7	3	–	–	–	1	1	1	2
Ulcer	–	–	–	1	–	2	1	3	–	3	–	–	–	–	4	1	–	–
Fistula . . .	–	–	–	–	–	–	2	1	–	2	–	–	–	1	–	–	–	–
Mortification . .	1	3	1	1	–	6	4	14	1	6	–	1	–	–	1	2	2	2
Cancer . . .	1	9	8	14	1	18	21	81	1	55	6	8	3	1	8	14	6	5
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Scrofula . . .	2	11	3	3	6	24	22	91	12	33	2	3	–	–	4	6	6	2
Tabes Mesenterica .	1	8	5	2	3	26	43	179	9	41	6	–	2	2	15	9	5	8
Phthisis . . .	26	99	86	81	21	263	246	1068	33	428	30	21	9	10	44	111	61	57
Hydrocephalus . .	6	28	21	5	8	86	75	375	23	129	5	6	3	3	17	11	8	9

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	213	–	2	1	3	1	3	–	8	4	14	1	14	–	17	–
	Apoplexy	611	–	6	8	3	6	5	2	4	9	42	3	57	24	28	1
	Paralysis	779	2	2	3	5	20	18	1	10	13	67	10	53	41	39	1
	Delirium Tremens	49	–	–	1	–	–	–	–	–	–	6	–	5	2	4	–
	Chorea	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	135	2	–	3	–	2	4	–	3	–	19	–	8	6	7	–
	Tetanus	27	–	–	–	–	3	–	–	–	–	1	–	1	–	2	–
	Insanity	14	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
	Convulsions	518	1	4	3	–	10	3	–	10	5	45	6	60	11	7	–
	Brain Disease	530	1	4	3	2	8	9	3	6	10	38	2	31	12	15	1
V.	Pericarditis	29	–	–	–	–	–	–	–	–	–	2	–	–	2	2	–
	Aneurism	62	–	–	–	–	–	–	–	2	1	6	–	7	7	3	–
	Heart Disease	1558	4	8	16	1	13	19	–	16	13	99	12	141	70	91	8
VI.	Laryngitis	55	–	–	2	–	–	1	–	–	1	4	–	3	4	3	–
	Bronchitis	3315	10	7	24	9	19	30	1	18	26	154	17	238	84	134	7
	Pleurisy	136	–	–	2	1	–	17	–	4	6	15	–	8	6	5	2
	Pneumonia	1292	8	2	10	5	6	19	1	13	17	98	6	89	38	50	2
	Asthma	269	4	3	3	1	12	10	–	1	–	9	–	16	6	11	–
	Lung Disease	189	–	2	–	–	–	2	–	–	2	8	1	21	7	6	–
VII.	Teething	580	5	–	–	2	3	10	3	7	6	69	7	56	19	22	1
	Quinsey	29	–	–	1	1	1	–	1	–	–	2	–	–	2	1	–
	Gastritis	97	–	–	3	–	3	4	–	1	–	4	1	3	8	6	1
	Enteritis	479	1	–	5	2	6	9	1	6	5	20	6	19	17	22	–
	Peritonitis	98	1	–	1	1	–	2	–	1	1	11	1	2	4	1	–
	Ascites	25	–	1	1	–	–	–	–	–	–	–	–	1	1	2	–
	Ulceration of Intestines	86	–	1	–	–	1	1	–	2	1	13	2	4	–	3	–
	Hernia	60	–	–	2	–	1	4	–	–	4	4	–	6	5	3	–
	Ileus	140	2	–	1	1	2	2	–	6	2	11	1	12	10	5	–
	Intussusception	23	–	–	–	–	1	–	–	–	2	2	2	3	–	4	–
	Stricture of Intestines	25	–	–	–	–	–	1	–	–	–	1	2	1	–	2	–
	Stomach Disease	391	3	5	5	2	7	10	1	4	7	21	4	29	16	15	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	95	–	–	–	–	–	4	–	–	1	2	–	7	2	6	1
	Jaundice	86	–	1	1	1	2	4	1	1	–	6	2	12	3	4	–
	Liver Disease	359	2	3	1	2	4	10	1	3	3	24	4	18	11	11	–
	Spleen Disease	19	–	–	1	–	–	–	–	–	–	3	–	1	2	–	–
VIII.	Nephritis	42	–	–	–	–	2	1	–	–	–	4	–	3	1	–	–
	Nephria	119	–	–	–	–	5	3	–	2	4	5	–	11	3	3	–
	Addison's Disease	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Ischuria	37	1	–	1	–	–	2	1	2	–	3	–	2	4	–	–
	Diabetes	50	–	–	–	–	1	1	–	–	2	5	–	–	3	2	1
	Stone	59	1	5	4	2	2	4	–	1	–	10	3	–	4	2	–
	Cystitis	156	2	–	3	1	1	3	–	4	8	16	2	10	12	8	3
	Stricture of Urethra	16	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–
	Kidney Disease	194	–	1	2	–	2	2	–	3	3	32	2	12	6	8	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	51	–	1	1	–	1	1	–	1	1	4	1	–	2	5	–
	Rheumatism	86	2	–	4	1	5	6	–	1	3	8	–	2	4	3	–
	Joint and Bone Disease	75	–	–	–	1	–	–	–	1	2	5	–	5	6	2	–
XI.	Carbuncle	15	–	–	2	1	2	1	–	–	–	1	–	1	1	–	–
	Phlegmon	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Skin Disease	25	–	–	–	–	2	–	1	–	–	2	–	1	1	–	–
XVII.	Intemperance	45	–	–	–	–	–	–	–	2	–	2	–	2	2	4	–
	Privation	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Want of Breast Milk	54	–	–	–	–	–	–	–	–	–	6	–	3	1	3	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	16	1	–	–	1	–	–	–	–	–	–	–	–	3	–	–
	Poison	26	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	Poisoned Wounds	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	144	–	–	3	1	1	2	–	2	2	10	1	5	2	7	1
	Hanging, etc.	36	–	–	–	–	–	2	–	–	–	3	–	4	3	2	–
	Suffocation	55	–	–	–	–	–	1	–	–	1	6	–	5	1	1	–
	Drowning	361	21	6	5	–	10	11	1	10	4	14	4	22	16	12	–
	Fracture and Contusion	752	2	3	2	2	5	7	–	7	3	34	5	48	22	27	–
	Gunshot Wounds	24	–	–	–	–	1	2	–	1	–	1	1	2	2	–	–
	Cuts and Stabs	24	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–
	Other Violent Causes	86	–	1	3	–	3	–	2	1	1	4	–	10	10	7	–
	Not Specified	1639	75	19	25	28	95	87	8	35	32	89	10	102	62	95	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	2	2	5	–	17	6	61	4	24	3	3	1	–	3	10	2	2
Apoplexy	3	13	13	15	3	44	37	144	6	71	9	10	5	1	10	8	10	11
Paralysis	4	22	15	18	4	42	54	136	4	107	17	8	1	1	26	22	9	4
Delirium Tremens	1	1	2	–	1	1	1	16	–	7	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	2	–	4	9	26	2	26	2	1	–	–	2	3	–	2
Tetanus	–	–	–	5	2	1	–	3	–	4	–	–	1	–	2	1	–	1
Insanity	–	–	–	–	–	2	1	4	–	4	–	–	–	–	–	–	–	–
Convulsions	3	8	10	6	3	28	22	187	8	49	7	4	2	1	2	8	3	2
Brain Disease	4	21	14	5	5	38	30	159	4	62	1	5	2	1	7	13	7	7
Pericarditis	–	2	–	–	1	7	1	7	–	3	–	–	–	–	–	1	1	–
Aneurism	1	2	3	–	–	2	2	9	1	13	–	–	–	–	–	3	–	–
Heart Disease	7	32	35	33	13	102	79	324	18	223	21	27	13	10	40	36	23	11
Laryngitis	–	2	2	1	1	1	5	14	–	8	–	1	–	–	–	1	1	–
Bronchitis	18	76	63	40	13	201	207	1254	75	361	35	21	5	10	34	57	35	32
Pleurisy	–	2	2	1	1	6	8	15	4	23	1	–	–	–	1	3	2	1
Pneumonia	3	28	9	16	8	71	82	474	21	112	9	6	2	4	14	40	17	12
Asthma	3	10	2	8	1	11	31	77	2	26	2	1	1	–	6	8	4	–
Lung Disease	–	16	6	1	1	7	2	59	10	26	3	1	1	–	2	2	1	2
Teething	2	10	13	6	1	77	14	183	11	35	3	–	1	–	1	7	2	4
Quinsey	–	–	2	1	–	2	2	6	1	1	–	1	–	–	–	1	–	3
Gastritis	1	1	–	1	1	6	7	28	2	8	1	–	–	–	1	5	1	–
Enteritis	1	23	7	3	5	41	36	147	12	35	1	7	2	3	8	13	7	9
Peritonitis	1	–	1	1	–	8	7	33	1	8	–	–	1	2	–	4	4	1
Ascites	–	–	–	1	1	2	1	9	–	2	–	–	–	–	–	2	1	–
Ulceration of Intestines	–	9	4	1	–	3	3	16	1	8	2	4	1	–	2	2	–	2
Hernia	–	1	–	5	–	4	3	7	–	8	–	–	–	–	1	2	–	–
Ileus	–	2	2	6	1	7	7	36	1	9	4	2	–	–	3	3	2	–
Intussusception	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	2	1	–
Stricture of Intestines	–	1	1	–	–	–	–	2	–	11	–	1	–	–	–	2	–	–
Stomach Disease	–	15	7	13	4	13	24	103	6	35	6	7	1	2	3	12	8	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	4	3	2	1	8	6	29	1	6	1	–	1	1	2	5	–	1
Jaundice	–	1	–	2	–	5	7	16	2	9	1	2	1	–	1	–	–	1
Liver Disease	2	21	6	10	3	19	15	93	6	52	1	2	2	–	2	15	3	10
Spleen Disease	–	–	–	–	–	–	2	4	–	1	–	–	–	–	2	–	2	1
Nephritis	–	–	1	1	–	2	2	19	–	3	–	–	–	1	–	1	–	1
Nephria	1	4	1	4	1	4	7	28	2	20	3	1	–	–	2	3	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	1	–	4	–	3	5	1	–	4	–	–	–	–	–	–	2	1
Diabetes	–	2	2	1	–	2	5	11	1	3	1	–	–	–	1	3	–	3
Stone	–	–	–	–	–	1	5	6	–	4	–	1	–	–	–	3	1	–
Cystitis	1	3	1	4	1	4	9	22	1	16	1	4	–	–	5	7	2	2
Stricture of Urethra	–	–	–	–	–	–	–	5	–	6	–	–	–	–	–	–	1	–
Kidney Disease	–	3	2	–	1	10	13	47	1	24	6	1	–	–	2	6	3	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	6	11	1	9	–	1	–	–	3	1	–	–
Rheumatism	–	2	3	3	–	5	4	18	–	4	1	2	–	–	1	1	2	1
Joint Disease	–	1	–	2	–	6	4	20	2	12	2	2	–	–	–	2	–	–
Carbuncle	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	1
Phlegmon	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	3	5	6	–	1	–	–	–	–	–	2	–	–
Intemperance	1	–	–	1	1	4	4	12	–	5	1	2	–	–	1	1	–	–
Privation	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	2	–	3	1	28	–	6	–	–	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	3	4	–	1	–	–	–	–	–	3	–	–
Poison	–	2	2	–	–	2	3	11	–	4	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	4	2	7	–	6	3	56	1	16	1	–	–	–	1	4	5	1
Hanging, etc.	–	–	–	–	–	4	6	5	–	2	1	1	1	–	–	1	1	–
Suffocation	–	2	1	–	–	2	3	18	–	8	1	1	–	–	2	1	–	1
Drowning	3	7	22	34	3	28	18	70	2	15	4	4	2	–	1	8	2	2
Fracture and Contusion	3	21	15	12	1	50	75	214	17	124	7	7	–	3	7	18	5	6
Gunshot Wounds	–	–	–	–	–	–	–	4	–	5	2	–	–	1	–	1	–	1
Cuts and Stabs	–	1	1	2	–	2	–	4	–	7	1	–	–	–	–	2	–	–
Other Violent Causes	–	–	2	–	–	7	6	16	–	8	–	–	–	–	1	2	2	–
Not Specified	17	86	27	68	17	121	64	258	30	47	11	11	4	8	15	58	20	14

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	35993	294	253	346	183	746	751	92	485	549	2474	308	2786	1261	1677	66
SPECIFIED CAUSES . .	34480	226	226	316	157	632	660	86	443	527	2372	299	2689	1202	1596	65
I. Zymotic Class . .	8022	36	34	56	29	124	108	11	129	134	607	85	639	192	449	9
II. Diseases of Uncer. Seat	1551	7	12	17	7	31	24	6	16	25	104	21	138	54	69	2
III. Tubercular Class .	5919	25	34	29	25	71	85	15	51	72	373	33	458	195	222	14
IV. Brain and Nervous Sys.	2595	4	12	25	10	40	53	8	32	39	178	25	195	100	113	6
V. Organs of Circulation	1569	4	6	19	3	12	22	2	17	25	115	15	158	69	71	4
VI. Respiratory Organs .	4780	9	20	40	11	62	71	10	30	54	302	21	353	137	179	8
VII. Organs of Digestion .	2360	25	12	24	9	14	25	2	40	47	157	21	176	93	93	6
VIII. Urinary Organs .	341	–	–	4	1	5	8	–	9	12	38	1	28	12	11	1
IX. Organs of Generation	545	10	1	4	3	17	18	1	9	3	35	8	36	23	27	1
X. Organs of Locomotion	175	2	2	4	1	6	7	1	1	2	16	5	6	6	10	–
XI. Skin, etc. . . .	31	1	–	1	–	–	–	–	1	–	1	–	2	1	1	–
XII. Malformation . .	75	–	–	–	–	1	1	–	1	–	1	2	7	5	2	–
XIII. Premature Debility .	1627	3	1	9	2	12	20	1	15	18	88	8	174	51	55	5
XIV. Atrophy . . .	282	–	1	2	–	–	8	–	4	1	11	1	16	9	14	–
XV. Age	3922	95	90	74	54	233	196	26	78	91	298	49	256	229	248	8
XVI. Sudden Deaths . .	68	1	1	–	1	–	1	–	–	–	2	–	8	5	6	–
XVII. Violent Deaths . .	618	4	–	8	1	4	13	3	10	4	46	4	39	21	26	1
I. Small Pox . . .	97	1	–	1	–	1	–	1	1	–	6	–	13	2	1	–
Measles . . .	502	–	–	–	–	1	–	–	–	7	38	3	2	2	7	–
Scarlatina . . .	1295	1	2	2	8	24	28	–	64	23	132	7	53	5	73	–
Diphtheria . .	346	–	4	7	2	7	2	–	5	8	42	4	30	20	27	1
Hooping Cough . .	1040	–	15	13	–	22	11	6	10	13	64	12	49	16	13	–
Croup . . .	437	1	1	9	5	15	18	1	6	8	19	3	37	13	30	1
Thrush . . .	20	–	–	–	–	–	1	–	1	1	1	–	5	2	2	–
Diarrhœa . . .	781	2	1	1	3	6	14	2	7	6	53	9	66	24	33	1
Dysentery . . .	155	1	–	1	–	1	3	–	3	4	16	5	18	6	6	1
Cholera . . .	677	1	–	–	–	1	–	–	–	1	75	13	117	13	143	–
Influenza . . .	110	2	2	1	–	6	2	–	4	3	16	5	11	3	6	–
Purpura	15	–	–	–	–	–	1	–	–	–	1	1	–	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	11	–	–	–	–	2	2	–	–	–	–	–	–	1	–	–
Typhus . . .	1082	13	–	3	–	14	3	1	2	11	44	4	122	35	34	2
Enteric Fever . .	764	8	3	8	5	8	13	–	9	30	46	15	59	26	40	2
Relapsing Fever .	13	1	1	–	–	–	–	–	–	–	3	–	1	1	3	–
Simple Cont. Fever .	128	3	3	4	3	13	4	–	7	7	21	2	11	2	1	–
Infantile Remittent .	75	1	–	2	–	–	1	–	2	1	3	1	5	–	9	–
Metria . . .	181	–	–	1	–	1	2	–	3	3	10	–	15	10	9	1
Rheumatic Fever .	44	–	1	2	1	1	1	–	–	4	2	1	3	1	–	–
Erysipelas . . .	140	–	1	1	2	1	–	–	4	4	9	–	13	4	7	–
Pyæmia . . .	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Syphilis . . .	86	–	–	–	–	–	1	–	1	–	5	–	7	5	3	–
Noma . . .	15	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	28	–	–	–	–	–	1	–	–	–	–	–	3	1	2	–
Dropsy . . .	441	6	5	4	2	10	9	–	5	2	20	2	46	18	17	–
Abscess . . .	64	–	–	–	–	2	–	2	1	–	2	2	8	3	5	–
Ulcer . . .	14	–	–	–	–	3	–	–	–	–	1	1	–	–	–	–
Fistula . . .	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification . .	71	–	1	1	–	2	1	–	–	–	3	–	7	4	2	–
Cancer . . .	924	1	6	12	5	14	13	4	10	23	77	16	73	28	43	2
Gout	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
III. Scrofula . . .	292	–	2	1	–	1	–	2	5	12	23	2	8	11	11	–
Tabes Mesenterica .	408	–	–	–	1	1	2	–	4	3	23	–	13	4	14	–
Phthisis . . .	4412	23	30	23	20	68	76	13	36	51	278	29	368	158	168	12
Hydrocephalus . .	807	2	2	5	4	1	7	–	6	6	49	2	69	22	29	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	192	895	584	709	198	2400	2232	9480	496	3573	400	331	97	128	458	790	433	326
SPECIFIED CAUSES .	179	824	551	633	192	2298	2168	9285	478	3516	390	320	95	128	447	742	419	319
Zymotic Class . .	33	187	106	90	31	526	658	2294	153	770	100	102	16	32	74	112	61	35
Uncertain Seat . .	11	48	24	36	13	93	98	326	18	192	18	27	5	6	25	37	20	21
Tubercular Class .	40	130	121	93	33	462	403	1821	77	562	50	29	16	15	84	136	79	66
Brain, etc. . . .	11	71	48	55	23	183	153	644	26	290	38	40	11	6	32	67	33	24
Heart, etc. . .	8	43	37	27	12	96	110	323	16	190	23	16	10	10	36	37	20	13
Respiratory Organs .	20	79	64	76	18	297	201	1671	77	588	34	29	10	17	59	111	76	46
Digestive Organs .	10	69	44	40	10	195	127	613	34	241	25	17	10	16	41	59	35	30
Urinary Organs .	6	10	4	7	–	7	17	75	8	54	3	3	–	3	1	10	–	3
Generative Organs .	2	12	9	16	5	42	32	127	7	45	6	9	4	1	8	11	10	3
Locomotive Organs .	1	4	2	3	1	8	11	39	1	19	3	1	–	2	3	4	3	1
Skin	–	1	–	–	1	–	1	13	1	4	–	1	–	–	–	1	–	–
Malformation . .	–	2	2	–	–	2	3	20	2	16	1	2	–	–	2	1	2	–
Premature Debility .	9	45	27	18	4	133	102	500	26	168	25	5	4	8	29	29	17	16
Atrophy . . .	2	8	4	5	–	23	19	85	2	35	10	2	–	–	6	6	3	5
Age	24	98	47	145	37	199	190	532	26	244	50	32	8	11	42	105	54	53
Sudden Deaths . .	1	2	–	2	–	1	–	20	2	11	–	–	–	–	1	3	–	–
Violent Deaths . .	1	15	12	20	4	31	43	182	2	87	4	5	1	1	4	13	6	3
Small Pox . . .	–	–	–	2	–	3	–	59	–	5	–	–	–	1	–	–	–	–
Measles . . .	2	13	5	6	–	64	37	214	6	22	6	23	2	10	16	7	8	1
Scarlatina . . .	–	26	11	8	2	100	175	421	62	30	17	4	–	–	4	5	4	4
Diphtheria . .	1	12	7	3	1	11	10	70	4	32	2	9	–	5	1	14	3	2
Hooping Cough .	5	21	17	10	11	50	107	366	14	120	11	11	6	1	13	14	15	4
Croup . . .	10	15	10	2	–	30	42	106	4	18	6	4	–	2	3	9	5	4
Thrush . . .	–	–	–	–	–	2	1	2	1	1	–	–	–	–	–	–	–	–
Diarrhœa . . .	5	32	11	16	3	51	48	235	7	98	11	6	–	2	6	14	3	5
Dysentery . . .	–	7	3	3	1	11	10	23	2	11	1	–	–	–	3	8	7	–
Cholera . . .	–	3	4	9	1	21	16	64	5	170	15	1	–	1	2	–	1	–
Influenza . . .	1	3	1	7	2	2	7	13	1	8	–	–	–	–	1	–	1	2
Purpura . . .	–	1	–	–	–	1	–	2	–	4	–	–	–	–	1	1	–	–
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	1	–	–	–	–	–	2	–	1	–	1	–	–	–	1	–	–
Typhus . . .	5	30	13	9	5	110	83	390	12	103	7	7	1	1	4	7	2	5
Enteric Fever . .	3	10	14	7	1	33	73	153	17	81	19	32	6	7	11	20	2	3
Relapsing Fever .	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever .	–	–	4	1	–	2	7	16	5	2	–	1	–	–	2	3	2	2
Infantile Remittent .	1	2	1	1	–	3	5	18	1	8	1	–	–	–	1	4	1	3
Metria . . .	–	6	1	2	3	16	13	49	5	18	1	2	1	1	2	3	3	–
Rheumatic Fever .	–	1	1	2	–	2	3	9	–	6	1	–	–	–	2	–	–	–
Erysipelas . . .	–	–	1	2	1	11	14	45	5	10	–	1	–	–	1	1	2	–
Pyæmia . . .	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–
Syphilis . . .	–	4	1	–	–	3	5	31	1	16	1	–	–	1	1	–	–	–
Noma . . .	–	–	1	–	–	–	–	3	1	3	–	–	–	–	–	1	2	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	2	2	–	–	1	4	7	–	3	–	–	–	–	2	–	–	–
Dropsy . . .	6	20	6	12	1	44	24	112	3	32	3	6	2	–	3	9	6	6
Abscess . . .	–	2	1	2	–	5	4	14	1	9	–	–	–	–	–	1	–	–
Ulcer . . .	–	–	–	2	–	1	1	–	–	2	–	1	1	–	–	1	–	–
Fistula . . .	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Mortification . .	–	2	–	–	1	3	1	18	4	12	–	1	1	–	2	2	2	1
Cancer . . .	5	22	15	20	11	37	63	175	10	130	15	19	1	6	18	24	12	14
Gout	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
Scrofula . . .	1	8	4	9	2	20	24	80	7	40	3	1	–	2	1	3	2	7
Tabes Mesenterica .	1	6	7	5	2	32	36	137	15	58	5	1	1	1	15	13	6	2
Phthisis . . .	34	91	94	75	25	343	292	1339	36	366	36	23	12	11	57	111	62	52
Hydrocephalus . .	4	25	16	4	4	67	51	265	19	98	6	4	3	1	11	9	9	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	177	–	–	3	2	8	4	–	3	4	12	1	10	4	9	–
	Apoplexy	568	–	3	8	–	2	9	5	9	11	50	4	41	21	24	1
	Paralysis	842	2	7	9	6	19	24	2	11	8	42	15	58	40	50	–
	Delirium Tremens	11	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–
	Chorea	8	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
	Epilepsy	120	1	–	3	–	1	1	–	–	2	10	1	8	6	10	–
	Tetanus	18	–	–	–	–	4	–	–	–	–	2	1	1	–	–	1
	Insanity	21	–	–	–	–	1	3	–	–	–	1	–	1	–	–	–
	Convulsions	414	–	1	2	2	3	5	–	4	5	33	–	45	8	5	1
	Brain Disease	416	1	1	–	–	2	7	1	4	9	27	3	28	20	14	3
V.	Pericarditis	20	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
	Aneurism	23	–	–	–	–	1	1	–	1	–	1	2	1	–	–	–
	Heart Disease	1526	4	6	19	3	11	21	2	16	25	114	13	155	69	70	4
VI.	Laryngitis	43	–	1	–	–	–	1	–	–	–	4	–	5	–	1	–
	Bronchitis	3314	34	10	19	3	32	23	7	20	28	209	13	250	94	128	5
	Pleurisy	116	–	–	1	1	1	12	–	3	4	9	1	3	5	8	–
	Pneumonia	915	4	1	7	2	7	11	2	4	19	59	5	60	24	31	3
	Asthma	231	2	3	9	5	20	15	1	3	2	10	1	20	11	4	–
	Lung Disease	161	–	5	4	–	2	9	–	–	1	11	1	15	3	7	–
VII.	Teething	458	6	–	1	1	3	2	–	10	8	35	2	55	12	13	2
	Quinsey	22	2	–	2	–	–	1	–	1	1	1	–	–	1	1	–
	Gastritis	90	–	–	–	–	–	–	1	3	–	9	3	2	3	2	2
	Enteritis	407	1	2	1	–	3	4	–	7	6	16	2	18	17	14	–
	Peritonitis	159	1	–	1	–	–	4	–	1	3	11	1	10	9	7	–
	Ascites	37	1	3	1	–	–	1	–	–	–	2	–	5	2	2	–
	Ulceration of Intestines	92	2	–	3	1	–	–	–	2	6	12	2	5	4	4	–
	Hernia	58	1	–	–	–	–	–	–	–	2	10	–	7	2	1	–
	Ileus	132	3	1	2	–	1	1	1	5	6	12	2	9	6	7	–
	Intussusception	11	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–
	Stricture of Intestines	15	–	–	1	–	–	–	–	–	–	2	–	–	–	1	–
	Stomach Disease	359	3	6	5	5	3	9	–	4	7	19	3	29	17	17	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	76	3	–	5	–	2	–	–	–	–	–	1	2	2	6	–
	Jaundice	87	2	–	–	1	–	–	–	3	2	8	2	5	4	4	–
	Liver Disease	339	–	–	2	1	2	3	–	4	6	18	3	28	14	11	1
	Spleen Disease	18	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
VIII.	Nephritis	27	–	–	–	–	–	–	–	1	–	3	–	4	–	–	–
	Nephria	116	–	–	2	–	3	3	–	2	2	8	–	11	6	2	–
	Addison's Disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Ischuria	13	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–
	Diabetes	25	–	–	1	–	1	–	–	2	–	4	1	–	–	2	–
	Stone	4	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	Cystitis	23	–	–	–	–	–	–	–	1	1	2	–	3	–	3	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	128	–	–	1	–	–	5	–	3	7	19	–	9	5	3	1
IX.	Paramenia	25	1	–	–	–	1	–	–	1	–	1	–	4	1	1	–
	Ovarian Dropsy	77	–	–	1	–	–	–	–	–	–	3	2	6	7	6	1
	Childbirth	356	9	1	3	3	13	16	1	6	1	20	5	20	12	17	–
	Organs of Generation	87	–	–	–	–	3	2	–	2	2	11	1	6	3	3	–
X.	Arthritis	26	–	1	–	–	1	1	–	–	–	4	1	–	1	1	–
	Rheumatism	96	1	1	3	1	5	5	1	–	2	8	3	3	4	8	–
	Joint and Bone Disease	53	1	–	1	–	–	1	–	1	–	4	1	3	1	1	–
XI.	Carbuncle	9	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	Phlegmon	5	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Skin Disease	17	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–
XVII.	Intemperance	33	–	–	–	–	–	1	–	–	–	1	–	2	1	–	–
	Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	46	–	–	–	–	–	–	–	1	–	4	–	2	–	2	–
	Neglect	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	Cold	11	1	–	–	–	–	1	–	1	–	1	–	–	1	1	–
	Poison	20	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–
	Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Burns and Scalds	160	3	–	1	1	1	5	1	1	1	11	3	6	4	9	1
	Hanging, etc.	19	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
	Suffocation	47	–	–	1	–	–	1	–	2	–	7	–	7	1	3	–
	Drowning	68	–	–	3	–	3	1	–	1	–	3	–	4	1	3	–
	Fracture and Contusion	161	–	–	2	–	–	3	1	2	2	12	–	10	6	6	–
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Cuts and Stabs	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	35	–	–	1	–	–	1	1	2	1	3	–	3	4	1	–
	Not Specified	1513	68	27	30	26	114	91	6	42	22	102	9	97	59	81	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	2	6	1	3	9	10	50	4	18	2	2	–	–	3	1	3	2
Apoplexy	–	14	8	14	7	51	38	121	4	61	12	10	4	1	4	15	10	6
Paralysis	5	34	17	15	11	49	54	160	8	98	15	14	3	4	14	30	9	9
Delirium Tremens	–	–	–	–	–	–	–	5	–	–	1	–	–	–	–	1	–	–
Chorea	–	1	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Epilepsy	2	4	–	8	–	8	4	23	2	17	2	2	–	–	1	3	1	–
Tetanus	–	–	–	2	–	1	3	1	–	1	–	–	–	–	–	1	–	–
Insanity	–	–	–	1	–	4	–	3	–	3	1	–	–	–	–	3	–	–
Convulsions	–	6	9	10	1	29	26	152	6	36	1	6	2	1	2	6	4	3
Brain Disease	3	10	8	4	1	31	18	127	2	55	4	6	2	–	8	7	6	4
Pericarditis	–	–	1	1	–	4	–	8	–	1	–	–	1	1	–	–	–	–
Aneurism	–	–	–	–	–	3	1	4	–	6	–	–	–	–	1	1	–	–
Heart Disease	8	43	36	26	12	89	109	311	16	183	23	16	9	9	35	36	20	13
Laryngitis	–	–	1	2	–	3	3	7	–	10	–	2	–	–	3	–	–	–
Bronchitis	15	52	49	56	12	211	140	1195	63	427	19	17	7	13	34	70	50	40
Pleurisy	–	–	1	–	2	4	11	13	2	18	1	2	–	2	5	5	2	–
Pneumonia	4	16	8	10	3	53	35	356	11	89	14	7	2	2	11	29	20	6
Asthma	1	2	4	8	–	9	7	57	1	23	–	1	–	–	4	4	4	–
Lung Disease	–	9	1	–	1	17	5	43	–	21	–	–	1	–	2	3	–	–
Teething	1	14	6	5	1	60	18	158	9	25	3	–	3	1	1	2	–	1
Quinsey	–	1	–	–	–	2	1	3	–	2	1	1	–	–	–	1	–	–
Gastritis	–	–	2	2	1	4	9	28	1	10	1	1	–	–	–	4	1	1
Enteritis	–	9	11	4	1	41	29	132	7	35	2	3	–	3	10	13	13	3
Peritonitis	–	5	2	–	1	15	9	43	3	26	–	1	–	1	1	1	2	1
Ascites	–	1	1	2	–	2	3	3	1	3	–	1	–	1	–	2	–	–
Ulceration of Intestines	1	1	4	1	–	2	3	10	1	13	1	2	2	2	4	1	–	3
Hernia	–	1	–	2	1	–	4	14	–	8	–	–	–	1	2	1	1	1
Ileus	1	3	1	6	–	2	2	26	5	11	5	2	–	1	5	2	2	2
Intussusception	–	–	1	1	–	–	1	2	–	1	–	–	–	–	–	–	–	1
Stricture of Intestines	–	1	–	–	–	–	1	5	–	2	–	–	–	–	–	1	–	1
Stomach Disease	1	12	8	7	3	19	23	65	3	44	3	4	4	6	7	13	3	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	1	2	1	9	4	19	–	5	1	–	–	–	–	6	3	1
Jaundice	1	4	2	2	–	5	4	14	2	12	3	1	–	–	2	1	3	–
Liver Disease	4	15	4	5	1	31	14	86	2	43	5	1	1	–	9	12	4	9
Spleen Disease	–	–	1	1	–	3	2	5	–	1	–	–	–	2	–	–	1	–
Nephritis	1	2	1	1	–	1	–	8	–	3	–	–	–	–	–	1	–	1
Nephria	2	3	1	4	–	1	7	21	6	23	2	–	–	2	–	4	–	1
Addison's Disease	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	2	1	–	3	–	–	–	–	–	1	–	–
Diabetes	–	1	–	1	–	–	–	6	–	2	–	–	–	1	1	1	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	1	–	1	1	–	–	1	4	–	3	–	1	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	4	1	–	–	3	6	35	2	19	1	1	–	–	–	2	–	–
Paramenia	–	–	1	–	–	2	2	2	–	–	–	1	–	–	1	3	3	–
Ovarian Dropsy	1	1	1	2	–	5	4	16	–	11	–	–	1	–	2	2	3	2
Childbirth	1	9	4	12	3	29	22	87	5	29	3	7	2	1	5	6	3	1
Organs of Generation	–	2	3	2	2	6	4	22	2	5	3	1	1	–	–	–	1	–
Arthritis	–	–	–	–	–	1	1	4	–	6	1	–	–	–	1	2	–	–
Rheumatism	1	–	1	3	1	3	7	19	1	8	1	–	–	–	2	1	2	1
Joint Disease	–	4	1	–	–	4	3	16	–	5	1	1	–	2	–	1	1	–
Carbuncle	–	–	–	–	1	–	–	4	–	2	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	8	–	2	–	1	–	–	–	1	–	–
Intemperance	–	–	–	–	–	1	5	15	–	7	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	2	1	2	–	1	3	19	–	7	–	–	–	–	–	1	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	1	–	–
Poison	–	2	–	2	–	2	2	4	–	3	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	4	4	5	1	7	12	47	–	20	–	2	1	–	–	6	2	1
Hanging, etc.	–	–	–	1	–	–	1	9	–	3	–	–	–	–	–	–	1	–
Suffocation	–	–	1	–	1	2	–	13	–	5	–	–	–	1	2	–	–	–
Drowning	–	1	3	3	1	7	7	14	–	5	–	–	–	–	2	3	2	1
Fracture and Contusion	1	4	1	3	1	8	9	52	1	30	3	2	–	–	–	1	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	2	2	4	1	2	1	–	–	–	–	–	–	–
Other Violent Causes	–	2	2	3	–	1	1	3	–	4	–	1	–	–	–	1	–	–
Not Specified	13	71	33	76	6	102	64	195	18	57	10	11	2	–	11	48	14	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	12829	914	828	4813	3130	2324	1345	1488	924	613
SPECIFIED CAUSES	12628	893	813	4783	3006	2311	1302	1443	911	601
I. Zymotic Class . . .	2854	202	170	1012	771	610	320	310	232	113
II. Diseases of Uncertain Seat	349	26	17	200	119	69	44	34	27	18
III. Tubercular Class . .	2452	176	178	879	544	376	224	293	113	103
IV. Brain and Nervous System	956	57	96	425	218	234	106	135	68	51
V. Organs of Circulation .	458	30	19	294	140	106	50	74	43	44
VI. Respiratory Organs .	2630	173	147	754	455	342	166	210	163	68
VII. Organs of Digestion .	863	36	50	303	190	168	117	115	71	34
VIII. Urinary Organs . .	162	6	12	110	39	48	9	13	8	15
IX. Organs of Generation .	88	3	6	31	22	14	11	19	4	9
X. Organs of Locomotion .	61	4	5	37	6	19	12	4	4	4
XI. Skin, etc.	12	2	1	4	3	1	1	4	–	–
XII. Malformation . . .	24	2	3	27	3	3	2	3	2	3
XIII. Premature Debility . .	722	62	38	237	212	94	82	83	75	48
XIV. Atrophy	105	10	9	40	29	14	19	15	11	8
XV. Age	434	83	35	236	160	145	107	68	44	55
XVI. Sudden Deaths . .	37	2	–	10	8	2	2	4	2	4
XVII. Violent Deaths . .	421	19	27	184	87	66	30	59	44	24
I. Small Pox . . .	104	5	1	9	23	10	1	–	–	1
Measles	333	23	26	40	7	70	31	40	5	1
Scarlatina . . .	422	45	26	45	100	143	59	44	8	5
Diphtheria . . .	83	7	8	49	18	17	5	10	4	3
Hooping Cough . .	432	20	25	189	59	68	22	35	20	14
Croup	127	5	13	19	54	10	17	23	5	7
Thrush	2	–	–	1	7	1	1	1	1	–
Diarrhœa	291	24	25	114	82	53	27	38	21	14
Dysentery . . .	29	2	1	14	15	9	4	7	6	2
Cholera	68	3	7	148	112	66	7	14	98	17
Influenza	20	–	2	7	10	7	–	1	1	1
Purpura	5	–	1	5	1	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	4	–	1	1	–	–	–	1	–	–
Typhus	596	39	6	190	183	59	116	69	30	24
Enteric Fever . . .	154	9	15	84	41	45	14	8	20	7
Relasing Fever . .	3	1	–	1	2	5	1	–	–	–
Simple Continued Fever .	8	–	2	3	19	14	1	3	–	2
Infantile Remittent . .	27	1	1	7	8	5	4	3	5	1
Metria	36	2	–	14	8	5	1	4	1	1
Rheumatic Fever . .	9	3	2	7	1	2	–	1	1	2
Erysipelas . . .	62	4	6	24	9	11	9	6	3	5
Pyæmia	3	–	–	6	1	–	–	–	2	1
Syphilis	33	8	2	30	10	9	–	2	–	5
Noma	3	1	–	5	1	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	9	–	–	4	3	2	–	1	1	–
Dropsy	123	8	4	23	53	13	27	13	13	3
Abscess	22	2	3	14	8	4	3	2	–	1
Ulcer	3	–	–	4	1	1	1	2	1	1
Fistula	1	–	–	3	–	1	–	–	–	–
Mortification . . .	21	1	1	14	6	9	2	5	2	3
Cancer	170	15	9	136	47	39	11	11	9	10
Gout	–	–	–	2	1	–	–	–	1	–
III. Scrofula	106	13	5	51	11	20	16	13	7	5
Tabes Mesenterica . .	195	16	13	57	23	31	11	17	15	4
Phthisis	1720	115	115	603	393	261	155	216	56	77
Hydrocephalus . . .	431	32	45	168	117	64	42	47	35	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	412	434	247	359	283	311	315	404	714	317	400	425	543
SPECIFIED CAUSES .	410	432	239	353	265	303	312	396	709	294	381	420	528
Zymotic Class . .	72	91	27	69	47	102	55	77	279	87	149	131	84
Uncertain Seat . .	9	27	11	15	9	8	11	13	18	11	13	12	20
Tubercular Class . .	54	71	54	80	46	34	60	80	128	64	59	62	88
Brain, etc. . . .	40	44	18	34	25	24	30	25	50	22	19	29	45
Heart, etc. . . .	19	31	28	25	16	11	31	21	25	8	9	11	36
Respiratory Organs .	55	58	37	37	51	44	30	63	77	34	42	82	122
Digestive Organs . .	44	23	20	30	17	7	27	23	38	17	32	30	27
Urinary Organs . .	7	5	5	7	4	1	4	6	11	3	2	1	11
Generative Organs .	3	3	–	2	1	2	4	3	4	2	2	–	3
Locomotive Organs .	5	3	–	–	2	4	3	1	1	1	1	–	3
Skin	–	–	–	–	–	–	1	2	–	1	–	2	–
Malformation . .	–	–	4	–	1	1	1	1	–	1	2	–	–
Premature Debility .	26	36	6	14	7	17	23	22	38	10	10	20	23
Atrophy . . .	4	2	–	–	3	4	2	2	3	2	5	3	7
Age	62	21	23	28	30	32	24	41	26	20	25	12	45
Sudden Deaths . .	–	3	1	3	1	2	–	–	–	–	2	3	1
Violent Deaths . .	10	14	5	9	5	10	6	16	11	11	9	22	13
Small Pox . . .	–	–	1	–	–	–	–	–	1	1	–	–	1
Measles	–	–	–	–	1	–	8	–	14	1	20	8	16
Scarlatina . . .	17	1	–	3	1	64	1	3	123	26	46	18	10
Diphtheria . . .	–	5	1	–	4	6	2	–	2	5	2	2	1
Hooping Cough . .	4	16	2	1	8	1	2	26	20	5	23	41	22
Croup	12	6	3	4	11	6	4	5	13	10	9	6	8
Thrush	1	–	–	–	3	–	–	–	–	–	–	–	–
Diarrhœa . . .	18	10	5	13	3	5	20	8	18	13	9	17	10
Dysentery . . .	–	6	2	1	–	3	–	1	4	3	–	1	3
Cholera	–	–	2	27	1	3	–	1	5	2	–	2	–
Influenza . . .	–	–	1	–	–	–	2	–	–	–	–	1	–
Purpura . . .	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	1	–	–
Typhus	1	7	6	7	3	3	7	21	48	14	27	11	1
Enteric Fever . .	12	13	1	8	5	2	3	8	12	5	8	9	3
Relapsing Fever . .	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever .	4	13	1	–	–	–	–	1	6	–	–	9	–
Infantile Remittent .	–	–	–	–	1	6	2	–	2	–	–	3	3
Metria	–	2	–	–	–	2	2	–	2	–	1	1	2
Rheumatic Fever . .	–	3	–	1	–	–	1	–	–	–	–	–	–
Erysipelas . . .	–	5	2	3	4	–	–	–	7	2	2	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	4	–	1	–	1	1	3	2	–	–	2	–
Noma	1	–	–	–	–	–	–	–	–	–	1	–	3
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . . .	2	1	–	2	–	–	–	–	1	–	–	–	–
Dropsy	2	5	2	4	5	4	4	3	3	1	7	3	4
Abscess	–	1	2	–	–	1	1	1	1	1	1	–	2
Ulcer	–	1	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	2	2	1	1	–	–	–	–	1	3	–	1	1
Cancer	3	17	6	8	4	2	6	9	12	6	5	8	11
Gout	–	–	–	–	–	1	–	–	–	–	–	–	1
Scrofula . . .	–	–	7	–	1	–	1	6	8	3	4	–	1
Tabes Mesenterica .	3	2	3	5	2	1	2	3	5	6	13	11	4
Phthisis	46	60	36	62	30	31	49	60	87	37	30	37	75
Hydrocephalus . .	5	9	8	13	13	2	8	11	28	18	12	14	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	76	9	8	29	11	12	5	9	4	1
Apoplexy	177	14	22	97	47	40	33	21	12	12
Paralysis	202	17	13	121	47	62	32	30	25	18
Delirium Tremens	15	–	1	6	6	5	–	1	1	2
Chorea	1	–	–	3	–	–	1	–	–	–
Epilepsy	25	4	5	22	6	18	4	6	4	2
Tetanus	2	–	–	3	–	2	–	–	1	–
Insanity	3	1	3	3	–	2	4	1	–	–
Convulsions	257	5	21	49	84	63	14	26	16	6
Brain Disease	198	7	23	92	17	30	13	41	5	10
V. Pericarditis	9	–	–	1	1	–	5	5	2	1
Aneurism	6	4	1	13	1	4	2	2	2	4
Heart Disease	443	26	18	280	138	102	43	67	39	39
VI. Laryngitis	15	3	–	13	2	6	1	2	3	–
Bronchitis	1839	95	91	512	311	211	114	154	117	49
Pleurisy	17	–	2	25	4	12	3	3	8	2
Pneumonia	602	51	42	136	86	82	35	30	25	15
Asthma	81	16	9	33	24	15	9	7	5	–
Lung Disease	76	8	3	35	28	16	4	14	5	2
VII. Teething	263	11	10	28	78	71	28	61	18	10
Quinsey	4	–	–	1	–	2	–	3	–	–
Gastritis	35	1	–	7	4	1	–	4	3	–
Enteritis	144	10	17	47	23	11	40	9	7	5
Peritonitis	40	–	4	25	6	6	7	8	6	3
Ascites	8	1	–	4	4	1	–	–	1	1
Ulceration of Intestines	11	–	1	13	–	9	–	1	5	1
Hernia	17	–	1	14	3	3	2	1	1	1
Ileus	37	–	1	13	11	10	–	6	3	5
Intussusception	3	–	–	3	2	1	–	1	–	–
Stricture of Intestines	5	–	–	11	1	2	–	–	1	–
Stomach Disease	126	4	3	47	22	18	9	7	15	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	27	1	2	7	6	2	8	2	1	–
Jaundice	15	3	2	14	9	7	3	–	1	2
Liver Disease	125	5	8	67	21	22	20	11	9	3
Spleen Disease	3	–	1	2	–	2	–	1	–	–
VIII. Nephritis	22	–	2	4	6	3	1	1	–	–
Nephria	40	1	2	35	14	10	2	3	2	5
Addison's Disease	–	–	–	1	–	–	–	1	–	–
Ischuria	2	–	–	7	1	2	–	2	–	3
Diabetes	11	–	1	4	–	1	1	1	–	1
Stone	5	–	–	4	–	3	1	–	–	–
Cystitis	13	1	3	17	9	5	1	1	–	4
Stricture of Urethra	4	–	–	5	–	–	–	–	1	–
Kidney Disease	65	4	4	33	9	24	3	4	5	2
IX. Paramenia	2	–	–	–	3	–	–	1	–	1
Ovarian Dropsy	12	–	2	8	2	2	2	1	1	2
Childbirth	59	3	4	18	12	7	8	15	3	6
Organs of Generation	15	–	–	5	5	5	1	2	–	–
X. Arthritis	11	–	1	14	–	1	–	2	1	2
Rheumatism	26	1	1	8	2	13	6	1	1	1
Joint and Bone Disease	24	3	3	15	4	5	6	1	2	1
XI. Carbuncle	4	–	–	2	1	–	1	1	–	–
Phlegmon	1	–	–	–	–	–	–	1	–	–
Skin Disease	7	2	1	2	2	1	–	2	–	–
XVII. Intemperance	24	–	–	7	2	2	1	3	1	–
Privation	2	–	–	1	–	1	–	–	–	–
Want of Breast Milk	38	1	2	12	5	10	–	2	1	–
Neglect	–	–	–	–	2	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–
Poison	12	–	–	4	–	1	1	1	2	2
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	77	–	7	22	5	6	3	6	9	3
Hanging, etc.	12	–	–	3	2	1	2	1	–	1
Suffocation	23	1	1	6	7	8	1	1	6	1
Drowning	48	3	8	6	18	8	5	14	8	5
Fracture and Contusion	166	12	7	105	34	24	13	27	15	9
Gunshot Wounds	2	–	–	5	1	–	–	–	–	–
Cuts and Stabs	2	–	1	7	–	–	1	1	–	–
Other Violent Causes	12	2	1	6	11	5	3	3	2	3
Not Specified	201	21	15	30	124	13	43	45	13	12

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	4	1	1	1	4	–	1	–	–	–	1	3
Apoplexy	4	10	3	11	6	4	1	3	15	5	3	8	10
Paralysis	18	16	4	7	10	7	12	17	16	6	6	6	15
Delirium Tremens	–	–	–	–	–	1	1	–	1	–	–	2	–
Chorea	–	1	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	4	–	2	2	1	1	1	1	2	2	–	–	3
Tetanus	–	–	–	–	–	–	–	2	–	–	–	1	1
Insanity	3	–	–	1	–	–	–	–	–	–	–	–	3
Convulsions	3	4	3	1	2	2	5	1	11	3	5	9	6
Brain Disease	7	9	5	11	4	5	10	–	5	6	5	2	4
Pericarditis	–	–	1	–	2	–	–	–	1	–	1	1	1
Aneurism	1	2	–	–	1	1	–	1	–	–	–	–	2
Heart Disease	18	29	27	25	13	10	31	20	24	8	8	10	33
Laryngitis	1	3	1	–	–	–	–	–	–	–	1	–	–
Bronchitis	19	42	25	21	38	31	20	44	62	21	28	57	78
Pleurisy	1	–	1	–	2	3	–	–	–	3	–	2	3
Pneumonia	17	10	7	14	9	9	4	12	9	9	7	17	38
Asthma	11	3	2	1	1	1	–	5	6	1	2	6	3
Lung Disease	6	–	1	1	1	–	6	2	–	–	4	–	–
Teething	7	8	3	4	3	3	3	6	3	3	5	5	2
Quinsey	1	–	–	–	–	–	1	–	–	–	–	1	–
Gastritis	2	–	–	1	2	–	–	1	–	–	4	7	–
Enteritis	10	1	–	2	3	1	3	2	17	4	10	5	3
Peritonitis	1	–	1	–	1	–	1	1	–	4	–	2	2
Ascites	–	–	1	–	–	1	–	–	–	–	1	1	–
Ulceration of Intestines	1	2	2	3	1	–	2	1	–	–	2	1	–
Hernia	1	2	2	4	1	–	–	–	–	–	2	–	–
Ileus	–	2	1	1	2	–	2	–	1	–	–	1	2
Intussusception	–	–	–	–	1	–	–	–	–	–	–	1	–
Stricture of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	1
Stomach Disease	9	2	4	8	1	2	9	4	11	2	4	1	8
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	–	–	–	1	3	2	–	3	1
Jaundice	2	1	1	1	–	–	–	1	–	–	–	–	–
Liver Disease	8	5	4	6	1	–	6	5	2	2	4	2	8
Spleen Disease	–	–	–	–	–	–	–	1	1	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	1	–	–	–	–
Nephria	3	2	1	4	–	–	3	2	2	2	–	–	4
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	1
Diabetes	–	–	–	–	1	1	–	–	1	1	–	1	2
Stone	–	–	–	–	–	–	–	1	1	–	–	–	2
Cystitis	–	1	–	1	1	–	1	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	2	3	2	1	–	–	2	6	–	2	–	1
Paramenia	–	–	–	–	–	–	–	–	1	–	–	–	–
Ovarian Dropsy	–	–	–	2	–	–	–	3	–	1	–	–	1
Childbirth	3	3	–	–	1	2	3	–	3	1	–	–	2
Organs of Generation	–	–	–	–	–	–	1	–	–	–	2	–	–
Arthritis	1	–	–	–	2	–	–	–	–	1	–	–	–
Rheumatism	3	1	–	–	–	4	1	1	1	–	–	–	1
Joint Disease	1	2	–	–	–	–	2	–	–	–	1	–	2
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	2	–	1	–	2	–
Intemperance	–	–	1	–	1	1	–	–	2	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	1	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	1	–
Poison	–	–	1	1	–	–	–	1	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	1	–	2	1	6	–	3	–	3	2
Hanging, etc.	–	–	2	1	–	–	–	–	–	–	1	–	1
Suffocation	1	–	–	3	–	–	1	–	1	–	–	1	–
Drowning	2	5	–	–	1	1	–	1	1	4	–	6	3
Fracture and Contusion	5	8	1	3	1	4	2	7	2	3	6	9	6
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	2	1	–	1	2	–	1	–	1
Not Specified	2	2	8	6	18	8	3	8	5	23	19	5	15

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6414	458	393	2422	1567	1144	654	759	481	301
SPECIFIED CAUSES . . .	6288	449	388	2409	1499	1139	627	737	474	296
I. Zymotic Class . . .	1403	105	75	522	382	300	160	160	122	53
II. Diseases of Uncertain Seat	130	10	4	64	41	25	13	18	3	8
III. Tubercular Class . .	1187	81	74	470	271	179	117	125	60	50
IV. Brain and Nervous System	495	35	53	225	126	146	47	76	37	25
V. Organs of Circulation .	240	18	10	161	71	50	28	40	28	20
VI. Respiratory Organs .	1354	92	70	362	235	160	77	115	85	38
VII. Organs of Digestion .	449	21	27	143	90	98	56	64	37	14
VIII. Urinary Organs . .	99	4	9	68	23	27	6	10	4	11
IX. Organs of Generation .	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	32	1	4	22	4	8	9	2	2	3
XI. Skin, etc.	3	–	1	–	2	1	1	4	–	–
XII. Malformation . . .	14	–	1	15	2	2	1	2	–	1
XIII. Premature Debility . .	369	34	20	127	109	52	40	45	45	26
XIV. Atrophy	51	5	3	17	16	4	11	7	2	2
XV. Age	154	27	17	87	60	44	38	15	16	24
XVI. Sudden Deaths . .	21	2	–	5	4	–	1	4	–	1
XVII. Violent Deaths . .	287	14	20	121	63	43	22	50	33	20
I. Small Pox . . .	56	1	1	6	10	5	–	–	–	–
Measles	168	10	12	23	5	39	14	21	3	1
Scarlatina	221	27	13	33	55	77	29	21	6	3
Diphtheria . . .	43	3	3	24	9	7	3	6	3	1
Hooping Cough . .	188	11	9	94	25	33	11	18	9	6
Croup	63	4	6	10	28	5	6	14	4	3
Thrush	1	–	–	1	5	–	–	–	–	–
Diarrhœa	134	13	11	54	38	24	13	18	10	7
Dysentery	19	1	1	9	10	6	1	3	4	2
Cholera	34	2	2	71	54	31	3	8	48	7
Influenza	15	–	1	3	4	2	–	–	1	–
Purpura	4	–	–	2	1	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	3	–	1	1	–	–	–	1	–	–
Typhus	312	19	3	108	87	26	65	40	17	11
Enteric Fever . . .	69	3	5	35	16	24	6	3	11	4
Relapsing Fever . .	3	1	–	1	1	2	1	–	–	–
Simple Continued Fever .	3	–	1	2	19	6	–	2	–	1
Infantile Remittent . .	16	1	1	3	3	2	4	1	2	1
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	3	3	1	5	1	1	–	–	–	1
Erysipelas . . .	30	3	4	16	5	6	4	2	2	3
Pyæmia	1	–	–	4	–	–	–	–	1	1
Syphilis	16	3	–	15	5	4	–	2	–	1
Noma	1	–	–	2	1	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	3	–	–	2	1	2	–	–	–	–
Dropsy	45	3	2	9	19	4	8	6	3	2
Abscess	15	–	1	7	4	2	–	2	–	–
Ulcer	3	–	–	3	1	1	–	2	–	1
Fistula	1	–	–	2	–	–	–	–	–	–
Mortification . . .	10	–	–	5	3	7	2	3	–	–
Cancer	53	7	1	36	13	9	3	5	–	5
Gout	–	–	–	–	–	–	–	–	–	–
III. Scrofula	55	6	2	24	10	10	9	8	2	2
Tabes Mesenterica . .	112	9	4	25	15	18	8	5	4	1
Phthisis	774	47	45	332	175	117	69	92	33	39
Hydrocephalus . . .	246	19	23	89	71	34	31	20	21	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge etc.	Dumfries.
ALL CAUSES . . .	195	183	117	171	139	151	149	176	375	169	198	231	273
SPECIFIED CAUSES .	194	183	113	168	130	145	149	174	373	152	189	227	264
Zymotic Class . .	30	42	15	36	21	49	25	33	150	38	71	55	39
Uncertain Seat . .	7	9	2	6	5	4	1	3	6	4	4	4	7
Tubercular Class . .	30	24	28	37	21	13	29	30	63	28	34	42	45
Brain, etc. . . .	16	19	9	14	12	13	13	10	25	14	10	16	21
Heart, etc. . . .	9	13	12	11	8	5	12	10	13	2	3	6	20
Respiratory Organs .	32	26	18	16	29	20	18	32	51	22	30	54	67
Digestive Organs . .	30	13	9	18	8	7	17	13	18	12	14	16	16
Urinary Organs . .	4	4	3	4	1	1	2	4	9	1	2	1	6
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	1	2	–	–	2	2	2	1	–	1	–	–	1
Skin	–	–	–	–	–	–	1	2	–	1	–	1	–
Malformation . .	–	–	1	–	–	1	1	–	–	–	2	–	–
Premature Debility .	12	15	5	8	4	9	15	11	24	6	4	11	11
Atrophy . . .	–	1	–	–	2	2	–	–	1	2	2	1	2
Age	16	3	8	9	13	11	8	15	6	11	5	3	19
Sudden Deaths . .	–	2	–	2	1	–	–	–	–	–	1	1	1
Violent Deaths . .	7	10	3	7	3	8	5	10	7	10	7	16	9
Small Pox . . .	–	–	1	–	–	–	–	–	1	1	–	–	1
Measles	–	–	–	–	–	–	7	–	7	–	16	4	8
Scarlatina . . .	6	1	–	1	1	30	1	–	67	12	24	8	8
Diphtheria . . .	–	2	–	–	3	3	1	–	2	1	2	–	–
Hooping Cough . .	3	7	–	–	4	1	1	8	7	1	11	12	9
Croup	4	3	3	2	7	4	3	2	5	7	1	4	1
Thrush	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa . . .	10	4	2	7	1	3	8	6	14	4	5	9	9
Dysentery . . .	–	2	1	1	–	1	–	–	2	1	–	–	–
Cholera	–	–	1	14	1	1	–	1	2	–	–	–	–
Influenza . . .	–	–	1	–	–	–	–	–	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	4	5	3	–	2	3	9	28	8	8	6	–
Enteric Fever . .	5	8	1	4	1	2	1	3	6	1	3	6	1
Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	2	4	–	–	–	–	–	1	3	–	–	5	–
Infantile Remittent .	–	–	–	–	–	2	–	–	1	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	4	–	2	2	–	–	–	5	2	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	2	–	1	–	–	–	3	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	1	–	1
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . . .	2	1	–	2	–	–	–	–	1	–	–	–	–
Dropsy	2	1	–	2	3	2	–	2	–	1	3	1	1
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	2
Ulcer	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	2	1	–	–	–	–	–	–	1	1	–	–	–
Cancer	1	5	1	2	2	1	1	1	4	2	1	3	3
Gout	–	–	–	–	–	1	–	–	–	–	–	–	1
Scrofula	–	–	3	–	1	–	–	2	3	1	1	–	1
Tabes Mesenterica .	3	1	3	2	1	–	–	3	2	2	11	7	1
Phthisis	24	19	19	28	11	13	24	19	42	14	15	24	38
Hydrocephalus . .	3	4	3	7	8	–	5	6	16	11	7	11	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	38	7	5	14	5	7	4	7	1	–
Apoplexy	92	10	11	55	31	22	14	14	5	7
Paralysis	84	10	7	56	21	40	13	12	14	7
Delirium Tremens	11	–	1	6	4	5	–	1	1	1
Chorea	–	–	–	2	–	–	1	–	–	–
Epilepsy	11	3	4	10	2	13	1	2	2	2
Tetanus	2	–	–	3	–	1	–	–	1	–
Insanity	2	–	2	3	–	1	2	–	–	–
Convulsions	148	2	8	29	52	38	6	15	11	3
Brain Disease	107	3	15	47	11	19	6	25	2	5
V. Pericarditis	4	–	–	–	–	–	2	4	2	1
Aneurism	4	2	1	9	1	4	–	1	2	4
Heart Disease	232	16	9	152	70	46	26	35	24	15
VI. Laryngitis	10	2	–	6	–	3	–	1	–	–
Bronchitis	914	48	46	233	151	91	46	88	55	24
Pleurisy	10	–	–	15	3	7	3	1	5	1
Pneumonia	341	25	15	76	55	44	21	19	16	11
Asthma	39	13	7	16	10	7	6	3	4	–
Lung Disease	40	4	2	16	16	8	1	3	5	2
VII. Teething	140	5	7	18	39	49	17	34	8	5
Quinsey	2	–	–	–	–	2	–	2	–	–
Gastritis	15	1	–	2	2	–	–	3	2	–
Enteritis	69	5	8	29	11	5	21	4	3	1
Peritonitis	17	–	2	5	1	3	2	4	2	2
Ascites	7	1	–	1	1	–	–	–	1	1
Ulceration of Intestines	7	–	1	5	–	3	–	1	2	–
Hernia	6	–	–	8	2	2	2	1	–	1
Ileus	19	–	1	6	6	4	–	4	1	2
Intussusception	2	–	–	2	2	1	–	1	–	–
Stricture of Intestines	–	–	–	9	1	1	–	–	1	–
Stomach Disease	75	3	1	17	6	10	4	4	10	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	1	–	4	5	2	3	1	1	–
Jaundice	9	2	2	4	6	3	1	–	–	1
Liver Disease	64	3	5	32	8	12	6	5	6	–
Spleen Disease	2	–	–	1	–	1	–	–	–	–
VIII. Nephritis	14	–	2	3	3	1	–	1	–	–
Nephria	24	1	1	18	6	4	2	2	–	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	4	1	1	–	2	–	2
Diabetes	5	–	1	2	–	1	1	1	–	1
Stone	5	–	–	4	–	2	1	–	–	–
Cystitis	11	–	3	14	7	3	1	1	–	4
Stricture of Urethra	4	–	–	5	–	–	–	–	1	–
Kidney Disease	35	3	2	18	6	15	1	3	3	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Arthritis	7	–	1	8	–	–	–	1	1	1
Rheumatism	11	–	1	3	2	5	5	–	–	1
Joint and Bone Disease	14	1	2	11	2	8	4	1	1	1
XI. Carbuncle	1	–	–	–	1	–	1	1	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–
Skin Disease	2	–	1	–	1	1	–	2	–	–
XVII. Intemperance	9	–	–	2	1	1	–	3	1	–
Privation	2	–	–	–	–	1	–	–	–	–
Want of Breast Milk	22	1	1	5	3	6	–	1	1	–
Neglect	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–
Poison	8	–	–	2	–	–	1	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	43	–	4	10	3	3	1	3	5	2
Hanging, etc.	5	–	–	1	2	–	2	1	–	1
Suffocation	13	–	1	3	2	4	–	–	4	1
Drowning	40	2	7	4	15	8	5	13	6	5
Fracture and Contusion	129	10	5	81	28	18	10	26	13	8
Gunshot Wounds	2	–	–	5	1	–	–	–	–	–
Cuts and Stabs	–	–	1	6	–	–	–	1	–	–
Other Violent Causes	11	1	1	2	8	2	3	2	2	3
Not Specified	126	9	5	13	68	5	27	22	7	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	2	1	–	1	4	–	–	–	–	–	1	1
Apoplexy	2	4	–	5	3	2	–	2	6	3	3	3	5
Paralysis	6	7	3	5	4	2	5	7	8	4	2	5	9
Delirium Tremens	–	–	–	–	–	1	1	–	1	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	2	–	1	–	1	2	–	–	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	2	1	–	1	2	2	–	6	2	2	4	3
Brain Disease	3	4	4	2	3	1	5	–	2	5	3	2	1
Pericarditis	–	–	–	–	1	–	–	–	1	–	1	–	1
Aneurism	–	2	–	–	1	1	–	1	–	–	–	–	2
Heart Disease	9	11	12	11	6	4	12	9	12	2	2	6	17
Laryngitis	1	2	–	–	–	–	–	–	–	–	1	–	–
Bronchitis	13	20	11	8	21	11	12	20	41	12	19	32	38
Pleurisy	–	–	1	–	–	1	–	–	–	1	–	2	1
Pneumonia	11	4	3	8	6	7	4	8	6	8	5	15	25
Asthma	6	–	2	–	1	1	–	3	4	1	1	5	3
Lung Disease	1	–	1	–	1	–	2	1	–	–	4	–	–
Teething	5	4	1	4	2	3	3	1	2	1	2	1	2
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	1	1	–	–	1	–	–	2	6	–
Enteritis	7	1	–	–	1	1	2	1	8	3	6	2	–
Peritonitis	–	–	–	–	–	–	–	1	–	3	–	1	2
Ascites	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	2	1	–	2	–	–	–	–	1	–
Hernia	1	1	1	2	1	–	–	–	–	–	1	–	–
Ileus	–	2	–	1	–	–	–	–	1	–	–	1	1
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	1
Stomach Disease	4	1	4	7	–	2	7	3	5	2	2	–	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	–	–	–	1	2	2	–	3	1
Jaundice	2	1	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	6	3	2	1	–	–	3	4	–	1	1	1	6
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	2	2	1	2	–	–	1	1	1	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	1	1	–	1	1
Stone	–	–	–	–	–	–	–	1	1	–	–	–	2
Cystitis	–	1	–	–	–	–	1	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	2	2	1	–	–	2	5	–	2	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	2	–	–	–	–	1	–	–	–
Rheumatism	–	–	–	–	–	2	1	1	–	–	–	–	1
Joint Disease	–	2	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	2	–	1	–	1	–
Intemperance	–	–	1	–	1	1	–	–	1	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	–	1	–	–	–	1	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	–	2	1	1	–	3	–	2	1
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	2	–	–	1	–	1	–	–	–	–
Drowning	2	4	–	–	–	1	–	1	–	4	–	3	2
Fracture and Contusion	3	5	1	3	1	3	2	6	2	2	5	9	6
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	1	–	1	1	–	1	–	–
Not Specified	1	–	4	3	9	6	–	2	2	17	9	4	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6415	456	435	2391	1563	1180	691	729	443	312
SPECIFIED CAUSES . . .	6340	444	425	2374	1507	1172	675	706	437	305
I. Zymotic Class . . .	1451	97	95	490	389	310	160	150	110	60
II. Diseases of Uncertain Seat	219	16	13	136	78	44	31	16	24	10
III. Tubercular Class . .	1265	95	104	409	273	197	107	168	53	53
IV. Brain and Nervous System	461	22	43	200	92	88	59	59	31	26
V. Organs of Circulation .	218	12	9	133	69	56	22	34	15	24
VI. Respiratory Organs . .	1276	81	77	392	220	182	89	95	78	30
VII. Organs of Digestion .	414	15	23	160	100	70	61	51	34	20
VIII. Urinary Organs . .	63	2	3	42	16	21	3	3	4	4
IX. Organs of Generation .	88	3	6	31	22	14	11	19	4	9
X. Organs of Locomotion .	29	3	1	15	2	11	3	2	2	1
XI. Skin, etc.	9	2	–	4	1	–	–	–	–	–
XII. Malformation . . .	10	2	2	12	1	1	1	1	2	2
XIII. Premature Debility . .	353	28	18	110	103	42	42	38	30	22
XIV. Atrophy	54	5	6	23	13	10	8	8	9	6
XV. Age	280	56	18	149	100	101	69	53	28	31
XVI. Sudden Deaths . .	16	–	–	5	4	2	1	–	2	3
XVII. Violent Deaths . .	134	5	7	63	24	23	8	9	11	4
I. Small Pox . . .	48	4	–	3	13	5	1	–	–	1
Measles	165	13	14	17	2	31	17	19	2	–
Scarlatina . . .	201	18	13	12	45	66	30	23	2	2
Diphtheria . . .	40	4	5	25	9	10	2	4	1	2
Hooping Cough . .	244	9	16	95	34	35	11	17	11	8
Croup	64	1	7	9	26	5	11	9	1	4
Thrush	1	–	–	–	2	1	1	1	1	–
Diarrhœa	157	11	14	60	44	29	14	20	11	7
Dysentery . . .	10	1	–	5	5	3	3	4	2	–
Cholera	34	1	5	77	58	35	4	6	50	10
Influenza	5	–	1	4	6	5	–	1	–	1
Purpura	1	–	1	3	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–
Typhus	284	20	3	82	96	33	51	29	13	13
Enteric Fever . . .	85	6	10	49	25	21	8	5	9	3
Relapsing Fever . .	–	–	–	–	1	3	–	–	–	–
Simple Continued Fever .	5	–	1	1	–	8	1	1	–	1
Infantile Remittent . .	11	–	–	4	5	3	–	2	3	–
Metria	36	2	–	14	8	5	1	4	1	1
Rheumatic Fever . .	6	–	1	2	–	1	–	1	1	1
Erysipelas . . .	32	1	2	8	4	5	5	4	1	2
Pyæmia	2	–	–	2	1	–	–	–	1	–
Syphilis	17	5	2	15	5	5	–	–	–	4
Noma	2	1	–	3	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	6	–	–	2	2	–	–	1	1	–
Dropsy	78	5	2	14	34	9	19	7	10	1
Abscess	7	2	2	7	4	2	3	–	–	1
Ulcer	–	–	–	1	–	–	1	–	1	–
Fistula	–	–	–	1	–	1	–	–	–	–
Mortification . . .	11	1	1	9	3	2	–	2	2	3
Cancer	117	8	8	100	34	30	8	6	9	5
Gout	–	–	–	2	1	–	–	–	1	–
III. Scrofula	51	7	3	27	1	10	7	5	5	3
Tabes Mesenterica . .	83	7	9	32	8	13	3	12	11	3
Phthisis	946	68	70	271	218	144	86	124	23	38
Hydrocephalus . . .	185	13	22	79	46	30	11	27	14	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	217	251	130	188	144	160	166	228	339	148	202	194	270
SPECIFIED CAUSES .	216	249	126	185	135	158	163	222	336	142	192	193	264
Zymotic Class . .	42	49	12	33	26	53	30	44	129	49	78	76	45
Uncertain Seat . .	2	18	9	9	4	4	10	10	12	7	9	8	13
Tubercular Class . .	24	47	26	43	25	21	31	50	65	36	25	20	43
Brain, etc. . . .	24	25	9	20	13	11	17	15	25	8	9	13	24
Heart, etc. . . .	10	18	16	14	8	6	19	11	12	6	6	5	16
Respiratory Organs .	23	32	19	21	22	24	12	31	26	12	12	28	55
Digestive Organs . .	14	10	11	12	9	–	10	10	20	5	18	14	11
Urinary Organs . .	3	1	2	3	3	–	2	2	2	2	–	–	5
Generative Organs .	3	3	–	2	1	2	4	3	4	2	2	–	3
Locomotive Organs .	4	1	–	–	–	2	1	–	1	–	1	–	2
Skin	–	–	–	–	–	–	–	–	–	–	–	1	–
Malformation . .	–	–	3	–	1	–	–	1	–	1	–	–	–
Premature Debility .	14	21	1	6	3	8	8	11	14	4	6	9	12
Atrophy . . .	4	1	–	–	1	2	2	2	2	–	3	2	5
Age	46	18	15	19	17	21	16	26	20	9	20	9	26
Sudden Deaths . .	–	1	1	1	–	2	–	–	–	–	1	2	–
Violent Deaths . .	3	4	2	2	2	2	1	6	4	1	2	6	4
Small Pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles . . .	–	–	–	–	1	–	1	–	7	1	4	4	8
Scarlatina . . .	11	–	–	2	–	34	–	3	56	14	22	10	2
Diphtheria . . .	–	3	1	–	1	3	1	–	–	4	–	2	1
Hooping Cough . .	1	9	2	1	4	–	1	18	13	4	12	29	13
Croup	8	3	–	2	4	2	1	3	8	3	8	2	7
Thrush	1	–	–	–	2	–	–	–	–	–	–	–	–
Diarrhœa . . .	8	6	3	6	2	2	12	2	4	9	4	8	1
Dysentery . . .	–	4	1	–	–	2	–	1	2	2	–	1	3
Cholera . . .	–	–	1	13	–	2	–	–	3	2	–	2	–
Influenza . . .	–	–	–	–	–	–	2	–	–	–	–	1	–
Purpura . . .	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	1	–	–
Typhus . . .	1	3	1	4	3	1	4	12	20	6	19	5	1
Enteric Fever . .	7	5	–	4	4	–	2	5	6	4	5	3	2
Relapsing Fever . .	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever .	2	9	1	–	–	–	–	–	3	–	–	4	–
Infantile Remittent .	–	–	–	–	1	4	2	–	1	–	–	3	2
Metria	–	2	–	–	–	2	2	–	2	–	1	1	2
Rheumatic Fever . .	–	2	–	–	–	–	1	–	–	–	–	–	–
Erysipelas . . .	–	1	2	1	2	–	–	–	2	–	2	–	1
Pyæmia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis . . .	1	2	–	–	–	1	1	–	2	–	–	1	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	2
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	4	2	2	2	2	4	1	3	–	4	2	3
Abscess . . .	–	1	1	–	–	1	1	1	1	1	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	1	1	1	–	–	–	–	–	2	–	1	1
Cancer	2	12	5	6	2	1	5	8	8	4	4	5	8
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	4	–	–	–	1	4	5	2	3	–	–
Tabes Mesenterica .	–	1	–	3	1	1	2	–	3	4	2	4	3
Phthisis . . .	22	41	17	34	19	18	25	41	45	23	15	13	37
Hydrocephalus . .	2	5	5	6	5	2	3	5	12	7	5	3	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES. (*Contd.*)

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	38	2	3	15	6	5	1	2	3	1
	Apoplexy	85	4	11	42	16	18	19	7	7	5
	Paralysis	118	7	6	65	26	22	19	18	11	11
	Delirium Tremens	4	–	–	–	2	–	–	–	–	1
	Chorea	1	–	–	1	–	–	–	–	–	–
	Epilepsy	14	1	1	12	4	5	3	4	2	–
	Tetanus	–	–	–	–	–	1	–	–	–	–
	Insanity	1	1	1	–	–	1	2	1	–	–
	Convulsions	109	3	13	20	32	25	8	11	5	3
	Brain Disease	91	4	8	45	6	11	7	16	3	5
V.	Pericarditis	5	–	–	1	1	–	3	1	–	–
	Aneurism	2	2	–	4	–	–	2	1	–	–
	Heart Disease	211	10	9	128	68	56	17	32	15	24
VI.	Laryngitis	5	1	–	7	2	3	1	1	3	–
	Bronchitis	925	47	45	279	160	120	68	66	62	25
	Pleurisy	7	–	2	10	1	5	–	2	3	1
	Pneumonia	261	26	27	60	31	38	14	11	9	4
	Asthma	42	3	2	17	14	8	3	4	1	–
	Lung Disease	36	4	1	19	12	8	3	11	–	–
VII.	Teething	123	6	3	10	39	22	11	27	10	5
	Quinsey	2	–	–	1	–	–	–	1	–	–
	Gastritis	20	–	–	5	2	1	–	1	1	–
	Enteritis	75	5	9	18	12	6	19	5	4	4
	Peritonitis	23	–	2	20	5	3	5	4	4	1
	Ascites	1	–	–	3	3	1	–	–	–	–
	Ulceration of Intestines	4	–	–	8	–	6	–	–	3	1
	Hernia	11	–	1	6	1	1	–	–	1	–
	Ileus	18	–	–	7	5	6	–	2	2	3
	Intussusception	1	–	–	1	–	–	–	–	–	–
	Stricture of Intestines	5	–	–	2	–	1	–	–	–	–
	Stomach Disease	51	1	2	30	16	8	5	3	5	2
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–
	Hepatitis	12	–	2	3	1	–	5	1	–	–
	Jaundice	6	1	–	10	3	4	2	–	1	1
	Liver Disease	61	2	3	35	13	10	14	6	3	3
	Spleen Disease	1	–	1	1	–	1	–	1	–	–
VIII.	Nephritis	8	–	–	1	3	2	1	–	–	–
	Nephria	16	–	1	17	8	6	–	1	2	2
	Addison's Disease	–	–	–	1	–	–	–	1	–	–
	Ischuria	1	–	–	3	–	1	–	–	–	1
	Diabetes	6	–	–	2	–	–	–	–	–	–
	Stone	–	–	–	–	–	1	–	–	–	–
	Cystitis	2	1	–	3	2	2	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	30	1	2	15	3	9	2	1	2	1
IX.	Paramenia	2	–	–	–	3	–	–	1	–	1
	Ovarian Dropsy	12	–	2	8	2	2	2	1	1	2
	Childbirth	59	3	4	18	12	7	8	15	3	6
	Organs of Generation	15	–	–	5	5	5	1	2	–	–
X.	Arthritis	4	–	–	6	–	1	–	1	–	1
	Rheumatism	15	1	–	5	–	8	1	1	1	–
	Joint and Bone Disease	10	2	1	4	2	2	2	–	1	–
XI.	Carbuncle	3	–	–	2	–	–	–	–	–	–
	Phlegmon	1	–	–	–	–	–	–	–	–	–
	Skin Disease	5	2	–	2	1	–	–	–	–	–
XVII.	Intemperance	15	–	–	5	1	1	1	–	–	–
	Privation	–	–	–	1	–	–	–	–	–	–
	Want of Breast Milk	16	–	1	7	2	4	–	1	–	–
	Neglect	–	–	–	–	2	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–
	Poison	4	–	–	2	–	1	–	1	1	2
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	34	–	3	12	2	3	2	3	4	1
	Hanging, etc.	7	–	–	2	–	1	–	–	–	–
	Suffocation	10	1	–	3	5	4	1	1	2	–
	Drowning	8	1	1	2	3	–	–	1	2	–
	Fracture and Contusion	37	2	2	24	6	6	3	1	2	1
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	2	–	–	1	–	–	1	–	–	–
	Other Violent Causes	1	1	–	4	3	3	–	1	–	–
	Not Specified	75	12	10	17	56	8	16	23	6	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	2	–	1	–	–	–	1	–	–	–	–	2
Apoplexy	2	6	3	6	3	2	1	1	9	2	–	5	5
Paralysis	12	9	1	2	6	5	7	10	8	2	4	1	6
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	1	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	–	1	–	1	–	–	2	–	–	1
Tetanus	–	–	–	–	–	–	–	2	–	–	–	1	1
Insanity	3	–	–	1	–	–	–	–	–	–	–	–	3
Convulsions	2	2	2	1	1	–	3	1	5	1	3	5	3
Brain Disease	4	5	1	9	1	4	5	–	3	1	2	–	3
Pericarditis	–	–	1	–	1	–	–	–	–	–	–	1	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	18	15	14	7	6	19	11	12	6	6	4	16
Laryngitis	–	1	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	22	14	13	17	20	8	24	21	9	9	25	40
Pleurisy	1	–	–	–	2	2	–	–	–	2	–	–	2
Pneumonia	6	6	4	6	3	2	–	4	3	1	2	2	13
Asthma	5	3	–	1	–	–	–	2	2	–	1	1	–
Lung Disease	5	–	–	1	–	–	4	1	–	–	–	–	–
Teething	2	4	2	–	1	–	–	5	1	2	3	4	–
Quinsey	1	–	–	–	–	–	1	–	–	–	–	1	–
Gastritis	–	–	–	–	1	–	–	–	–	–	2	1	–
Enteritis	3	–	–	2	2	–	1	1	9	1	4	3	3
Peritonitis	1	–	1	–	1	–	1	–	–	1	–	1	–
Ascites	–	–	1	–	–	–	–	–	–	–	1	1	–
Ulceration of Intestines	–	2	2	1	–	–	–	1	–	–	2	–	–
Hernia	–	1	1	2	–	–	–	–	–	–	1	–	–
Ileus	–	–	1	–	2	–	2	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	1	1	–	2	1	6	–	2	1	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	1	–	–	–	–
Jaundice	–	–	1	1	–	–	–	1	–	–	–	–	–
Liver Disease	2	2	2	5	1	–	3	1	2	1	3	1	2
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	2	–	–	2	1	1	2	–	–	3
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	1
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	1	–	–	–	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	1	–	–	–	–
Ovarian Dropsy	–	–	–	2	–	–	–	3	–	1	–	–	1
Childbirth	3	3	–	–	1	2	3	–	3	1	–	–	2
Organs of Generation	–	–	–	–	–	–	1	–	–	–	2	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	1	–	–	–	2	–	–	1	–	–	–	–
Joint Disease	1	–	–	–	–	–	1	–	–	–	1	–	2
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	1	–
Intemperance	–	–	–	–	–	–	–	–	1	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	1	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	1	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	–	–	5	–	–	–	1	1
Hanging, etc.	–	–	1	–	–	–	–	–	–	–	1	–	1
Suffocation	–	–	–	1	–	–	–	–	–	–	–	1	–
Drowning	–	1	–	–	1	–	–	–	1	–	–	3	1
Fracture and Contusion	2	3	–	–	–	1	–	1	–	1	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	1	–	–	–	1
Not Specified	1	2	4	3	9	2	3	6	3	6	10	1	6

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	71348	6874	2422	4619	5964	2868	1858	1337	3437	1748	2373	2720	2641
Specified Causes	68196	5931	2155	4380	5720	2768	1783	1270	3295	1678	2288	2636	2550
I. Zymotic Class	15564	637	489	1382	2287	1408	1038	767	1766	568	523	516	465
II. Diseases of Uncertain Seat	2450	41	13	15	29	25	27	13	57	29	38	48	59
III. Tubercular Class	11653	167	277	688	997	469	272	201	681	531	1104	1332	1153
IV. Brain and Nervous System	5474	456	144	254	224	135	75	70	206	125	108	104	136
V. Organs of Circulation	3218	25	8	7	9	12	5	6	28	55	62	82	121
VI. Respiratory Organs	10036	745	636	1201	1201	451	235	131	254	93	111	160	185
VII. Organs of Digestion	4952	505	254	588	668	127	53	28	77	76	108	93	118
VIII. Urinary Organs	1016	4	3	4	12	10	10	11	43	33	31	48	43
IX. Organs of Generation	546	–	–	–	–	–	–	1	–	–	28	56	102
X. Organs of Locomotion	387	1	2	2	6	5	3	1	40	36	36	26	21
XI. Skin, etc.	75	7	7	7	7	3	–	1	3	–	2	2	2
XII. Malformation	168	124	15	15	8	–	1	2	–	2	–	–	–
XIII. Premature Debility	3475	3057	244	174	–	–	–	–	–	–	–	–	–
XIV. Atrophy	526	–	–	–	178	44	19	10	19	13	11	9	5
XV. Age	6255	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	156	17	8	3	–	2	1	–	2	2	2	2	10
XVII. Violent Deaths	2245	145	55	40	94	77	44	28	119	115	124	158	130
I. Small Pox	200	17	26	21	18	17	12	17	21	3	7	14	9
Measles	1038	13	23	207	403	160	97	51	63	6	3	3	1
Scarlatina	2706	15	23	149	389	437	388	325	722	133	49	34	17
Diphtheria	685	18	10	46	118	96	78	65	152	42	19	7	4
Hooping Cough	1860	118	121	471	582	245	141	74	103	3	1	–	1
Croup	903	37	20	108	289	195	93	67	87	6	–	–	1
Thrush	39	24	4	4	2	3	1	1	–	–	–	–	–
Diarrhœa	1504	203	149	220	251	44	22	17	35	7	13	19	14
Dysentery	294	6	19	20	15	10	2	3	3	–	2	3	8
Cholera	1270	8	13	27	59	48	51	39	127	51	31	52	70
Influenza	200	13	3	5	7	3	3	6	4	–	2	4	2
Purpura	41	3	–	1	3	2	1	–	3	1	6	3	4
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	26	–	–	–	1	3	8	4	10	–	–	–	–
Typhus	2172	13	4	18	33	34	35	29	144	123	172	186	154
Enteric Fever	1404	6	7	25	51	58	67	46	188	139	151	110	85
Relapsing Fever	34	–	–	–	–	2	–	1	9	3	3	3	2
Simple Continued Fever	249	2	1	5	14	12	13	2	40	21	26	16	10
Infantile Remittent	159	11	7	17	30	29	13	15	36	1	–	–	–
Metria	181	–	–	–	–	–	–	–	–	–	11	40	56
Rheumatic Fever	103	–	–	–	–	–	1	2	9	21	12	10	7
Erysipelas	295	80	19	14	7	5	2	2	8	7	10	7	11
Pyæmia	20	1	–	1	–	–	1	–	1	1	3	2	1
Syphilis	156	49	40	22	12	4	–	–	–	–	–	2	7
Noma	24	–	–	1	3	1	9	1	1	–	2	1	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	63	12	1	1	–	–	–	–	1	1	5	7	5
Dropsy	721	7	6	3	18	13	16	9	40	19	9	17	15
Abscess	134	11	2	8	4	6	6	2	5	4	10	3	5
Ulcer	38	2	3	–	1	–	–	–	–	1	–	–	4
Fistula	15	–	–	–	–	–	–	–	–	–	–	1	1
Mortification	144	8	–	1	4	3	1	–	3	–	4	3	6
Cancer	1327	1	1	2	2	3	4	2	8	4	10	17	23
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	617	14	21	39	61	27	19	16	84	50	74	50	42
Tabes Mesenterica	859	69	50	108	256	119	42	32	80	37	23	10	4
Phthisis	8283	23	52	94	194	118	75	66	263	400	999	1267	1104
Hydrocephalus	1894	61	154	447	486	205	136	87	254	44	8	5	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	2397	2403	2428	2401	2529	2574	2994	3259	3395	3260	2567	1474	525	175	32	74
Specified Causes	2326	2323	2346	2304	2439	2461	2855	3224	3393	3260	2567	1474	525	175	32	38
Zymotic Class	442	427	457	370	352	346	327	311	274	207	121	58	16	4	–	6
Uncertain Seat	57	95	155	193	246	229	274	234	233	186	109	35	8	1	–	1
Tubercular Class	920	725	584	431	385	293	223	120	57	30	8	–	1	–	–	4
Brain, etc.	123	163	174	231	273	258	405	486	497	438	237	115	24	9	–	4
Heart, etc.	142	190	171	213	244	285	381	386	344	250	141	44	6	1	–	–
Respiratory Organs	189	235	295	366	439	488	568	595	561	445	264	148	29	6	1	4
Digestive Organs	122	158	185	206	229	267	269	308	226	179	78	23	6	–	–	1
Urinary Organs	55	62	49	58	63	50	69	97	94	95	48	20	1	3	–	–
Generative Organs	92	98	67	33	15	16	14	12	4	5	1	–	1	–	–	1
Locomotive Organs	15	13	16	19	18	29	23	23	24	18	8	2	–	–	–	–
Skin	–	1	4	1	4	3	4	6	3	5	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	12	17	30	30	51	78	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	191	553	1025	1354	1511	1013	424	151	31	2
Sudden Deaths	5	12	13	8	8	14	18	17	6	3	3	–	–	–	–	–
Violent Deaths	152	127	146	145	111	105	89	76	45	45	36	16	8	–	–	15
Small Pox	8	3	3	1	1	–	2	–	–	–	–	–	–	–	–	–
Measles	3	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	8	5	5	1	2	1	1	1	1	–	–	–	–	–	–	–
Diphtheria	4	4	5	4	1	3	–	4	1	3	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	23	32	28	35	47	44	63	60	76	41	26	9	2	–	1
Dysentery	5	9	6	7	19	10	30	33	37	20	17	8	–	2	–	–
Cholera	95	102	94	83	72	67	57	49	41	24	5	4	–	–	–	1
Influenza	2	3	4	4	9	5	15	27	25	25	18	9	2	–	–	–
Purpura	1	–	2	1	4	1	1	3	–	1	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	152	189	190	174	153	126	105	61	37	21	11	3	3	–	–	2
Enteric Fever	72	39	66	49	37	52	40	43	33	22	14	3	1	–	–	–
Relapsing Fever	2	–	1	–	–	1	1	1	1	1	3	–	–	–	–	–
Simple Cont. Fever	10	5	11	6	4	12	10	8	8	5	6	–	1	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	36	22	15	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	6	5	2	1	5	6	2	4	2	–	–	–	–	–	1
Erysipelas	4	12	11	7	10	13	11	14	25	6	6	4	–	–	–	–
Pyæmia	6	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	2	5	2	2	1	3	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	3	6	5	2	2	2	1	6	–	–	–	–	–	–	–
Dropsy	15	24	32	40	45	55	66	82	77	61	38	12	2	–	–	–
Abscess	8	6	11	2	10	3	12	2	6	4	2	1	1	–	–	–
Ulcer	–	1	4	1	3	3	2	1	4	6	2	–	–	–	–	–
Fistula	–	1	1	2	3	–	4	2	–	–	–	–	–	–	–	–
Mortification	–	2	3	5	4	8	11	22	10	22	17	5	2	–	–	–
Cancer	30	58	97	138	179	156	175	124	130	92	49	17	3	1	–	1
Gout	1	–	1	–	–	2	2	–	–	1	1	–	–	–	–	–
Scrofula	25	22	12	9	11	11	12	8	5	5	–	–	–	–	–	–
Tabes Mesenterica	6	3	5	4	1	3	3	3	1	–	–	–	–	–	–	–
Phthisis	887	698	567	418	373	279	208	109	51	25	8	–	1	–	–	4
Hydrocephalus	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	390	9	15	42	33	24	19	14	58	41	29	23	17
Apoplexy	1179	19	8	26	21	12	8	11	18	9	20	13	30
Paralysis	1621	1	–	2	–	3	2	–	3	5	2	7	15
Delirium Tremens	60	–	–	–	–	–	–	–	–	–	1	3	5
Chorea	11	–	–	–	–	–	–	–	1	3	5	–	–
Epilepsy	255	–	1	–	–	–	–	1	7	13	20	20	32
Tetanus	45	19	2	–	1	1	–	1	3	3	1	3	1
Insanity	35	–	–	–	–	–	–	–	1	1	–	3	1
Convulsions	932	393	109	152	125	66	26	21	39	–	–	–	–
Brain Disease	946	15	9	32	44	29	20	22	76	50	30	32	35
V. Pericarditis	49	1	–	–	1	2	1	–	4	4	4	4	1
Aneurism	85	–	–	–	–	1	–	–	1	–	2	4	2
Heart Disease	3084	24	8	7	8	9	4	6	23	51	56	74	118
VI. Laryngitis	98	8	6	5	12	13	6	4	6	2	2	2	3
Bronchitis	6629	542	513	933	909	316	160	80	154	38	27	47	72
Pleurisy	252	14	2	7	3	4	6	3	10	5	16	12	10
Pneumonia	2207	158	104	246	268	115	55	39	66	42	56	85	70
Asthma	500	–	–	–	–	–	1	–	–	1	5	5	6
Lung Disease	350	23	11	10	9	3	7	5	18	5	5	9	24
VII. Teething	1038	6	45	418	506	56	6	–	1	–	–	–	–
Quinsey	51	8	2	8	6	7	2	–	3	–	–	2	1
Gastritis	187	22	11	5	9	3	2	2	6	5	2	6	5
Enteritis	886	252	106	100	90	28	19	13	20	21	15	15	22
Peritonitis	257	18	8	11	5	1	2	–	13	12	24	14	21
Ascites	62	–	–	–	–	2	–	–	1	4	3	1	–
Ulceration of Intestines	178	5	2	5	2	2	–	1	2	3	11	10	13
Hernia	118	8	4	1	1	1	–	–	–	–	–	1	–
Ileus	272	26	5	4	3	4	1	2	6	7	18	14	8
Intussusception	34	–	5	5	1	–	–	–	2	1	1	–	2
Stricture of Intestines	40	4	–	–	1	–	–	–	–	1	1	2	1
Stomach Disease	750	75	58	28	31	11	12	2	7	11	12	10	14
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	171	4	–	1	2	4	2	1	–	4	5	2	7
Jaundice	173	61	5	1	2	4	5	1	1	1	1	3	–
Liver Disease	698	16	2	1	6	4	1	5	15	4	13	10	22
Spleen Disease	37	–	1	–	3	–	1	1	–	2	2	3	2
VIII. Nephritis	69	1	–	1	3	3	2	2	14	2	6	3	4
Nephria	235	–	–	1	2	4	3	3	12	12	13	16	17
Addison's Disease	7	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	50	2	1	–	2	–	1	–	–	1	–	2	–
Diabetes	75	–	–	–	1	1	–	–	2	7	2	4	7
Stone	63	–	–	–	1	–	–	–	1	–	–	1	1
Cystitis	179	–	–	1	2	–	–	–	–	1	1	5	1
Stricture of Urethra	16	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	322	1	2	1	1	2	4	6	14	10	8	17	13
IX. Paramenia	25	–	–	–	–	–	–	–	–	–	8	6	2
Ovarian Dropsy	77	–	–	–	–	–	–	–	–	–	1	–	8
Childbirth	356	–	–	–	–	–	–	–	–	–	17	47	84
Organs of Generation	88	–	–	–	–	–	–	1	–	–	2	3	8
X. Arthritis	77	1	1	–	3	2	2	1	10	8	13	5	6
Rheumatism	182	–	–	–	–	1	–	–	4	7	13	7	8
Joint and Bone Disease	128	–	1	2	3	2	1	–	26	21	10	14	7
XI. Carbuncle	24	–	1	1	2	–	–	–	–	–	1	–	–
Phlegmon	9	1	–	–	–	1	–	–	1	–	–	1	1
Skin Disease	42	6	6	6	5	2	–	1	2	–	1	1	1
XVII. Intemperance	78	–	–	–	–	–	–	–	–	–	–	1	1
Privation	4	–	–	–	2	1	–	–	–	–	–	–	–
Want of Breast Milk	100	57	29	13	–	1	–	–	–	–	–	–	–
Neglect	3	1	–	–	2	–	–	–	–	–	–	–	–
Cold	27	–	1	1	1	–	2	–	–	–	–	1	–
Poison	46	6	1	2	–	2	–	2	–	2	–	4	4
Poisoned Wounds	2	–	–	–	–	–	–	–	1	–	–	–	1
Burns and Scalds	304	3	3	13	60	40	27	14	37	7	2	5	9
Hanging, etc.	55	–	–	–	–	–	–	–	–	–	2	1	5
Suffocation	102	54	20	5	1	2	2	–	1	–	2	1	2
Drowning	429	5	–	–	13	15	7	4	22	13	38	48	42
Fracture and Contusion	913	5	–	5	12	15	6	7	53	83	70	78	52
Gunshot Wounds	25	–	–	–	–	–	–	–	2	4	4	4	4
Cuts and Stabs	36	–	–	–	–	–	–	–	–	–	1	2	3
Other Violent Causes	121	14	1	1	3	1	–	1	3	6	5	13	7
Not Specified	3152	943	267	239	244	100	75	67	142	70	85	84	91

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	13	12	2	9	6	6	6	1	3	6	2	–	–	–	–	–
Apoplexy	25	33	49	66	84	80	128	138	150	121	62	31	12	4	–	1
Paralysis	24	30	48	75	99	108	196	248	281	243	146	65	12	4	–	2
Delirium Tremens	8	16	5	8	8	3	2	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Epilepsy	15	29	16	19	15	10	14	12	11	13	4	2	–	1	–	–
Tetanus	1	2	3	–	1	1	1	–	1	–	–	–	–	–	–	–
Insanity	4	1	5	4	4	2	5	–	–	3	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	33	39	46	50	56	48	53	85	50	52	22	17	–	–	–	1
Pericarditis	2	8	3	1	2	2	3	3	2	1	–	–	–	–	–	–
Aneurism	11	9	8	10	7	5	12	6	4	2	1	–	–	–	–	–
Heart Disease	129	173	160	202	235	278	366	377	338	247	140	44	6	1	–	–
Laryngitis	2	6	3	5	1	4	2	3	2	1	–	–	–	–	–	–
Bronchitis	72	103	141	189	245	282	352	385	391	318	206	118	25	6	1	4
Pleurisy	10	10	16	16	15	19	14	15	23	9	9	3	1	–	–	–
Pneumonia	82	81	86	89	96	101	92	91	69	65	32	17	2	–	–	–
Asthma	8	13	32	31	54	53	75	82	65	44	15	9	1	–	–	–
Lung Disease	15	22	17	36	28	29	33	19	11	8	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	2	1	1	1	3	–	2	–	–	–	–	–	–	–
Gastritis	9	4	9	7	7	12	18	15	7	11	6	2	2	–	–	–
Enteritis	9	18	23	17	18	23	20	14	23	14	4	2	–	–	–	–
Peritonitis	20	13	17	6	7	15	11	17	10	7	3	2	–	–	–	–
Ascites	3	5	5	4	8	3	5	5	5	5	3	–	–	–	–	–
Ulceration of Intestines	12	17	11	8	9	14	12	22	9	4	3	1	–	–	–	–
Hernia	3	5	5	8	10	15	12	14	11	9	8	2	–	–	–	–
Ileus	8	10	6	14	12	20	11	24	29	26	11	1	2	–	–	–
Intussusception	1	–	–	3	1	3	3	2	2	2	–	–	–	–	–	–
Stricture of Intestines	4	2	1	1	7	5	2	2	3	2	1	–	–	–	–	–
Stomach Disease	12	23	36	49	54	49	54	75	59	46	15	5	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	12	14	9	12	15	18	20	14	11	10	3	1	–	–	–	–
Jaundice	2	7	1	6	9	8	13	18	8	9	6	1	–	–	–	–
Liver Disease	23	39	58	70	65	80	82	83	46	32	15	5	1	–	–	–
Spleen Disease	2	1	2	–	6	1	3	3	1	2	–	1	–	–	–	–
Nephritis	5	3	3	–	7	–	2	–	4	2	–	2	–	–	–	–
Nephria	16	26	17	20	16	9	11	20	6	7	4	–	–	–	–	–
Addison's Disease	1	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Ischuria	2	2	1	3	1	–	4	7	3	10	5	2	–	1	–	–
Diabetes	9	4	7	5	5	4	7	6	4	–	–	–	–	–	–	–
Stone	1	1	–	1	3	2	4	8	19	11	8	1	–	–	–	–
Cystitis	2	5	3	4	8	6	14	26	23	44	21	10	–	2	–	–
Stricture of Urethra	2	3	–	1	–	2	2	2	1	2	1	–	–	–	–	–
Kidney Disease	17	18	17	24	21	26	25	27	34	19	9	5	1	–	–	–
Paramenia	2	1	–	4	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	12	10	8	11	7	5	3	1	4	–	–	–	–	–	–
Childbirth	74	82	44	7	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	9	3	13	14	2	9	9	9	3	1	1	–	1	–	–	–
Arthritis	3	3	2	4	3	4	2	2	–	1	1	–	–	–	–	–
Rheumatism	5	4	10	12	11	20	16	17	21	17	7	2	–	–	–	–
Joint Disease	7	6	4	3	4	5	5	4	3	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	4	1	3	3	1	3	2	–	1	–	–	–
Phlegmon	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	1	–	1	1	2	2	2	–	–	–	–	–	–
Intemperance	10	11	10	16	4	9	7	4	2	1	1	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	4	4	3	–	2	3	1	1	–	–	1	–	–	–	–
Poison	2	3	5	–	1	5	4	2	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	8	6	10	8	3	6	6	3	10	9	1	2	–	–	–
Hanging, etc.	6	4	6	10	9	6	1	1	1	3	–	–	–	–	–	–
Suffocation	1	1	2	1	–	1	1	1	1	2	–	–	–	–	–	1
Drowning	38	31	42	21	23	21	18	11	5	3	1	1	–	–	–	7
Fracture and Contusion	71	58	54	74	59	45	38	42	20	21	21	12	6	–	–	6
Gunshot Wounds	1	1	1	1	1	1	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	4	2	7	4	–	3	3	2	2	3	–	–	–	–	–	–
Other Violent Causes	5	4	9	5	6	9	8	6	9	1	3	1	–	–	–	–
Not Specified	71	80	82	97	90	113	139	35	2	–	–	–	–	–	–	36

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35355	3797	1339	2537	3069	1474	967	640	1781	903	1182	1378	1266
SPECIFIED CAUSES	33716	3270	1200	2402	2944	1424	926	603	1710	857	1135	1332	1225
I. Zymotic Class	7542	360	284	701	1080	706	534	364	870	280	262	243	182
II. Diseases of Uncertain Seat	899	24	7	5	12	12	20	6	29	14	23	16	28
III. Tubercular Class	5734	89	144	391	536	250	141	93	375	249	492	648	559
IV. Brain and Nervous System	2879	246	86	146	128	66	37	35	119	55	48	67	73
V. Organs of Circulation	1649	16	6	3	7	9	3	5	20	20	33	38	58
VI. Respiratory Organs	5256	431	368	704	631	234	122	52	133	47	62	93	108
VII. Organs of Digestion	2592	293	139	332	377	64	31	14	34	52	55	40	47
VIII. Urinary Organs	675	3	–	2	8	6	3	8	24	16	18	30	26
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	212	1	1	2	4	3	2	1	24	21	25	15	17
XI. Skin, etc.	44	4	6	4	5	2	–	1	1	–	2	1	1
XII. Malformation	93	74	6	6	4	–	1	1	–	–	–	–	–
XIII. Premature Debility	1848	1643	120	85	–	–	–	–	–	–	–	–	–
XIV. Atrophy	244	–	–	–	98	23	10	6	6	8	3	4	1
XV. Age	2333	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	88	6	6	–	–	1	1	–	1	1	1	1	4
XVII. Violent Deaths	1627	80	27	21	54	48	21	17	74	94	111	136	121
I. Small Pox	103	11	17	7	8	6	7	6	9	3	2	8	7
Measles	536	8	11	112	202	81	50	26	38	3	1	1	–
Scarlatina	1411	9	16	83	207	225	205	162	368	80	27	13	7
Diphtheria	339	11	5	23	51	54	35	33	76	20	13	3	2
Hooping Cough	820	67	65	221	214	104	69	31	49	–	–	–	–
Croup	466	28	14	59	159	102	46	22	33	2	–	–	1
Thrush	19	11	3	2	1	–	1	1	–	–	–	–	–
Diarrhœa	723	112	82	120	124	26	12	7	18	2	6	7	2
Dysentery	139	3	16	11	9	3	2	1	3	–	2	2	4
Cholera	593	7	9	15	27	27	21	25	64	28	11	25	28
Influenza	90	8	2	2	2	1	3	4	2	–	2	2	2
Purpura	26	2	–	1	2	1	1	–	3	1	5	2	2
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	15	–	–	–	–	1	7	4	3	–	–	–	–
Typhus	1090	7	1	6	19	15	12	13	69	58	86	99	84
Enteric Fever	640	3	4	13	24	32	40	19	79	58	74	63	28
Relapsing Fever	21	–	–	–	–	2	–	–	3	1	3	1	1
Simple Continued Fever	121	1	1	4	6	7	9	1	19	8	15	6	3
Infantile Remittent	84	7	3	8	16	15	7	6	22	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	59	–	–	–	–	–	1	2	6	12	10	6	4
Erysipelas	155	41	12	5	3	2	1	–	5	3	3	3	3
Pyæmia	12	–	–	1	–	–	1	–	–	1	1	2	1
Syphilis	70	24	23	8	6	1	–	–	–	–	–	–	2
Noma	9	–	–	–	–	1	4	1	1	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	35	8	–	1	–	–	–	–	1	1	3	4	4
Dropsy	280	3	5	2	9	7	12	5	20	8	5	4	8
Abscess	70	6	1	1	1	4	5	–	4	2	8	2	4
Ulcer	24	2	–	–	–	–	–	–	–	–	–	–	2
Fistula	10	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	73	5	–	1	–	–	–	–	–	–	4	1	4
Cancer	403	–	1	–	2	1	3	1	4	3	3	5	6
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	325	10	10	17	28	10	11	7	50	33	40	27	24
Tabes Mesenterica	451	37	21	57	128	61	21	17	49	23	12	4	2
Phthisis	3871	9	27	52	98	60	38	28	130	163	436	613	531
Hydrocephalus	1087	33	86	265	282	119	71	41	146	30	4	4	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1133	1083	1189	1232	1251	1329	1441	1530	1479	1421	1085	578	181	49	5	36
SPECIFIED CAUSES	1106	1043	1156	1182	1208	1280	1379	1518	1477	1421	1085	578	181	49	5	20
Zymotic Class	192	193	225	171	181	161	155	134	110	75	47	22	6	2	–	2
Uncertain Seat	15	35	44	59	63	76	100	93	79	75	45	14	4	1	–	–
Tubercular Class	428	288	264	208	180	153	121	68	33	19	4	–	–	–	–	1
Brain, etc.	68	89	94	121	128	139	221	246	247	223	121	62	8	4	–	2
Heart, etc.	72	89	82	116	122	162	193	202	178	116	77	18	4	–	–	–
Respiratory Organs	104	123	179	224	254	267	244	266	226	191	112	69	9	3	–	–
Digestive Organs	57	74	89	111	119	158	126	144	114	82	28	9	3	–	–	–
Urinary Organs	35	29	24	38	38	29	57	65	71	80	44	17	1	3	–	–
Generative Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	9	2	8	11	8	13	14	9	8	11	2	1	–	–	–	–
Skin	–	–	3	–	2	2	2	4	–	1	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	8	16	11	22	26	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	72	220	381	526	586	363	144	36	5	–
Sudden Deaths	2	7	9	5	6	10	11	12	2	2	–	–	–	–	–	–
Violent Deaths	121	106	119	107	84	84	63	55	28	20	17	3	1	–	–	15
Small Pox	5	2	3	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	1	2	1	1	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	2	2	3	1	–	2	–	–	1	1	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	8	10	11	15	22	21	25	22	24	18	10	5	2	–	1
Dysentery	3	7	4	3	11	4	10	13	12	7	7	2	–	–	–	–
Cholera	37	46	46	35	39	24	30	24	16	7	–	1	–	–	–	1
Influenza	1	1	–	2	4	1	4	13	10	12	8	3	1	–	–	–
Purpura	1	–	1	–	3	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	81	98	107	85	82	62	54	24	14	9	4	1	–	–	–	–
Enteric Fever	32	14	27	23	16	26	19	16	16	8	4	2	–	–	–	–
Relapsing Fever	2	–	1	–	–	–	1	1	1	1	3	–	–	–	–	–
Simple Cont. Fever	4	2	4	3	1	7	6	6	3	2	3	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	3	3	–	1	2	2	1	2	–	–	–	–	–	–	–
Erysipelas	3	7	8	6	6	10	6	10	12	4	–	2	–	–	–	–
Pyæmia	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	4	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	3	3	–	1	–	1	3	–	–	–	–	–	–	–
Dropsy	3	10	7	11	14	19	26	26	28	26	18	3	1	–	–	–
Abscess	4	3	6	2	3	1	5	2	2	2	–	1	1	–	–	–
Ulcer	–	1	3	–	1	3	2	1	3	4	2	–	–	–	–	–
Fistula	–	–	1	2	2	–	3	2	–	–	–	–	–	–	–	–
Mortification	–	2	3	1	2	7	3	13	5	12	7	2	1	–	–	–
Cancer	7	18	20	40	41	44	60	48	38	31	17	8	1	1	–	–
Gout	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–
Scrofula	12	11	4	3	5	6	7	4	2	4	–	–	–	–	–	–
Tabes Mesenterica	5	1	3	4	–	2	1	2	1	–	–	–	–	–	–	–
Phthisis	409	274	257	201	175	145	113	62	30	15	4	–	–	–	–	1
Hydrocephalus	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	213	3	10	21	20	10	10	10	30	16	14	14	12
Apoplexy	611	9	3	14	9	6	3	1	9	5	8	6	19
Paralysis	779	1	–	1	–	2	2	–	3	2	–	5	6
Delirium Tremens	49	–	–	–	–	–	–	–	–	–	–	2	5
Chorea	3	–	–	–	–	–	–	–	1	–	2	–	–
Epilepsy	135	–	1	–	–	–	–	–	5	6	9	12	11
Tetanus	27	13	1	–	1	–	–	1	1	2	–	2	–
Insanity	14	–	–	–	–	–	–	–	1	–	–	2	–
Convulsions	518	214	66	92	70	36	14	9	17	–	–	–	–
Brain Disease	530	6	5	18	28	12	8	14	52	24	15	24	20
V. Pericarditis	29	–	–	–	1	1	1	–	3	2	3	1	1
Aneurism	62	–	–	–	–	1	–	–	1	–	1	3	1
Heart Disease	1558	16	6	3	6	7	2	5	16	18	29	34	56
VI. Laryngitis	55	5	2	2	7	7	4	2	3	–	–	–	2
Bronchitis	3315	306	300	544	478	164	86	30	75	17	10	23	40
Pleurisy	136	7	–	7	2	2	1	1	6	4	11	9	4
Pneumonia	1292	93	60	146	140	60	25	17	37	22	36	54	46
Asthma	269	–	–	–	–	–	1	–	–	1	3	5	4
Lung Disease	189	20	6	5	4	1	5	2	12	3	2	2	12
VII. Teething	580	4	24	241	280	27	4	–	–	–	–	–	–
Quinsey	29	3	–	7	3	3	1	–	2	–	–	1	1
Gastritis	97	9	8	1	7	3	1	1	3	4	1	2	1
Enteritis	479	149	51	49	56	15	12	5	8	12	10	5	8
Peritonitis	98	8	2	6	3	1	2	–	6	7	9	3	4
Ascites	25	–	–	–	–	1	–	–	1	3	2	–	–
Ulceration of Intestines	86	3	2	2	1	–	–	–	–	3	5	3	5
Hernia	60	6	2	1	1	1	–	–	–	–	–	1	–
Ileus	140	16	4	2	2	1	–	2	3	5	13	6	2
Intussusception	23	–	5	4	1	–	–	–	–	1	–	–	1
Stricture of Intestines	25	3	–	–	–	–	–	–	–	1	1	1	1
Stomach Disease	391	43	34	17	16	7	6	1	3	8	5	6	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	95	3	–	1	2	2	–	1	–	3	4	1	5
Jaundice	86	34	5	–	1	1	3	–	1	1	–	2	–
Liver Disease	359	12	1	1	3	2	1	4	7	3	5	7	11
Spleen Disease	19	–	1	–	1	–	1	–	–	1	–	2	1
VIII. Nephritis	42	1	–	1	2	2	–	–	8	2	4	2	1
Nephria	119	–	–	–	1	1	–	3	7	7	6	9	10
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	37	1	–	–	2	–	1	–	–	1	–	–	–
Diabetes	50	–	–	–	–	1	–	–	1	1	2	3	6
Stone	59	–	–	–	1	–	–	–	1	–	–	1	1
Cystitis	156	–	–	–	2	–	–	–	–	–	1	3	1
Stricture of Urethra	16	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	194	1	–	1	–	2	2	5	7	5	5	12	7
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	51	1	–	–	1	1	1	1	5	6	11	5	6
Rheumatism	86	–	–	–	–	1	–	–	3	3	9	3	6
Joint and Bone Disease	75	–	1	2	3	1	1	–	16	12	5	7	5
XI. Carbuncle	15	–	1	1	2	–	–	–	–	–	1	–	–
Phlegmon	4	–	–	–	–	1	–	–	–	–	–	1	–
Skin Disease	25	4	5	3	3	1	–	1	1	–	1	–	1
XVII. Intemperance	45	–	–	–	–	–	–	–	–	–	–	–	1
Privation	3	–	–	–	1	1	–	–	–	–	–	–	–
Want of Breast Milk	54	31	18	5	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	16	–	1	1	–	–	–	–	–	–	–	1	–
Poison	26	3	1	2	–	1	–	1	–	1	–	1	3
Poisoned Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	144	1	–	6	35	25	12	7	11	5	2	3	7
Hanging, etc.	36	–	–	–	–	–	–	–	–	–	1	1	3
Suffocation	55	30	6	3	1	1	1	–	1	–	2	1	2
Drowning	361	–	–	–	9	10	5	3	18	12	34	41	41
Fracture and Contusion	752	5	–	3	7	10	3	6	39	68	62	72	50
Gunshot Wounds	24	–	–	–	–	–	–	–	2	3	4	4	4
Cuts and Stabs	24	–	–	–	–	–	–	–	–	–	1	1	3
Other Violent Causes	86	10	1	1	1	–	–	–	2	5	5	11	7
Not Specified	1639	527	139	135	125	50	41	37	71	46	47	46	41

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	7	1	7	6	4	5	1	2	3	1	–	–	–	–	–
Apoplexy	13	12	27	34	38	44	73	68	89	68	35	14	2	1	–	1
Paralysis	15	20	20	36	38	51	99	120	118	120	71	39	6	3	–	1
Delirium Tremens	5	13	5	8	7	2	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	13	9	12	10	6	10	5	7	7	1	1	–	–	–	–
Tetanus	–	1	1	–	1	1	1	–	1	–	–	–	–	–	–	–
Insanity	2	–	3	–	2	1	2	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	17	23	28	24	26	30	29	52	30	24	13	8	–	–	–	–
Pericarditis	–	5	2	–	2	2	2	2	–	1	–	–	–	–	–	–
Aneurism	9	6	5	9	6	4	8	2	4	1	1	–	–	–	–	–
Heart Disease	63	78	75	107	114	156	183	198	174	114	76	18	4	–	–	–
Laryngitis	2	3	3	4	–	3	2	2	1	1	–	–	–	–	–	–
Bronchitis	32	48	75	108	123	142	142	158	146	125	84	50	6	3	–	–
Pleurisy	5	4	10	8	10	11	7	6	11	1	6	2	1	–	–	–
Pneumonia	54	53	57	64	69	64	47	54	29	40	13	11	1	–	–	–
Asthma	6	7	26	17	34	30	33	37	30	20	8	6	1	–	–	–
Lung Disease	5	8	8	23	18	17	13	9	9	4	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	2	–	1	1	2	–	1	–	–	–	–	–	–	–
Gastritis	5	2	5	5	3	6	8	8	5	5	1	1	2	–	–	–
Enteritis	3	11	11	9	9	12	10	8	13	9	3	1	–	–	–	–
Peritonitis	8	3	5	–	1	8	6	6	6	1	1	2	–	–	–	–
Ascites	2	1	1	3	5	1	2	1	1	1	–	–	–	–	–	–
Ulceration of Intestines	3	10	4	4	6	8	7	11	7	2	–	–	–	–	–	–
Hernia	2	3	–	4	3	9	5	7	6	6	2	1	–	–	–	–
Ileus	3	6	5	8	5	8	5	11	16	10	7	–	–	–	–	–
Intussusception	1	–	–	2	1	2	2	1	1	1	–	–	–	–	–	–
Stricture of Intestines	3	1	–	1	3	4	2	1	1	1	1	–	–	–	–	–
Stomach Disease	5	12	24	27	31	28	25	34	23	22	5	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	7	4	8	6	15	8	8	7	3	1	–	–	–	–	–
Jaundice	1	3	1	1	2	5	7	8	3	5	2	–	–	–	–	–
Liver Disease	13	15	26	39	39	50	36	38	23	16	5	1	1	–	–	–
Spleen Disease	1	–	1	–	4	1	1	2	1	–	–	1	–	–	–	–
Nephritis	4	1	2	–	5	–	2	–	3	1	–	1	–	–	–	–
Nephria	10	10	5	10	9	2	10	9	2	4	4	–	–	–	–	–
Addison's Disease	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	1	2	–	–	3	5	3	9	4	2	–	1	–	–
Diabetes	6	3	5	4	3	3	4	4	4	–	–	–	–	–	–	–
Stone	1	1	–	1	2	2	4	7	18	11	7	1	–	–	–	–
Cystitis	–	3	3	3	4	5	14	21	21	42	21	10	–	2	–	–
Stricture of Urethra	2	3	–	1	–	2	2	2	1	1	–	–	–	–	–	–
Kidney Disease	9	8	8	17	14	15	18	17	19	11	7	3	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	2	1	1	3	–	3	–	2	–	–	1	–	–	–	–	–
Rheumatism	1	1	5	5	5	7	11	6	7	11	1	1	–	–	–	–
Joint Disease	6	–	2	3	3	3	3	1	1	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	2	1	1	1	–	1	2	–	1	–	–	–
Phlegmon	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	–	–	–	1	2	–	–	–	–	–	–	–	–
Intemperance	6	6	8	9	2	6	4	2	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	3	1	2	–	1	2	1	1	–	–	–	–	–	–	–
Poisoned Wounds	1	1	3	–	1	1	4	1	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	5	–	8	5	1	–	1	1	–	2	–	–	–	–	–
Hanging, etc.	3	3	5	4	6	5	1	1	–	3	–	–	–	–	–	–
Suffocation	–	1	2	–	–	1	–	–	1	1	–	–	–	–	–	–
Drowning	35	28	36	14	19	20	13	8	5	2	1	–	–	–	–	1
Fracture and Contusion	59	54	50	64	46	39	34	37	13	10	11	3	1	–	–	7
Gunshot Wounds	1	1	1	1	1	1	–	–	–	1	–	–	–	–	–	6
Cuts and Stabs	3	–	6	2	–	3	1	–	1	3	–	–	–	–	–	–
Other Violent Causes	4	4	7	3	4	6	4	4	5	–	2	–	–	–	–	–
Not Specified	27	40	33	50	43	49	62	12	2	–	–	–	–	–	–	16

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35993	3077	1083	2082	2895	1394	891	697	1656	845	1191	1342	1375
SPECIFIED CAUSES	34480	2661	955	1978	2776	1344	857	667	1585	821	1153	1304	1325
I. Zymotic Class	8022	277	205	681	1207	702	504	403	896	288	261	273	283
II. Diseases of Uncertain Seat	1551	17	6	10	17	13	7	7	28	15	15	32	31
III. Tubercular Class	5919	78	133	297	461	219	131	108	306	282	612	684	594
IV. Brain and Nervous System	2595	210	58	108	96	69	38	35	87	70	60	37	63
V. Organs of Circulation	1569	9	2	4	2	3	2	1	8	35	29	44	63
VI. Respiratory Organs	4780	314	268	497	570	217	113	79	121	46	49	67	77
VII. Organs of Digestion	2360	212	115	256	291	63	22	14	43	24	53	53	71
VIII. Urinary Organs	341	1	3	2	4	4	7	3	19	17	13	18	17
IX. Organs of Generation	545	–	–	–	–	–	–	1	–	–	28	56	102
X. Organs of Locomotion	175	–	1	–	2	2	1	–	16	15	11	11	4
XI. Skin, etc.	31	3	1	3	2	1	–	–	2	–	–	1	1
XII. Malformation	75	50	9	9	4	–	–	1	–	2	–	–	–
XIII. Premature Debility	1627	1414	124	89	–	–	–	–	–	–	–	–	–
XIV. Atrophy	282	–	–	–	80	21	9	4	13	5	8	5	4
XV. Age	3922	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	68	11	2	3	–	1	–	–	1	1	1	1	6
XVII. Violent Deaths	618	65	28	19	40	29	23	11	45	21	13	22	9
I. Small Pox	97	6	9	14	10	11	5	11	12	–	5	6	2
Measles	502	5	12	95	201	79	47	25	25	3	2	2	1
Scarlatina	1295	6	7	66	182	212	183	163	354	53	22	21	10
Diphtheria	346	7	5	23	67	42	43	32	76	22	6	4	2
Hooping Cough	1040	51	56	250	368	141	72	43	54	3	1	–	1
Croup	437	9	6	49	130	93	47	45	54	4	–	–	–
Thrush	20	13	1	2	1	3	–	–	–	–	–	–	–
Diarrhœa	781	91	67	100	127	18	10	10	17	5	7	12	12
Dysentery	155	3	3	9	6	7	–	2	–	–	–	1	4
Cholera	677	1	4	12	32	21	30	14	63	23	20	27	42
Influenza	110	5	1	3	5	2	–	2	2	–	–	2	–
Purpura	15	1	–	–	1	1	–	–	–	–	1	1	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	11	–	–	–	1	2	1	–	7	–	–	–	–
Typhus	1082	6	3	12	14	19	23	16	75	65	86	87	70
Enteric Fever	764	3	3	12	27	26	27	27	109	81	77	47	57
Relapsing Fever	13	–	–	–	–	–	–	1	6	2	–	2	1
Simple Continued Fever	128	1	–	1	8	5	4	1	21	13	11	10	7
Infantile Remittent	75	4	4	9	14	14	6	9	14	1	–	–	–
Metria	181	–	–	–	–	–	–	–	–	–	11	40	56
Rheumatic Fever	44	–	–	–	–	–	–	–	3	9	2	4	3
Erysipelas	140	39	7	9	4	3	1	2	3	4	7	4	8
Pyæmia	8	1	–	–	–	–	–	–	1	–	2	–	–
Syphilis	86	25	17	14	6	3	–	–	–	–	–	2	5
Noma	15	–	–	1	3	–	5	–	–	–	1	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	28	4	1	–	–	–	–	–	–	–	2	3	1
Dropsy	441	4	1	1	9	6	4	4	20	11	4	13	7
Abscess	64	5	1	7	3	2	1	2	1	2	2	1	1
Ulcer	14	–	3	–	1	–	–	–	–	1	–	–	2
Fistula	5	–	–	–	–	–	–	–	–	–	–	1	1
Mortification	71	3	–	–	4	3	1	–	3	–	–	2	2
Cancer	924	1	–	2	–	2	1	1	4	1	7	12	17
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	292	4	11	22	33	17	8	9	34	17	34	23	18
Tabes Mesenterica	408	32	29	51	128	58	21	15	31	14	11	6	2
Phthisis	4412	14	25	42	96	58	37	38	133	237	563	654	573
Hydrocephalus	807	28	68	182	204	86	65	46	108	14	4	1	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1264	1320	1239	1169	1278	1245	1553	1729	1916	1839	1482	896	344	126	27	38
SPECIFIED CAUSES	1220	1280	1190	1122	1231	1181	1476	1706	1916	1839	1482	896	344	126	27	18
Zymotic Class	250	234	232	199	171	185	172	177	164	132	74	36	10	2	–	4
Uncertain Seat	42	60	111	134	183	153	174	141	154	111	64	21	4	–	–	1
Tubercular Class	492	437	320	223	205	140	102	52	24	11	4	–	1	–	–	3
Brain, etc.	55	74	80	110	145	119	184	240	250	215	116	53	16	5	–	2
Heart, etc.	70	101	89	97	122	123	188	184	166	134	64	26	2	1	–	–
Respiratory Organs	85	112	116	142	185	221	324	329	335	254	152	79	20	3	1	4
Digestive Organs	65	84	96	95	110	109	143	164	112	97	50	14	3	–	–	1
Urinary Organs	20	33	25	20	25	21	12	32	23	15	4	3	–	–	–	–
Generative Organs	91	98	67	33	15	16	14	12	4	5	1	–	1	–	–	1
Locomotive Organs	6	11	8	8	10	16	9	14	16	7	6	1	–	–	–	–
Skin	–	1	1	1	2	1	2	2	3	4	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	10	9	14	19	29	52	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	119	333	644	828	925	650	280	115	26	2
Sudden Deaths	3	5	4	3	2	4	7	5	4	1	3	–	–	–	–	–
Violent Deaths	31	21	27	38	27	21	26	21	17	25	19	13	7	–	–	–
Small Pox	3	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Measles	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	4	3	–	1	1	1	1	–	–	–	–	–	–	–	–
Diphtheria	2	2	2	3	1	1	–	4	–	2	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	15	22	17	20	25	23	38	38	52	23	16	4	–	–	–
Dysentery	2	2	2	4	8	6	20	20	25	13	10	6	–	2	–	–
Cholera	58	56	48	48	33	43	27	25	25	17	5	3	–	–	–	–
Influenza	1	2	4	2	5	4	11	14	15	13	10	6	1	–	–	–
Purpura	–	–	1	1	1	1	1	2	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	71	91	83	89	71	64	51	37	23	12	7	2	3	–	–	2
Enteric Fever	40	25	39	26	21	26	21	27	17	14	10	1	1	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	6	3	7	3	3	5	4	2	5	3	3	–	1	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	36	22	15	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	3	2	2	–	3	4	1	2	2	–	–	–	–	–	1
Erysipelas	1	5	3	1	4	3	5	4	13	2	6	2	–	–	–	–
Pyæmia	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	1	1	2	2	1	2	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	3	2	2	1	2	–	3	–	–	–	–	–	–	–
Dropsy	12	14	25	29	31	36	40	56	49	35	20	9	1	–	–	–
Abscess	4	3	5	–	7	2	7	–	4	2	2	–	–	–	–	–
Ulcer	–	–	1	1	2	–	–	–	1	2	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	4	2	1	8	9	5	10	10	3	1	–	–	–
Cancer	23	40	77	98	138	112	115	76	92	61	32	9	2	–	–	1
Gout	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Scrofula	13	11	8	6	6	5	5	4	3	1	–	–	–	–	–	–
Tabes Mesenterica	1	2	2	–	1	1	2	1	–	–	–	–	–	–	–	–
Phthisis	478	424	310	217	198	134	95	47	21	10	4	–	1	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	177	6	5	21	13	14	9	4	28	25	15	9	5
Apoplexy	568	10	5	12	12	6	5	10	9	4	12	7	11
Paralysis	842	–	–	1	–	1	–	–	–	3	2	2	9
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	1	1	–
Chorea	8	–	–	–	–	–	–	–	–	3	3	–	–
Epilepsy	120	–	–	–	–	–	–	1	2	7	11	8	21
Tetanus	18	6	1	–	–	1	–	–	2	1	1	1	1
Insanity	21	–	–	–	–	–	–	–	–	1	–	1	1
Convulsions	414	179	43	60	55	30	12	12	22	–	–	–	–
Brain Disease	416	9	4	14	16	17	12	8	24	26	15	8	15
V. Pericarditis	20	1	–	–	–	1	–	–	1	2	1	3	–
Aneurism	23	–	–	–	–	–	–	–	–	–	1	1	1
Heart Disease	1526	8	2	4	2	2	2	1	7	33	27	40	62
VI. Laryngitis	43	3	4	3	5	6	2	2	3	2	2	2	1
Bronchitis	3314	236	213	389	431	152	74	50	79	21	17	24	32
Pleurisy	116	7	2	–	1	2	5	2	4	1	5	3	6
Pneumonia	915	65	44	100	128	55	30	22	29	20	20	31	24
Asthma	231	–	–	–	–	–	–	–	–	–	2	–	2
Lung Disease	161	3	5	5	5	2	2	3	6	2	3	7	12
VII. Teething	458	2	21	177	226	29	2	–	1	–	–	–	–
Quinsey	22	5	2	1	3	4	1	–	1	–	–	1	–
Gastritis	90	13	3	4	2	–	1	1	3	1	1	4	4
Enteritis	407	103	55	51	34	13	7	8	12	9	5	10	14
Peritonitis	159	10	6	5	2	–	–	–	7	5	15	11	17
Ascites	37	–	–	–	–	1	–	–	–	1	1	1	–
Ulceration of Intestines	92	2	–	3	1	2	–	1	2	–	6	7	8
Hernia	58	2	2	–	–	–	–	–	–	–	–	–	–
Ileus	132	10	1	2	1	3	1	–	3	2	5	8	6
Intussusception	11	–	–	1	–	–	–	–	2	–	1	–	1
Stricture of Intestines	15	1	–	–	1	–	–	–	–	–	–	1	–
Stomach Disease	359	32	24	11	15	4	6	1	4	3	7	4	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	76	1	–	–	–	2	2	–	–	1	1	1	2
Jaundice	87	27	–	1	1	3	2	1	–	–	1	1	–
Liver Disease	339	4	1	–	3	2	–	1	8	1	8	3	11
Spleen Disease	18	–	–	–	2	–	–	1	–	1	2	1	1
VIII. Nephritis	27	–	–	–	1	1	2	2	6	–	2	1	3
Nephria	116	–	–	1	1	3	3	–	5	5	7	7	7
Addison's Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	13	1	1	–	–	–	–	–	–	–	–	2	–
Diabetes	25	–	–	–	1	–	–	–	1	6	–	1	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	23	–	–	1	–	–	–	–	–	1	–	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	128	–	2	–	1	–	2	1	7	5	3	5	6
IX. Paramenia	25	–	–	–	–	–	–	–	–	–	8	6	2
Ovarian Dropsy	77	–	–	–	–	–	–	–	–	–	1	–	8
Childbirth	356	–	–	–	–	–	–	–	–	–	17	47	84
Organs of Generation	87	–	–	–	–	–	–	1	–	–	2	3	8
X. Arthritis	26	–	1	–	2	1	1	–	5	2	2	–	–
Rheumatism	96	–	–	–	–	–	–	–	1	4	4	4	2
Joint and Bone Disease	53	–	–	–	–	1	–	–	10	9	5	7	2
XI. Carbuncle	9	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	5	1	–	–	–	–	–	–	1	–	–	–	1
Skin Disease	17	2	1	3	2	1	–	–	1	–	–	1	–
XVII. Intemperance	33	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	46	26	11	8	–	1	–	–	–	–	–	–	–
Neglect	3	1	–	–	2	–	–	–	–	–	–	–	–
Cold	11	–	–	–	1	–	2	–	–	–	–	–	–
Poison	20	3	–	–	–	1	–	1	–	1	–	3	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	160	2	3	7	25	15	15	7	26	2	–	2	2
Hanging, etc.	19	–	–	–	–	–	–	–	–	–	1	–	2
Suffocation	47	24	14	2	–	1	1	–	–	–	–	–	–
Drowning	68	5	–	–	4	5	2	1	4	1	4	7	1
Fracture and Contusion	161	–	–	2	5	5	3	1	14	15	8	6	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	12	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	35	4	–	–	2	1	–	1	1	1	–	2	–
Not Specified	1513	416	128	104	119	50	34	30	71	24	38	38	50

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	5	1	2	–	2	1	–	1	3	1	–	–	–	–	–
Apoplexy	12	21	22	32	46	36	55	70	61	53	27	17	10	3	–	–
Paralysis	9	10	28	39	61	57	97	128	163	123	75	26	6	1	–	1
Delirium Tremens	3	3	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Epilepsy	5	16	7	7	5	4	4	7	4	6	3	1	–	1	–	–
Tetanus	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	1	2	4	2	1	3	–	–	2	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	16	16	18	26	30	18	24	33	20	28	9	9	–	–	–	1
Pericarditis	2	3	1	1	–	–	1	1	2	–	–	–	–	–	–	–
Aneurism	2	3	3	1	1	1	4	4	–	1	–	–	–	–	–	–
Heart Disease	66	95	85	95	121	122	183	179	164	133	64	26	2	1	–	–
Laryngitis	–	3	–	1	1	1	–	1	1	–	–	–	–	–	–	–
Bronchitis	40	55	66	81	122	140	210	227	245	193	122	68	19	3	1	4
Pleurisy	5	6	6	8	5	8	7	9	12	8	3	1	–	–	–	–
Pneumonia	28	28	29	25	27	37	45	37	40	25	19	6	1	–	–	–
Asthma	2	6	6	14	20	23	42	45	35	24	7	3	–	–	–	–
Lung Disease	10	14	9	13	10	12	20	10	2	4	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Gastritis	4	2	4	2	4	6	10	7	2	6	5	1	–	–	–	–
Enteritis	6	7	12	8	9	11	10	6	10	5	1	1	–	–	–	–
Peritonitis	12	10	12	6	6	7	5	11	4	6	2	–	–	–	–	–
Ascites	1	4	4	1	3	2	3	4	4	4	3	–	–	–	–	–
Ulceration of Intestines	9	7	7	4	3	6	5	11	2	2	3	1	–	–	–	–
Hernia	1	2	5	4	7	6	7	7	5	3	6	1	–	–	–	–
Ileus	5	4	1	6	7	12	6	13	13	16	4	1	2	–	–	–
Intussusception	–	–	–	1	–	1	1	1	1	1	–	–	–	–	–	–
Stricture of Intestines	1	1	1	–	4	1	–	1	2	1	–	–	–	–	–	–
Stomach Disease	7	11	12	22	23	21	29	41	36	24	10	3	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	7	5	4	9	3	12	6	4	7	2	1	–	–	–	–
Jaundice	1	4	–	5	7	3	6	10	5	4	4	1	–	–	–	–
Liver Disease	10	24	32	31	26	30	46	45	23	16	10	4	–	–	–	–
Spleen Disease	1	1	1	–	2	–	2	1	–	2	–	–	–	–	–	–
Nephritis	1	2	1	–	2	–	–	–	1	1	–	1	–	–	–	–
Nephria	6	16	12	10	7	7	1	11	4	3	–	–	–	–	–	–
Addison's Disease	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Ischuria	–	2	–	1	1	–	1	2	–	1	1	–	–	–	–	–
Diabetes	3	1	2	1	2	1	3	2	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–
Cystitis	2	2	–	1	4	1	–	5	2	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	10	9	7	7	11	7	10	15	8	2	2	–	–	–	–
Paramenia	2	1	–	4	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	12	10	8	11	7	5	3	1	4	–	–	–	–	–	–
Childbirth	74	82	44	7	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	8	3	13	14	2	9	9	9	3	1	1	–	1	–	–	–
Arthritis	1	2	1	1	3	1	2	–	–	1	–	–	–	–	–	–
Rheumatism	4	3	5	7	6	13	5	11	14	6	6	1	–	–	–	–
Joint Disease	1	6	2	–	1	2	2	3	2	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	2	2	1	2	–	–	–	–	–	–
Phlegmon	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	1	–	–	2	2	–	–	–	–	–	–
Intemperance	4	5	2	7	2	3	3	2	2	1	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	3	1	–	1	1	–	–	–	–	1	–	–	–	–
Poison	1	2	2	–	–	4	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	3	6	2	3	2	6	5	2	10	7	1	2	–	–	–
Hanging, etc.	3	1	1	6	3	1	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Drowning	3	3	6	7	4	1	5	3	–	1	–	1	–	–	–	–
Fracture and Contusion	12	4	4	10	13	6	4	5	7	11	10	9	5	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	1	2	–	–	2	2	1	–	–	–	–	–	–	–
Other Violent Causes	1	–	2	2	2	3	4	2	4	1	1	1	–	–	–	–
Not Specified	44	40	49	47	47	64	77	23	–	–	–	–	–	–	–	20

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2661	206	68	97	109	55	43	32	77	60	82	122	129
SPECIFIED CAUSES	2227	97	42	67	79	36	30	29	61	49	67	109	110
I. Zymotic Class	350	14	18	35	44	17	16	21	32	14	14	15	14
II. Diseases of Uncertain Seat	89	–	1	–	–	1	–	–	1	1	2	2	4
III. Tubercular Class	340	4	1	6	13	6	2	2	7	17	30	59	46
IV. Brain and Nervous System	140	9	2	7	4	2	2	2	5	4	–	6	5
V. Organs of Circulation	71	–	–	–	–	–	–	–	–	1	5	–	3
VI. Respiratory Organs	226	15	5	9	8	5	5	1	5	2	9	5	12
VII. Organs of Digestion	144	7	7	6	6	5	1	2	4	5	2	3	6
VIII. Urinary Organs	27	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	35	–	–	–	–	–	–	–	–	–	–	1	7
X. Organs of Locomotion	24	–	–	–	–	–	–	–	1	1	2	1	1
XI. Skin, etc.	5	–	1	1	1	–	–	–	–	–	–	–	1
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	54	46	6	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	1	–	2	–	1	–	–	1	–
XV. Age	614	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	–	1	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	91	1	–	1	2	–	2	1	4	4	3	14	11
I. Small Pox	3	–	–	1	–	–	–	–	–	–	–	–	1
Measles	5	–	1	1	–	–	1	–	–	–	1	1	–
Scarlatina	40	2	1	1	10	4	2	8	7	3	2	–	–
Diphtheria	18	1	1	2	3	1	3	1	3	3	–	–	–
Hooping Cough	57	5	4	15	11	2	4	5	8	1	1	–	1
Croup	48	4	4	12	14	6	4	2	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	1	4	1	1	–	–	1	1	–	–	–	–
Dysentery	5	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	1	2	–	–	–	–	–	–	–	–
Influenza	28	1	2	–	2	2	–	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	38	–	–	–	–	–	1	–	1	4	3	4	3
Enteric Fever	30	–	–	–	–	1	–	2	3	2	3	5	3
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	–	1	1
Simple Continued Fever	26	–	1	–	–	1	1	–	4	1	4	1	3
Infantile Remittent	1	–	–	–	1	–	–	–	–	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	6	–	–	–	–	–	–	–	1	–	–	2	–
Erysipelas	5	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	2	–	–
Dropsy	35	–	–	–	–	–	–	–	–	1	–	1	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	1	–	–	–	–	–	–	–	–	–	2
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	45	–	–	–	–	–	–	–	1	–	–	1	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	–	–	–	–	–	–	2	2	2	3	3
Tabes Mesenterica	8	1	–	1	4	–	1	–	–	–	–	–	–
Phthisis	289	–	–	1	2	2	–	–	1	14	28	56	43
Hydrocephalus	27	3	1	4	7	4	1	2	4	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	120	82	75	62	91	69	113	160	205	194	172	127	61	27	4	19
Specified Causes	103	68	59	50	72	51	99	149	205	194	172	127	61	27	4	10
Zymotic Class	13	8	10	9	7	2	10	8	14	7	3	3	1	–	–	1
Uncertain Seat	4	4	5	5	9	7	8	8	12	8	5	2	–	–	–	–
Tubercular Class	45	20	18	4	15	12	17	8	–	4	1	–	1	–	–	2
Brain, etc.	10	5	3	8	5	3	7	9	18	12	8	2	–	1	–	1
Heart, etc.	4	1	3	2	5	1	13	6	14	8	4	–	1	–	–	–
Respiratory Organs	7	6	5	6	11	11	18	25	15	20	10	7	3	–	1	–
Digestive Organs	3	3	3	6	14	7	13	20	15	5	1	–	–	–	–	–
Urinary Organs	1	–	–	–	1	1	3	5	6	5	3	–	–	–	–	–
Generative Organs	10	11	2	2	–	–	–	–	–	–	1	–	–	–	–	1
Locomotive Organs	–	–	1	1	1	1	2	2	2	5	3	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	56	105	119	131	112	55	26	3	1
Sudden Deaths	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Violent Deaths	5	9	7	7	1	5	2	1	4	1	1	1	–	–	–	4
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	1	–	3	–	3	2	2	–	1	–	–	–
Dysentery	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	1	2	2	–	–	3	6	1	1	2	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	2	1	4	1	3	2	–	–	–	–	–	–	–	1
Enteric Fever	–	1	2	2	–	–	1	1	2	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	2	2	–	1	1	–	1	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Erysipelas	–	1	1	1	–	–	–	–	1	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	2	–	5	3	4	4	4	6	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cancer	2	3	2	5	4	4	4	3	7	2	4	2	–	–	–	–
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	44	19	18	4	15	11	17	6	–	4	1	–	1	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	10	–	–	2	–	–	–	–	1	–	–	2	1
	Apoplexy	28	–	–	–	–	1	1	–	1	1	–	1	1
	Paralysis	51	–	–	1	–	–	–	–	–	–	–	1	1
	Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	1
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	5	–	–	–	–	–	–	–	–	1	–	1	1
	Tetanus	11	7	–	–	1	–	–	–	1	–	–	–	–
	Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	14	2	2	4	2	1	1	1	1	–	–	–	–
	Brain Disease	20	–	–	–	1	–	–	1	1	2	–	1	–
V.	Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
	Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	70	–	–	–	–	–	–	–	–	1	4	–	3
VI.	Laryngitis	5	–	–	–	1	–	–	–	–	–	–	1	1
	Bronchitis	103	4	3	5	5	3	1	1	3	1	1	–	4
	Pleurisy	28	10	1	1	1	–	2	–	–	–	1	–	3
	Pneumonia	44	–	1	3	1	2	1	–	2	1	2	3	3
	Asthma	32	–	–	–	–	–	–	–	–	–	1	1	–
	Lung Disease	14	1	–	–	–	–	1	–	–	–	1	–	1
VII.	Teething	16	–	2	6	6	1	1	–	–	–	–	–	–
	Quinsey	3	–	–	–	–	2	–	–	1	–	–	–	–
	Gastritis	4	1	–	–	–	–	–	–	–	–	–	–	–
	Enteritis	17	4	2	–	–	1	–	1	–	1	–	–	1
	Peritonitis	5	–	–	–	–	–	–	–	1	1	–	–	1
	Ascites	7	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	3	–	–	–	–	–	–	–	1	–	–	–	–
	Hernia	6	–	2	–	–	–	–	–	–	–	–	–	–
	Ileus	11	–	–	–	–	–	–	–	1	–	1	–	2
	Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	36	2	1	–	–	–	–	1	–	2	1	–	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	6	–	–	–	–	–	–	–	–	1	–	1	1
	Jaundice	6	–	–	–	–	–	–	–	–	–	–	1	–
	Liver Disease	22	–	–	–	–	1	–	–	–	–	–	1	–
	Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
	Nephria	3	–	–	–	–	–	–	–	–	–	–	1	–
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	29	–	–	–	–	–	–	–	–	–	–	–	6
	Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X.	Arthritis	5	–	–	–	–	–	–	–	1	1	–	–	1
	Rheumatism	17	–	–	–	–	–	–	–	–	–	1	–	–
	Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	1	1	–
XI.	Carbuncle	3	–	1	–	1	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	2	–	–	1	–	–	–	–	–	–	–	–	1
XVII.	Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	3	–	–	–	1	–	–	–	–	–	–	1	–
	Poison	1	–	–	–	–	–	–	–	–	1	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	8	–	–	1	1	–	2	–	1	–	–	–	–
	Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
	Drowning	61	–	–	–	–	–	–	1	2	–	2	12	11
	Fracture and Contusion	13	–	–	–	–	–	–	–	1	3	1	–	–
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	1	–
	Not Specified	434	109	26	30	30	19	13	3	16	11	15	13	19

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	4	1	–	3	2	–	3	3	5	–	1	–	–	–	–	–
Paralysis	1	1	1	2	3	3	4	6	10	8	5	–	–	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	2	1	1	–	–	–	–	3	4	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	1	3	2	5	1	13	6	14	8	4	–	1	–	–	–
Laryngitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	3	2	–	3	7	6	15	8	12	7	6	1	–	1	–
Pleurisy	–	–	1	1	–	–	2	–	2	–	–	–	–	–	–	–
Pneumonia	4	1	–	3	2	2	3	3	2	3	1	–	1	–	–	–
Asthma	1	–	–	–	6	–	4	7	3	5	2	1	1	–	–	–
Lung Disease	1	1	2	1	–	2	3	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	1	–	–	–	3	1	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	–	1	2	–	1	1	–	1	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	3	–	1	6	2	3	7	3	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	1	1	2	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	3	1	5	8	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	1	1	2	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	11	2	1	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Arthritis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	1	2	2	2	5	3	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	9	5	4	1	3	1	1	1	1	–	–	–	–	–	2
Fracture and Contusion	–	–	–	3	–	2	–	–	1	–	–	–	–	–	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Not Specified	17	14	16	12	19	18	14	11	–	–	–	–	–	–	–	9

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1305	124	34	43	55	31	22	17	41	37	49	74	70
SPECIFIED CAUSES	1085	60	21	29	41	20	13	15	31	28	39	68	60
I. Zymotic Class	165	9	10	16	21	9	7	12	15	7	8	10	1
II. Diseases of Uncertain Seat	27	–	–	–	–	–	–	–	1	1	1	–	1
III. Tubercular Class	178	2	–	2	7	3	1	2	5	9	14	32	28
IV. Brain and Nervous System	68	4	2	2	4	2	1	1	1	3	–	6	5
V. Organs of Circulation	40	–	–	–	–	–	–	–	–	–	5	–	2
VI. Respiratory Organs	116	7	2	5	5	4	3	–	4	2	5	4	8
VII. Organs of Digestion	76	5	2	4	3	2	1	–	–	3	2	1	2
VIII. Urinary Organs	24	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	14	–	–	–	–	–	–	–	–	–	1	1	1
XI. Skin, etc.	3	–	1	–	1	–	–	–	–	–	–	–	1
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	35	32	3	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	–	–	–	–	1	–	–	–	–
XV. Age	256	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	74	–	–	–	–	–	–	–	3	3	3	12	11
I. Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	1	1	–	–	1	–	–	–	1	1	–
Scarlatina	19	1	1	1	4	2	–	4	4	1	1	–	–
Diphtheria	7	1	–	–	1	1	1	1	1	1	–	–	–
Hooping Cough	25	3	2	6	6	1	2	3	2	–	–	–	–
Croup	27	3	2	6	10	2	2	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	1	1	–	–	–	–	1	1	–	–	–	–
Dysentery	2	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	9	–	2	–	–	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	15	–	–	–	–	–	–	–	–	3	2	2	–
Enteric Fever	18	–	–	–	–	1	–	1	3	1	1	5	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	13	–	1	–	–	1	1	–	1	1	3	1	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	1	–	–	1	–
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	10	–	–	–	–	–	–	–	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	1	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	–	–	–	–	–	1	2	1	3	2
Tabes Mesenterica	4	–	–	–	2	–	1	–	–	–	–	–	–
Phthisis	146	–	–	–	1	1	–	–	–	6	13	29	26
Hydrocephalus	17	2	–	2	4	2	–	2	4	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	54	32	36	33	32	37	48	68	100	105	73	48	23	9	1	9
SPECIFIED CAUSES	49	27	27	28	24	30	45	65	100	105	73	48	23	9	1	6
Zymotic Class	6	1	4	6	2	1	5	3	7	1	1	2	1	–	–	–
Uncertain Seat	–	2	2	1	–	3	1	1	5	5	2	1	–	–	–	–
Tubercular Class	28	8	6	2	3	7	12	3	–	3	–	–	–	–	–	1
Brain, etc.	3	3	3	4	1	2	3	2	4	5	5	1	–	–	–	1
Heart, etc.	1	1	2	–	3	1	7	1	11	3	3	–	–	–	–	–
Respiratory Organs	3	2	2	3	5	5	7	11	7	12	5	3	2	–	–	–
Digestive Organs	1	–	2	4	6	3	6	18	10	1	–	–	–	–	–	–
Urinary Organs	1	–	–	–	–	1	1	5	6	5	3	–	–	–	–	–
Generative Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	1	1	1	1	1	4	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	19	46	65	53	41	20	9	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	9	6	7	1	5	–	1	3	1	–	–	–	–	–	4
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	–	–	3	–	1	–	1	–	1	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	1	2	–	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	1	2	–	–	–	1	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	–	–	1	–	–	2	3	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	1	–	1	–	2	1	1	2	2	1	1	–	–	–	–
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	7	6	2	3	7	12	2	–	3	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	–	–	–	–	–	–	2	1
Apoplexy	12	–	–	–	–	1	1	–	–	1	–	1	1
Paralysis	19	–	–	–	–	–	–	–	–	–	–	1	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	5	3	–	–	1	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	9	1	2	2	2	1	–	–	1	–	–	–	–
Brain Disease	15	–	–	–	1	–	–	1	–	2	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	39	–	–	–	–	–	–	–	–	–	4	–	2
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis	49	1	2	4	3	3	1	–	2	1	–	–	3
Pleurisy	14	5	–	1	1	–	1	–	–	–	3	–	–
Pneumonia	30	–	–	–	1	1	1	–	2	1	2	3	3
Asthma	17	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	4	1	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	8	–	–	4	3	–	1	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	3	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	10	3	1	–	–	1	–	–	–	–	–	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	21	1	–	–	–	–	–	–	–	1	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	17	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatism	11	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	2	–	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	1	–	–	–	–	–	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	57	–	–	–	–	–	–	–	2	–	2	10	11
Fracture and Contusion	12	–	–	–	–	–	–	–	1	2	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	220	61	13	14	14	11	9	2	10	9	10	6	10

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	–	1	–	–	1	–	2	–	1	–	–	–	–	–
Paralysis	–	–	1	1	1	2	2	2	1	2	3	1	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	1	1	–	–	–	–	1	3	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	2	–	3	1	7	1	11	3	3	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	–	–	3	2	7	3	7	3	2	–	–	–	–
Pleurisy	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Pneumonia	2	1	–	1	2	1	2	2	1	3	–	–	1	–	–	–
Asthma	1	–	–	–	3	–	2	2	2	2	2	1	1	–	–	–
Lung Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	3	1	2	6	3	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	3	1	2	8	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	1	1	2	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	1	1	1	1	4	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	9	5	4	1	3	–	1	1	1	–	–	–	–	–	2
Fracture and Contusion	–	–	–	3	–	2	–	–	1	–	–	–	–	–	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Specified	5	5	9	5	8	7	3	3	–	–	–	–	–	–	–	3

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1356	82	34	54	54	24	21	15	36	23	33	48	59
SPECIFIED CAUSES	1142	37	21	38	38	16	17	14	30	21	28	41	50
I. Zymotic Class	185	5	8	19	23	8	9	9	17	7	6	5	13
II. Diseases of Uncertain Seat	62	–	1	–	–	1	–	–	–	–	1	2	3
III. Tubercular Class	162	2	1	4	6	3	1	–	2	8	16	27	18
IV. Brain and Nervous System	72	5	–	5	–	–	1	1	4	1	–	–	–
V. Organs of Circulation	31	–	–	–	–	–	–	–	–	1	–	–	1
VI. Respiratory Organs	110	8	3	4	3	1	2	1	1	–	4	1	4
VII. Organs of Digestion	68	2	5	2	3	3	–	2	4	2	–	2	4
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	34	–	–	–	–	–	–	–	–	–	–	1	7
X. Organs of Locomotion	10	–	–	–	–	–	–	–	1	1	1	–	–
XI. Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	19	14	3	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	–	2	–	–	–	–	1	–
XV. Age	358	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	17	1	–	1	2	–	2	1	1	1	–	2	–
I. Small Pox	2	–	–	1	–	–	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	21	1	–	–	6	2	2	4	3	2	1	–	–
Diphtheria	11	–	1	2	2	–	2	–	2	2	–	–	–
Hooping Cough	32	2	2	9	5	1	2	2	6	1	1	–	1
Croup	21	1	2	6	4	4	2	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	–	3	1	1	–	–	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	2	–	–	–	–	–	–	–	–
Influenza	19	1	–	–	2	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	23	–	–	–	–	–	1	–	1	1	1	2	3
Enteric Fever	12	–	–	–	–	–	–	1	–	1	2	–	3
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	–	1	1
Simple Continued Fever	13	–	–	–	–	–	–	–	3	–	1	–	2
Infantile Remittent	1	–	–	–	1	–	–	–	–	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	25	–	–	–	–	–	–	–	–	–	–	1	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	–	1	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	32	–	–	–	–	–	–	–	–	–	–	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	–	1	–	1	–	1
Tabes Mesenterica	4	1	–	1	2	–	–	–	–	–	–	–	–
Phthisis	143	–	–	1	1	1	–	–	1	8	15	27	17
Hydrocephalus	10	1	1	2	3	2	1	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	66	50	39	29	59	32	65	92	105	89	99	79	38	18	3	10
SPECIFIED CAUSES	54	41	32	22	48	21	54	84	105	89	99	79	38	18	3	4
Zymotic Class	7	7	6	3	5	1	5	5	7	6	2	1	–	–	–	1
Uncertain Seat	4	2	3	4	9	4	7	7	7	3	3	1	–	–	–	–
Tubercular Class	17	12	12	2	12	5	5	5	–	1	1	–	1	–	–	1
Brain, etc.	7	2	–	4	4	1	4	7	14	7	3	1	–	1	–	–
Heart, etc.	3	–	1	2	2	–	6	5	3	5	1	–	1	–	–	–
Respiratory Organs	4	4	3	3	6	6	11	14	8	8	5	4	1	–	1	–
Digestive Organs	2	3	1	2	8	4	7	2	5	4	1	–	–	–	–	–
Urinary Organs	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Generative Organs	9	11	2	2	–	–	–	–	–	–	1	–	–	–	–	1
Locomotive Organs	–	–	1	–	–	–	1	1	1	1	2	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	37	59	54	78	71	35	17	2	1
Sudden Deaths	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Violent Deaths	–	–	1	–	–	–	2	–	1	–	1	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	–	–	2	2	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	1	1	2	–	–	2	4	1	1	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	1	1	2	–	2	2	–	–	–	–	–	–	–	1
Enteric Fever	–	1	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	2	1	–	1	1	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	1	–	5	2	4	4	2	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	2	2	2	4	4	2	3	2	5	–	3	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	12	12	2	12	4	5	4	–	1	1	–	1	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	–	–	2	–	–	–	–	1	–	–	–	–
Apoplexy	16	–	–	–	–	–	–	–	1	–	–	–	–
Paralysis	32	–	–	1	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	6	4	–	–	–	–	–	–	1	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	1	–	2	–	–	1	1	–	–	–	–	–
Brain Disease	5	–	–	–	–	–	–	–	1	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	31	–	–	–	–	–	–	–	–	1	–	–	1
VI. Laryngitis	3	–	–	–	1	–	–	–	–	–	–	1	–
Bronchitis	54	3	1	1	2	–	–	1	1	–	1	–	1
Pleurisy	14	5	1	–	–	–	1	–	–	–	1	–	3
Pneumonia	14	–	1	3	–	1	–	–	–	–	–	–	–
Asthma	15	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	10	–	–	–	–	–	1	–	–	–	1	–	–
VII. Teething	8	–	2	2	3	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	1	–	–	1	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	1	1	–	–	–	–	1	–	1	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	1	–	–	–	1
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	1	–	–	–	–
Hernia	3	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	1	–	–	–	2
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	15	1	1	–	–	–	–	1	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	1	1
Jaundice	3	–	–	–	–	–	–	–	–	–	–	1	–
Liver Disease	5	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	29	–	–	–	–	–	–	–	–	–	–	–	6
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	3	–	–	–	–	–	–	–	1	1	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	1	1	–	2	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	1	–	–	–	2	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	214	45	13	16	16	8	4	1	6	2	5	7	9

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	–	–	2	2	–	2	3	3	–	–	–	–	–	–	–
Paralysis	1	1	–	1	2	1	2	4	9	6	2	1	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	–	1	2	2	–	6	5	3	5	1	–	1	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	1	–	3	4	4	8	5	5	4	4	1	–	1	–
Pleurisy	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Pneumonia	2	–	–	2	–	1	1	1	1	–	1	–	–	–	–	–
Asthma	–	–	–	–	3	–	2	5	1	3	–	–	–	–	–	–
Lung Disease	1	1	1	1	–	1	3	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	3	–	1	3	1	1	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	11	2	1	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	12	9	7	7	11	11	11	8	–	–	–	–	–	–	–	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	34315	3206	987	1921	2439	1249	829	644	1716	953	1213	1241	1159
Specified Causes	32236	2578	825	1759	2262	1185	777	593	1621	904	1151	1187	1108
I. Zymotic Class	7350	263	183	576	974	687	508	400	974	347	306	226	188
II. Diseases of Uncertain Seat	1281	25	3	6	14	6	9	8	25	10	13	17	29
III. Tubercular Class	5095	82	117	289	396	166	88	69	292	268	515	617	540
IV. Brain and Nervous System	2583	150	45	100	77	57	27	32	82	74	59	43	55
V. Organs of Circulation	1618	10	5	4	1	5	2	3	18	22	31	37	47
VI. Respiratory Organs	3970	305	226	424	404	139	88	42	98	50	43	65	60
VII. Organs of Digestion	2526	269	124	263	264	62	24	10	38	40	61	52	49
VIII. Urinary Organs	500	2	1	2	5	4	3	4	14	17	12	19	17
IX. Organs of Generation	275	–	–	–	–	–	–	1	–	–	17	23	48
X. Organs of Locomotion	183	–	2	–	2	3	1	1	17	13	19	11	11
XI. Skin, etc.	36	3	4	4	1	2	–	1	1	–	1	2	1
XII. Malformation	84	59	6	10	5	–	–	1	–	2	–	–	–
XIII. Premature Debility	1516	1354	93	69	–	–	–	–	–	–	–	–	–
XIV. Atrophy	219	–	–	–	67	17	7	6	7	4	3	7	2
XV. Age	3885	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	63	7	–	1	–	2	–	–	–	2	2	–	7
XVII. Violent Deaths	1052	49	16	11	52	35	20	15	55	55	69	68	54
I. Small Pox	39	5	3	4	3	3	3	1	2	2	4	–	2
Measles	389	6	10	73	134	61	40	22	30	4	2	1	1
Scarlatina	1456	9	11	80	196	230	201	176	389	82	34	25	8
Diphtheria	433	8	4	18	64	56	42	47	115	36	16	4	2
Hooping Cough	748	62	49	197	210	102	56	28	43	1	–	–	–
Croup	478	22	7	44	144	104	56	42	56	3	–	–	–
Thrush	21	10	2	4	2	2	–	1	–	–	–	–	–
Diarrhœa	643	59	56	77	109	25	11	7	12	6	6	7	8
Dysentery	176	3	14	8	7	6	–	3	–	–	–	–	4
Cholera	683	3	5	15	30	26	33	20	69	25	26	28	36
Influenza	119	7	1	3	3	–	2	1	2	–	–	2	1
Purpura	25	1	–	1	2	1	1	–	2	1	5	3	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	16	–	–	–	1	3	4	3	5	–	–	–	–
Typhus	666	8	–	8	12	16	14	16	70	60	65	51	31
Enteric Fever	888	6	4	14	31	31	29	20	118	94	108	68	52
Relapsing Fever	17	–	–	–	–	–	–	1	5	1	3	2	1
Simple Continued Fever	137	1	–	1	8	6	7	2	25	13	17	9	3
Infantile Remittent	79	8	1	15	11	12	6	7	19	–	–	–	–
Metria	91	–	–	–	–	–	–	–	–	–	5	18	27
Rheumatic Fever	64	–	–	–	–	–	–	1	6	15	10	4	3
Erysipelas	125	34	6	5	1	1	1	2	5	3	3	4	5
Pyæmia	7	–	–	–	–	–	1	–	1	1	1	–	–
Syphilis	42	11	10	9	5	1	–	–	–	–	–	–	1
Noma	8	–	–	–	1	1	1	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	35	8	–	1	–	–	–	–	–	–	2	3	4
Dropsy	359	3	1	1	7	4	5	6	16	9	2	7	5
Abscess	64	7	–	1	3	1	3	1	3	–	5	2	3
Ulcer	19	1	2	–	–	–	–	–	–	1	–	–	2
Fistula	10	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	65	5	–	1	3	–	–	–	1	–	2	–	2
Cancer	728	1	–	2	1	1	1	1	5	–	2	4	13
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	323	6	7	17	24	6	6	7	41	32	46	30	23
Tabes Mesenterica	409	46	27	48	122	47	17	15	36	19	9	4	1
Phthisis	3643	9	22	47	70	39	24	22	105	195	453	582	516
Hydrocephalus	720	21	61	177	180	74	41	25	110	22	7	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	995	958	1004	1038	1062	1213	1445	1723	2013	2044	1682	1036	351	126	23	45
SPECIFIED CAUSES	957	906	962	971	1008	1137	1342	1705	2011	2044	1682	1036	351	126	23	25
Zymotic Class	177	156	178	141	138	150	158	172	160	144	88	39	10	3	–	4
Uncertain Seat	22	40	73	89	108	119	144	136	154	122	73	27	8	1	–	–
Tubercular Class	396	295	245	181	156	148	107	71	34	17	5	–	–	–	–	1
Brain, etc.	42	65	75	105	117	119	183	244	296	270	150	88	17	8	–	3
Heart, etc.	61	73	55	78	111	143	184	218	219	156	98	32	4	1	–	–
Respiratory Organs	65	69	92	129	135	192	228	265	305	259	157	103	19	4	–	4
Digestive Organs	52	81	85	109	122	134	143	184	146	136	54	18	5	–	–	1
Urinary Organs	14	16	20	27	24	23	32	54	65	69	37	15	1	3	–	–
Generative Organs	44	43	38	21	7	7	11	10	3	1	–	–	1	–	–	–
Locomotive Organs	8	6	3	7	7	15	10	14	18	9	5	1	–	–	–	–
Skin	–	1	1	–	2	3	2	2	1	1	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	8	5	15	15	25	31	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	85	289	583	827	989	704	278	106	23	1
Sudden Deaths	2	–	3	2	3	4	11	9	3	3	2	–	–	–	–	–
Violent Deaths	66	56	79	67	52	49	44	37	24	30	22	9	7	–	–	11
Small Pox	1	–	2	1	1	–	2	–	–	–	–	–	–	–	–	–
Measles	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	3	1	2	1	1	1	1	–	–	–	–	–	–	–
Diphtheria	2	2	3	3	1	2	–	3	1	3	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	7	12	13	13	20	17	28	34	54	25	20	6	2	–	1
Dysentery	3	6	1	2	12	5	20	25	22	12	16	6	–	1	–	–
Cholera	43	49	50	44	41	33	32	27	25	18	2	2	–	–	–	1
Influenza	1	1	3	2	5	3	10	17	13	20	16	4	2	–	–	–
Purpura	–	–	2	1	–	–	–	3	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	37	46	39	38	36	32	27	22	19	11	4	2	2	–	–	–
Enteric Fever	46	20	41	30	19	38	30	34	24	17	13	1	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
Simple Cont. Fever	5	3	4	2	1	6	7	5	4	2	5	–	–	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	20	11	9	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	2	3	1	1	2	4	2	3	2	–	–	–	–	–	1
Erysipelas	1	3	5	1	3	7	5	5	12	4	6	3	–	–	–	–
Pyæmia	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	4	2	–	2	2	1	3	–	–	–	–	–	–	–
Dropsy	4	8	10	20	17	22	26	43	58	43	29	11	2	–	–	–
Abscess	3	3	7	–	4	1	7	1	5	2	1	–	1	–	–	–
Ulcer	–	–	–	–	1	1	1	1	3	4	2	–	–	–	–	–
Fistula	–	1	1	2	3	–	–	2	–	–	–	–	–	–	–	–
Mortification	–	1	–	2	1	5	4	7	6	12	7	4	2	–	–	–
Cancer	14	25	51	63	82	88	103	81	79	61	34	12	3	1	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	18	14	6	4	6	7	10	5	4	4	–	–	–	–	–	–
Tabes Mesenterica	2	3	3	2	1	3	2	1	1	–	–	–	–	–	–	–
Phthisis	375	278	236	175	149	138	95	65	29	13	5	–	–	–	–	1
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV Cephalitis	199	5	4	18	13	12	7	9	27	27	19	10	10
Apoplexy	593	6	2	13	4	8	3	6	9	6	13	4	10
Paralysis	863	1	–	–	–	–	2	–	–	5	1	2	4
Delirium Tremens	17	–	–	–	–	–	–	–	–	–	1	–	–
Chorea	4	–	–	–	–	–	–	–	–	2	1	–	–
Epilepsy	135	–	1	–	–	–	–	1	3	8	8	10	15
Tetanus	22	9	1	–	–	1	–	1	–	2	–	3	–
Insanity	11	–	–	–	–	–	–	–	1	1	–	1	–
Convulsions	322	124	33	57	47	25	10	7	19	–	–	–	–
Brain Disease	417	5	4	12	13	11	5	8	23	23	16	13	16
V. Pericarditis	17	–	–	–	1	–	–	–	2	–	1	1	–
Aneurism	38	–	–	–	–	1	–	–	1	–	2	1	1
Heart Disease	1563	10	5	4	–	4	2	3	15	22	28	35	46
VI. Laryngitis	42	2	–	1	5	5	5	2	6	2	1	–	1
Bronchitis	2547	224	179	340	310	100	55	25	51	21	11	15	24
Pleurisy	133	1	1	4	–	2	3	1	7	4	6	8	3
Pneumonia	897	67	41	76	88	32	22	13	28	22	22	37	24
Asthma	227	–	–	–	–	–	1	–	–	–	1	1	3
Lung Disease	124	11	5	3	1	–	2	1	6	1	2	4	5
VII. Teething	389	2	22	163	174	25	2	–	1	–	–	–	–
Quinsey	35	6	1	8	4	4	1	–	2	–	–	1	1
Gastritis	111	8	7	3	4	2	1	1	3	2	1	5	2
Enteritis	495	143	56	55	55	15	8	3	10	12	9	10	7
Peritonitis	134	14	4	8	4	1	1	–	6	5	14	4	5
Ascites	31	–	–	–	–	–	–	–	–	1	–	1	–
Ulceration of Intestines	119	3	2	2	1	2	–	1	1	3	8	6	6
Hernia	57	2	1	1	1	1	–	–	–	–	–	–	–
Ileus	163	10	–	2	–	2	1	–	3	4	9	11	4
Intussusception	21	–	2	5	–	–	–	–	2	–	1	–	1
Stricture of Intestines	17	2	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	395	35	24	14	13	5	4	1	3	4	5	4	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	97	3	–	1	1	1	1	–	–	2	3	–	4
Jaundice	105	33	3	1	2	3	3	1	1	1	1	2	–
Liver Disease	332	8	1	–	3	1	1	3	6	4	9	5	10
Spleen Disease	25	–	1	–	2	–	1	–	–	2	1	2	2
VIII. Nephritis	26	–	–	–	2	–	–	1	2	–	3	2	2
Nephria	95	–	–	1	1	2	1	–	7	3	4	6	5
Addison's Disease	4	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	26	2	–	–	–	–	1	–	–	1	–	1	–
Diabetes	47	–	–	–	–	–	–	–	1	7	1	3	4
Stone	39	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	115	–	–	1	1	–	–	–	–	–	–	3	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	143	–	1	–	1	2	1	3	4	6	3	4	5
IX. Paramenia	16	–	–	–	–	–	–	–	–	–	5	4	2
Ovarian Dropsy	38	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	174	–	–	–	–	–	–	–	–	–	11	17	40
Organs of Generation	47	–	–	–	–	–	–	1	–	–	1	2	4
X. Arthritis	36	–	1	–	1	1	1	1	3	2	6	1	4
Rheumatism	93	–	–	–	–	1	–	–	3	3	7	2	5
Joint and Bone Disease	54	–	1	–	1	1	–	–	11	8	6	8	2
XI. Carbuncle	11	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	7	1	–	–	–	1	–	–	–	–	–	1	1
Skin Disease	18	2	4	4	1	1	–	1	1	–	–	1	–
XVII. Intemperance	30	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	26	19	5	2	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–
Cold	19	–	1	1	–	–	1	–	–	–	–	–	–
Poison	17	2	–	1	–	1	–	2	–	–	–	1	–
Poisoned Wounds	2	–	–	–	–	–	–	–	1	–	–	–	1
Burns and Scalds	138	–	2	4	35	19	11	5	16	2	1	1	–
Hanging, etc.	28	–	–	–	–	–	–	–	–	–	2	–	1
Suffocation	39	15	8	2	–	2	1	–	1	–	2	1	1
Drowning	221	2	–	–	11	8	6	3	11	7	25	23	20
Fracture and Contusion	431	4	–	–	3	5	1	5	23	39	35	32	25
Gunshot Wounds	15	–	–	–	–	–	–	–	2	3	3	3	1
Cuts and Stabs	23	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	62	7	–	1	2	–	–	–	1	4	1	7	3
Not Specified	2079	628	162	162	177	64	52	51	95	49	62	54	51

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	8	1	3	2	4	4	–	3	6	2	–	–	–	–	–
Apoplexy	7	11	23	29	32	38	64	67	86	78	36	24	9	4	–	1
Paralysis	4	8	23	31	46	46	79	135	169	149	96	50	8	3	–	1
Delirium Tremens	2	4	2	2	4	–	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	8	17	5	9	10	8	5	7	8	8	2	1	–	1	–	–
Tetanus	–	1	2	–	–	–	1	–	1	–	–	–	–	–	–	–
Insanity	1	–	2	2	1	–	–	–	–	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	15	16	17	29	22	23	29	34	28	27	14	13	–	–	–	1
Pericarditis	1	2	1	–	–	1	3	2	1	1	–	–	–	–	–	–
Aneurism	6	–	4	3	3	2	7	3	2	2	–	–	–	–	–	–
Heart Disease	54	71	50	75	108	140	174	213	216	153	98	32	4	1	–	–
Laryngitis	1	1	–	3	–	2	1	2	1	1	–	–	–	–	–	–
Bronchitis	22	19	46	51	57	90	133	161	203	176	125	84	17	4	–	4
Pleurisy	4	6	6	8	8	13	9	8	16	5	7	2	1	–	–	–
Pneumonia	32	33	28	41	41	51	39	44	41	47	18	9	1	–	–	–
Asthma	1	2	10	12	19	23	32	42	39	28	6	7	–	–	–	–
Lung Disease	5	8	2	14	10	13	14	8	5	2	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	1	1	–	2	–	–	–	–	–	–	–
Gastritis	3	3	3	6	7	8	13	4	6	10	5	2	2	–	–	–
Enteritis	4	11	12	9	13	14	13	8	14	10	4	–	–	–	–	–
Peritonitis	7	5	7	1	6	7	10	9	4	7	3	2	–	–	–	–
Ascites	–	1	3	3	6	2	2	3	4	3	2	–	–	–	–	–
Ulceration of Intestines	5	12	8	6	5	7	9	19	6	4	2	1	–	–	–	–
Hernia	3	1	4	4	1	4	3	9	6	9	5	2	–	–	–	–
Ileus	4	5	2	8	8	13	8	19	21	20	7	1	1	–	–	–
Intussusception	–	–	–	1	1	2	1	2	2	1	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	3	2	1	1	3	1	1	–	–	–	–	–
Stomach Disease	4	10	17	31	25	31	27	41	40	35	10	3	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	6	5	7	9	9	12	10	6	6	2	1	–	–	–	–
Jaundice	–	5	1	3	6	3	7	12	4	8	4	1	–	–	–	–
Liver Disease	9	22	20	30	28	30	36	44	27	21	9	4	1	–	–	–
Spleen Disease	1	–	2	–	4	1	–	3	1	1	–	1	–	–	–	–
Nephritis	1	2	1	–	5	–	–	–	3	1	–	1	–	–	–	–
Nephria	4	6	6	9	6	4	5	11	4	6	4	–	–	–	–	–
Addison's Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Ischuria	1	1	1	–	–	–	2	4	1	5	4	1	–	1	–	–
Diabetes	2	3	4	5	1	3	5	5	3	–	–	–	–	–	–	–
Stone	–	1	–	–	–	1	2	6	14	8	6	–	–	–	–	–
Cystitis	1	2	2	4	5	3	2	15	16	33	16	9	–	2	–	–
Stricture of Urethra	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–
Kidney Disease	4	1	6	9	6	11	16	11	24	14	6	4	1	–	–	–
Paramenia	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	3	4	6	6	5	5	2	1	1	–	–	–	–	–	–
Childbirth	37	38	28	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	6	11	–	2	6	8	2	–	–	–	1	–	–	–
Arthritis	2	3	–	3	–	3	–	2	–	1	1	–	–	–	–	–
Rheumatism	2	1	3	4	4	11	8	11	15	8	4	1	–	–	–	–
Joint Disease	4	2	–	–	3	1	2	1	3	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	1	1	1	1	2	–	1	–	–	–
Phlegmon	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Intemperance	2	2	3	7	3	4	4	1	1	–	1	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	3	4	2	–	2	3	1	–	–	–	–	–	–	–	–
Poison	1	1	2	–	1	1	1	2	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	4	2	5	4	1	3	3	–	9	4	1	2	–	–	–
Hanging, etc.	3	2	4	4	4	4	1	1	–	2	–	–	–	–	–	–
Suffocation	–	1	–	–	–	1	–	1	1	1	–	–	–	–	–	1
Drowning	14	12	22	9	11	11	9	7	2	1	1	1	–	–	–	5
Fracture and Contusion	36	27	30	35	27	18	17	17	9	14	14	6	5	–	–	4
Gunshot Wounds	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	7	3	–	3	1	1	2	2	–	–	–	–	–	–
Other Violent Causes	3	1	5	2	1	4	5	3	8	1	2	1	–	–	–	–
Not Specified	38	52	42	67	54	76	103	18	2	–	–	–	–	–	–	20

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16930	1794	529	1091	1248	630	434	311	888	480	619	654	559
SPECIFIED CAUSES	15864	1452	448	997	1157	600	410	284	841	450	586	623	537
I. Zymotic Class	3491	155	109	297	457	331	261	190	482	174	155	100	74
II. Diseases of Uncertain Seat	494	16	1	2	5	6	6	4	13	3	8	8	15
III. Tubercular Class	2518	48	59	167	209	92	48	33	163	117	238	326	271
IV. Brain and Nervous System	1354	80	23	53	44	30	17	18	42	31	25	27	26
V. Organs of Circulation	819	5	3	3	1	4	2	3	13	9	16	11	17
VI. Respiratory Organs	2137	191	128	266	222	71	45	12	50	24	24	44	40
VII. Organs of Digestion	1326	157	65	157	142	29	15	5	21	28	34	23	20
VIII. Urinary Organs	348	1	–	–	2	2	2	3	10	6	9	13	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	99	–	1	–	2	2	1	1	11	7	13	7	10
XI. Skin, etc.	24	1	3	3	1	2	–	1	1	–	1	1	–
XII. Malformation	49	39	3	4	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	811	725	49	37	–	–	–	–	–	–	–	–	–
XIV. Atrophy	108	–	–	–	40	9	3	4	2	1	1	3	–
XV. Age	1468	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	40	3	–	–	–	1	–	–	–	1	1	–	4
XVII. Violent Deaths	778	31	4	8	30	21	10	10	33	49	61	60	50
I. Small Pox	19	5	2	1	2	–	1	–	–	2	1	–	1
Measles	193	5	5	40	66	27	17	12	18	2	–	–	–
Scarlatina	748	5	7	44	100	117	106	81	208	46	17	8	4
Diphtheria	216	5	3	8	24	33	16	25	64	17	11	1	2
Hooping Cough	327	35	25	97	74	34	32	12	18	–	–	–	–
Croup	250	16	5	29	80	55	29	16	19	1	–	–	–
Thrush	11	6	1	2	1	–	–	1	–	–	–	–	–
Diarrhœa	307	32	33	42	57	14	5	3	6	2	5	1	1
Dysentery	73	1	11	3	4	1	–	1	–	–	–	–	1
Cholera	311	2	4	7	13	13	15	14	34	13	8	15	16
Influenza	54	5	–	1	1	–	2	1	2	–	–	2	1
Purpura	18	1	–	1	2	1	1	–	2	1	4	2	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	–	1	3	3	1	–	–	–	–
Typhus	311	4	–	3	6	8	6	7	35	33	30	26	19
Enteric Fever	404	3	3	7	14	14	18	8	47	42	56	38	20
Relapsing Fever	11	–	–	–	–	–	–	–	2	–	3	1	1
Simple Continued Fever	59	1	–	1	3	3	4	1	10	5	9	2	2
Infantile Remittent	46	6	1	8	6	8	4	4	9	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	38	–	–	–	–	–	–	1	4	9	8	2	2
Erysipelas	62	17	3	1	1	1	1	–	3	–	1	2	2
Pyæmia	5	–	–	–	–	–	1	–	–	1	1	–	–
Syphilis	17	6	6	2	3	–	–	–	–	–	–	–	–
Noma	3	–	–	–	–	1	–	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	20	6	–	1	–	–	–	–	–	–	1	2	3
Dropsy	151	2	1	–	3	4	4	4	8	3	2	3	4
Abscess	36	4	–	–	1	1	2	–	3	–	3	2	3
Ulcer	11	1	–	–	–	–	–	–	–	–	–	–	1
Fistula	7	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	37	3	–	1	–	–	–	–	–	–	2	–	2
Cancer	231	–	–	–	1	1	–	–	2	–	–	1	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	174	5	3	9	12	2	4	2	23	20	24	15	14
Tabes Mesenterica	210	26	10	26	55	24	9	9	21	10	7	3	–
Phthisis	1712	5	12	27	41	15	14	10	53	73	203	307	257
Hydrocephalus	422	12	34	105	101	51	21	12	66	14	4	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	451	403	470	527	541	624	695	831	885	912	747	419	127	34	4	23
SPECIFIED CAUSES	440	381	453	492	513	590	646	824	883	912	747	419	127	34	4	14
Zymotic Class	68	53	80	58	64	72	70	70	65	52	32	14	4	2	–	2
Uncertain Seat	7	13	22	30	31	41	55	57	54	49	32	11	4	1	–	–
Tubercular Class	185	113	98	78	68	73	53	47	17	11	4	–	–	–	–	–
Brain, etc.	23	35	39	54	60	67	103	122	152	139	82	52	5	4	–	1
Heart, etc.	25	27	22	37	58	82	93	121	119	79	55	11	3	–	–	–
Respiratory Organs	36	39	68	86	91	100	102	130	121	119	73	48	6	1	–	–
Digestive Organs	26	42	39	64	59	81	68	78	73	66	24	7	3	–	–	–
Urinary Organs	11	7	10	21	13	13	25	35	45	58	35	13	1	3	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	1	–	3	5	6	6	5	6	5	1	1	–	–	–	–
Skin	–	–	–	–	2	2	2	1	–	–	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	3	10	7	13	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	28	124	213	320	397	260	99	23	4	–
Sudden Deaths	1	–	3	2	3	3	8	6	2	2	–	–	–	–	–	–
Violent Deaths	51	48	62	52	45	40	33	28	16	12	10	2	1	–	–	11
Small Pox	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	2	1	–	1	–	–	1	1	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	2	4	4	7	9	7	12	14	17	11	9	3	2	–	1
Dysentery	1	4	–	–	7	2	8	11	7	3	7	1	–	–	–	–
Cholera	15	21	24	22	21	13	15	10	10	5	–	–	–	–	–	1
Influenza	1	–	–	1	2	–	2	8	5	10	8	1	1	–	–	–
Purpura	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	13	20	15	17	17	14	7	8	6	–	–	–	–	–	–
Enteric Fever	25	8	20	11	4	19	13	12	12	6	3	1	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
Simple Cont. Fever	1	1	–	1	–	3	4	5	–	1	2	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	1	2	–	1	2	1	1	1	–	–	–	–	–	–	–
Erysipelas	–	2	3	1	2	6	4	3	5	3	–	1	–	–	–	–
Pyæmia	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	2	1	–	1	–	1	2	–	–	–	–	–	–	–
Dropsy	1	2	4	7	9	8	12	15	19	18	14	3	1	–	–	–
Abscess	3	1	6	–	–	–	2	1	2	1	–	–	1	–	–	–
Ulcer	–	–	–	–	–	1	1	1	2	2	2	–	–	–	–	–
Fistula	–	–	1	2	2	–	–	2	–	–	–	–	–	–	–	–
Mortification	–	1	–	1	1	4	1	4	4	7	3	2	1	–	–	–
Cancer	3	9	9	19	19	27	38	33	25	21	13	6	1	1	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	10	7	3	1	2	4	7	3	1	3	–	–	–	–	–	–
Tabes Mesenterica	1	1	1	2	–	2	1	1	1	–	–	–	–	–	–	–
Phthisis	173	105	94	75	66	67	45	43	15	8	4	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	110	1	4	9	8	6	4	7	16	8	9	6	7
Apoplexy	300	1	–	6	2	4	1	–	4	3	6	1	6
Paralysis	429	1	–	–	–	–	2	–	–	2	–	2	1
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	71	–	1	–	–	–	–	–	2	5	2	6	4
Tetanus	15	8	–	–	–	–	–	1	–	2	–	2	–
Insanity	4	–	–	–	–	–	–	–	1	–	–	1	–
Convulsions	171	68	15	32	25	14	6	4	7	–	–	–	–
Brain Disease	240	1	3	6	9	6	4	6	12	11	8	9	8
V. Pericarditis	11	–	–	–	1	–	–	–	2	–	1	–	–
Aneurism	27	–	–	–	–	1	–	–	1	–	1	1	–
Heart Disease	781	5	3	3	–	3	2	3	10	9	14	10	17
VI. Laryngitis	27	2	–	1	3	2	3	–	3	–	–	–	1
Bronchitis	1312	135	103	214	173	52	28	7	25	8	3	12	15
Pleurisy	71	1	–	4	–	–	–	–	4	3	3	6	2
Pneumonia	529	43	23	47	46	17	11	4	14	12	16	23	17
Asthma	120	–	–	–	–	–	1	–	–	–	1	1	2
Lung Disease	78	10	2	–	–	–	2	1	4	1	1	2	3
VII. Teething	219	2	13	102	90	11	1	–	–	–	–	–	–
Quinsey	22	2	–	7	2	1	1	–	2	–	–	1	1
Gastritis	56	2	4	1	2	2	–	–	2	2	–	2	1
Enteritis	281	84	26	26	33	7	6	1	6	8	9	4	2
Peritonitis	52	6	1	4	2	1	1	–	4	2	5	–	–
Ascites	10	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	59	2	2	1	–	–	–	–	–	3	4	2	1
Hernia	28	1	1	1	1	1	–	–	–	–	–	–	–
Ileus	86	7	–	1	–	–	–	–	2	3	7	5	2
Intussusception	14	–	2	4	–	–	–	–	–	–	–	–	–
Stricture of Intestines	10	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	199	21	12	9	8	3	2	1	–	3	3	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	51	3	–	1	1	1	–	–	–	1	2	–	3
Jaundice	52	18	3	–	1	1	2	–	1	1	–	2	–
Liver Disease	173	7	–	–	1	1	1	3	4	3	4	3	5
Spleen Disease	14	–	1	–	1	–	1	–	–	1	–	1	1
VIII. Nephritis	15	–	–	–	1	–	–	–	2	–	2	1	–
Nephria	45	–	–	–	–	–	–	–	5	1	3	3	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	21	1	–	–	–	–	1	–	–	1	–	–	–
Diabetes	32	–	–	–	–	–	–	–	1	1	1	3	3
Stone	36	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	104	–	–	–	1	–	–	–	–	–	–	2	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	88	–	–	–	–	2	1	3	2	3	3	4	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	26	–	–	–	1	–	1	1	2	2	5	1	4
Rheumatism	42	–	–	–	–	1	–	–	2	1	5	1	5
Joint and Bone Disease	31	–	1	–	1	1	–	–	7	4	3	5	1
XI. Carbuncle	8	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	3	–	–	–	–	1	–	–	–	–	–	1	–
Skin Disease	13	1	3	3	1	1	–	1	1	–	–	–	–
XVII. Intemperance	21	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	11	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	11	–	1	1	–	–	–	–	–	–	–	–	–
Poison	10	1	–	1	–	1	–	1	–	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	59	–	–	2	21	9	5	2	3	2	1	1	–
Hanging, etc.	22	–	–	–	–	–	–	–	–	–	1	–	1
Suffocation	22	8	2	2	–	1	–	–	1	–	2	1	1
Drowning	182	–	–	–	8	6	4	3	9	6	21	19	19
Fracture and Contusion	364	4	–	–	–	4	1	4	16	36	32	30	23
Gunshot Wounds	14	–	–	–	–	–	–	–	2	2	3	3	1
Cuts and Stabs	15	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	44	7	–	1	1	–	–	–	1	3	1	6	3
Not Specified	1066	342	81	94	91	30	24	27	47	30	33	31	22

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	5	1	2	2	3	4	–	2	3	1	–	–	–	–	–
Apoplexy	4	4	14	10	17	19	37	35	49	39	22	12	2	1	–	1
Paralysis	3	6	8	14	20	25	39	63	76	79	49	33	3	3	–	–
Delirium Tremens	1	4	2	2	4	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	7	3	6	7	4	4	2	5	4	1	1	–	–	–	–
Tetanus	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	9	10	20	10	16	17	22	19	13	9	6	–	–	–	–
Pericarditis	–	1	1	–	–	1	2	1	–	1	–	–	–	–	–	–
Aneurism	4	–	3	3	3	2	3	2	2	1	–	–	–	–	–	–
Heart Disease	21	26	18	34	55	79	88	118	117	77	55	11	3	–	–	–
Laryngitis	1	1	–	3	–	2	1	2	1	1	–	–	–	–	–	–
Bronchitis	13	11	28	35	36	43	51	73	73	74	56	38	5	1	–	–
Pleurisy	2	3	5	3	5	7	4	2	10	–	5	1	1	–	–	–
Pneumonia	17	20	23	25	27	28	24	30	17	31	9	5	–	–	–	–
Asthma	–	1	10	8	15	12	16	20	15	12	2	4	–	–	–	–
Lung Disease	3	3	2	12	8	8	6	3	5	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Gastritis	3	2	2	4	3	4	4	2	5	5	1	1	2	–	–	–
Enteritis	2	7	7	8	6	8	8	4	9	7	3	–	–	–	–	–
Peritonitis	3	1	2	–	1	4	5	3	3	1	1	2	–	–	–	–
Ascites	–	–	–	2	4	–	1	–	1	1	–	–	–	–	–	–
Ulceration of Intestines	1	8	3	3	3	6	5	9	4	2	–	–	–	–	–	–
Hernia	2	1	–	2	1	2	1	4	2	6	1	1	–	–	–	–
Ileus	2	4	1	5	3	4	4	10	12	8	6	–	–	–	–	–
Intussusception	–	–	–	1	1	2	1	1	1	1	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	1	2	1	–	1	–	1	–	–	–	–	–
Stomach Disease	1	4	12	16	12	16	15	15	14	19	5	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	3	1	5	3	7	5	6	4	1	1	–	–	–	–	–
Jaundice	–	3	1	1	2	2	2	4	1	5	2	–	–	–	–	–
Liver Disease	6	9	8	17	17	22	15	18	14	10	3	1	1	–	–	–
Spleen Disease	–	–	1	–	2	1	–	2	1	–	–	1	–	–	–	–
Nephritis	1	1	1	–	3	–	–	–	2	–	–	1	–	–	–	–
Nephria	3	2	2	5	3	–	5	3	–	3	4	–	–	–	–	–
Addison's Disease	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	1	–	–	–	2	3	1	4	4	1	–	1	–	–
Diabetes	2	2	4	4	–	2	3	3	3	–	–	–	–	–	–	–
Stone	–	1	–	–	–	1	2	5	13	8	5	–	–	–	–	–
Cystitis	–	1	2	3	3	3	2	13	15	32	16	9	–	2	–	–
Stricture of Urethra	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–
Kidney Disease	3	–	–	9	3	6	11	7	11	9	5	2	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	1	–	2	–	2	–	2	–	–	1	–	–	–	–	–
Rheumatism	–	–	–	1	3	4	5	3	5	5	–	1	–	–	–	–
Joint Disease	4	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	1	–	–	–	2	–	1	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Intemperance	2	2	2	5	2	2	3	1	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	2	1	1	–	1	2	1	–	–	–	–	–	–	–	–
Poison	–	1	1	–	1	–	1	1	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	–	4	3	1	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	2	1	3	2	4	4	1	1	–	2	–	–	–	–	–	–
Suffocation	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1
Drowning	12	11	17	6	10	10	7	5	2	1	1	–	–	–	–	5
Fracture and Contusion	29	26	28	32	24	14	16	17	7	7	7	2	1	–	–	4
Gunshot Wounds	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	6	1	–	3	1	–	1	2	–	–	–	–	–	–
Other Violent Causes	2	1	4	1	–	4	2	2	4	–	1	–	–	–	–	–
Not Specified	11	22	17	35	28	34	49	7	2	–	–	–	–	–	–	9

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17385	1412	458	830	1191	619	395	332	828	473	594	587	600
SPECIFIED CAUSES	16372	1126	377	762	1105	585	367	309	780	454	565	564	571
I. Zymotic Class	3859	108	74	279	517	356	247	210	492	173	151	126	114
II. Diseases of Uncertain Seat	787	9	2	4	9	–	3	4	12	7	5	9	14
III. Tubercular Class	2577	34	58	122	187	74	40	36	129	151	277	291	269
IV. Brain and Nervous System	1229	70	22	47	33	27	10	14	40	43	34	16	29
V. Organs of Circulation	799	5	2	1	–	1	–	–	5	13	15	26	30
VI. Respiratory Organs	1833	114	98	158	182	68	43	30	48	26	19	21	20
VII. Organs of Digestion	1200	112	59	106	122	33	9	5	17	12	27	29	29
VIII. Urinary Organs	152	1	1	2	3	2	1	1	4	11	3	6	7
IX. Organs of Generation	275	–	–	–	–	–	–	1	–	–	17	23	48
X. Organs of Locomotion	84	–	1	–	–	1	–	–	6	6	6	4	1
XI. Skin, etc.	12	2	1	1	–	–	–	–	–	–	–	1	1
XII. Malformation	35	20	3	6	3	–	–	1	–	2	–	–	–
XIII. Premature Debility	705	629	44	32	–	–	–	–	–	–	–	–	–
XIV. Atrophy	111	–	–	–	27	8	4	2	5	3	2	4	2
XV. Age	2417	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	23	4	–	1	–	1	–	–	–	1	1	–	3
XVII. Violent Deaths	274	18	12	3	22	14	10	5	22	6	8	8	4
I. Small Pox	20	–	1	3	1	3	2	1	2	–	3	–	1
Measles	196	1	5	33	68	34	23	10	12	2	2	1	1
Scarlatina	708	4	4	36	96	113	95	95	181	36	17	17	4
Diphtheria	217	3	1	10	40	23	26	22	51	19	5	3	–
Hooping Cough	421	27	24	100	136	68	24	16	25	1	–	–	–
Croup	228	6	2	15	64	49	27	26	37	2	–	–	–
Thrush	10	4	1	2	1	2	–	–	–	–	–	–	–
Diarrhœa	336	27	23	35	52	11	6	4	6	4	1	6	7
Dysentery	103	2	3	5	3	5	–	2	–	–	–	–	3
Cholera	372	1	1	8	17	13	18	6	35	12	18	13	20
Influenza	65	2	1	2	2	–	–	–	–	–	–	–	–
Purpura	7	–	–	–	–	–	–	–	–	–	1	1	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	1	2	1	–	4	–	–	–	–
Typhus	355	4	–	5	6	8	8	9	35	27	35	25	12
Enteric Fever	484	3	1	7	17	17	11	12	71	52	52	30	32
Relapsing Fever	6	–	–	–	–	–	–	1	3	1	–	1	–
Simple Continued Fever	78	–	–	–	5	3	3	1	15	8	8	7	1
Infantile Remittent	33	2	–	7	5	4	2	3	10	–	–	–	–
Metria	91	–	–	–	–	–	–	–	–	–	5	18	27
Rheumatic Fever	26	–	–	–	–	–	–	–	2	6	2	2	1
Erysipelas	63	17	3	4	–	–	–	2	2	3	2	2	3
Pyæmia	2	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	25	5	4	7	2	1	–	–	–	–	–	–	1
Noma	5	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	15	2	–	–	–	–	–	–	–	–	1	1	1
Dropsy	208	1	–	1	4	–	1	2	8	6	–	4	1
Abscess	28	3	–	1	2	–	1	1	–	–	2	–	–
Ulcer	8	–	2	–	–	–	–	–	–	1	–	–	1
Fistula	3	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	28	2	–	–	3	–	–	–	1	–	–	–	–
Cancer	497	1	–	2	–	–	1	1	3	–	2	3	11
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	149	1	4	8	12	4	2	5	18	12	22	15	9
Tabes Mesenterica	199	20	17	22	67	23	8	6	15	9	2	1	1
Phthisis	1931	4	10	20	29	24	10	12	52	122	250	275	259
Hydrocephalus	298	9	27	72	79	23	20	13	44	8	3	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	[illegible]
ALL CAUSES	544	555	534	511	521	589	750	892	1128	1132	935	617	224	92	19	22
SPECIFIED CAUSES	517	525	509	479	495	547	696	881	1128	1132	935	617	224	92	19	11
Zymotic Class	109	103	98	83	74	78	88	102	95	92	56	25	6	1	–	2
Uncertain Seat	15	27	51	59	77	78	89	79	100	73	41	16	4	–	–	–
Tubercular Class	211	182	147	103	88	75	54	24	17	6	1	–	–	–	–	1
Brain, etc.	19	30	36	51	57	52	80	122	144	131	68	36	12	4	–	2
Heart, etc.	36	46	33	41	53	61	91	97	100	77	43	21	1	1	–	–
Respiratory Organs	29	30	24	43	44	92	126	135	184	140	84	55	13	3	–	4
Digestive Organs	26	39	46	45	63	53	75	106	73	70	30	11	2	–	–	1
Urinary Organs	3	9	10	6	11	10	7	19	20	11	2	2	–	–	–	–
Generative Organs	44	43	38	21	7	7	11	10	3	1	–	–	1	–	–	–
Locomotive Organs	3	5	3	4	2	9	4	9	12	4	4	–	–	–	–	–
Skin	–	1	1	–	–	1	–	1	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	2	5	8	12	21	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	57	165	370	507	592	444	179	83	19	1
Sudden Deaths	1	–	–	–	–	1	3	3	1	1	2	–	–	–	–	–
Violent Deaths	15	8	17	15	7	9	11	9	8	18	12	7	6	–	–	–
Small Pox	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Measles	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	2	–	1	1	1	1	–	–	–	–	–	–	–	–
Diphtheria	2	2	1	2	1	1	–	3	–	2	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	5	8	9	6	11	10	16	20	37	14	11	3	–	–	–
Dysentery	2	2	1	2	5	3	12	14	15	9	9	5	–	1	–	–
Cholera	28	28	26	22	20	20	17	17	15	13	2	2	–	–	–	–
Influenza	–	1	3	1	3	3	8	9	8	10	8	3	1	–	–	–
Purpura	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	33	19	23	19	15	13	15	11	5	4	2	2	–	–	–
Enteric Fever	21	12	21	19	15	19	17	22	12	11	10	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	4	2	4	1	1	3	3	–	4	1	3	–	–	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	20	11	9	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	1	–	–	3	1	2	2	–	–	–	–	–	1
Erysipelas	1	1	2	–	1	1	1	2	7	1	6	2	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	2	1	–	1	2	–	1	–	–	–	–	–	–	–
Dropsy	3	6	6	13	8	14	14	28	39	25	15	8	1	–	–	–
Abscess	–	2	1	–	4	1	5	–	3	1	1	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	1	3	3	2	5	4	2	1	–	–	–
Cancer	11	16	42	44	63	61	65	48	54	40	21	6	2	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	8	7	3	3	4	3	3	2	3	1	–	–	–	–	–	–
Tabes Mesenterica	1	2	2	–	1	1	1	–	–	–	–	–	–	–	–	–
Phthisis	202	173	142	100	83	71	50	22	14	5	1	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	89	4	–	9	5	6	3	2	11	19	10	4	3
Apoplexy	293	5	2	7	2	4	2	6	5	3	7	3	4
Paralysis	434	–	–	–	–	–	–	–	–	3	1	–	3
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	1	–	–
Chorea	4	–	–	–	–	–	–	–	–	2	1	–	–
Epilepsy	64	–	–	–	–	–	–	1	1	3	6	4	11
Tetanus	7	1	1	–	–	1	–	–	–	–	–	1	–
Insanity	7	–	–	–	–	–	–	–	–	1	–	–	–
Convulsions	151	56	18	25	22	11	4	3	12	–	–	–	–
Brain Disease	177	4	1	6	4	5	1	2	11	12	8	4	8
V. Pericarditis	6	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	11	–	–	–	–	–	–	–	–	–	1	–	1
Heart Disease	782	5	2	1	–	1	–	–	5	13	14	25	29
VI. Laryngitis	15	–	–	–	2	3	2	2	3	2	1	–	–
Bronchitis	1235	89	76	126	137	48	27	18	26	13	8	3	9
Pleurisy	62	–	1	–	–	2	3	1	3	1	3	2	1
Pneumonia	368	24	18	29	42	15	11	9	14	10	6	14	7
Asthma	107	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	46	1	3	3	1	–	–	–	2	–	1	2	2
VII. Teething	170	–	9	61	84	14	1	–	1	–	–	–	–
Quinsey	13	4	1	1	2	3	–	–	–	–	–	–	–
Gastritis	55	6	3	2	2	–	1	1	1	–	1	3	1
Enteritis	214	59	30	29	22	8	2	2	4	4	–	6	5
Peritonitis	82	8	3	4	2	–	–	–	2	3	9	4	5
Ascites	21	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	60	1	–	1	1	2	–	1	1	–	4	4	5
Hernia	29	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	77	3	–	1	–	2	1	–	1	1	2	6	2
Intussusception	7	–	–	1	–	–	–	–	2	–	1	–	1
Stricture of Intestines	7	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	196	14	12	5	5	2	2	–	3	1	2	1	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	46	–	–	–	–	–	1	–	–	1	1	–	1
Jaundice	53	15	–	1	1	2	1	1	–	–	1	–	–
Liver Disease	159	1	1	–	2	–	–	–	2	1	5	2	5
Spleen Disease	11	–	–	–	1	–	–	–	–	1	1	1	1
VIII. Nephritis	11	–	–	–	1	–	–	1	–	–	1	1	2
Nephria	50	–	–	1	1	2	1	–	2	2	1	3	2
Addison's Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	5	1	–	–	–	–	–	–	–	–	–	1	–
Diabetes	15	–	–	–	–	–	–	–	–	6	–	–	1
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	11	–	–	1	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	55	–	1	–	1	–	–	–	2	3	–	–	2
IX. Paramenia	16	–	–	–	–	–	–	–	–	–	5	4	2
Ovarian Dropsy	38	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	174	–	–	–	–	–	–	–	–	–	11	17	40
Organs of Generation	47	–	–	–	–	–	–	1	–	–	1	2	4
X. Arthritis	10	–	1	–	–	1	–	–	1	–	1	–	–
Rheumatism	51	–	–	–	–	–	–	–	1	2	2	1	–
Joint and Bone Disease	23	–	–	–	–	–	–	–	4	4	3	3	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	5	1	1	1	–	–	–	–	–	–	–	1	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	8	4	1	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–
Cold	8	–	–	–	–	–	1	–	–	–	–	–	–
Poison	7	1	–	–	–	–	–	1	–	–	–	1	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	79	–	2	2	14	10	6	3	13	–	–	–	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	17	7	6	–	–	1	1	–	–	–	–	–	–
Drowning	39	2	–	–	3	2	2	–	2	1	4	4	1
Fracture and Contusion	67	–	–	–	3	1	–	1	7	3	3	2	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	8	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	18	–	–	–	1	–	–	–	–	1	–	1	–
Not Specified	1013	286	81	68	86	34	28	24	48	19	29	23	29

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	3	–	1	–	1	–	–	1	3	1	–	–	–	–	–
Apoplexy	3	7	9	19	15	19	27	32	37	39	14	12	7	3	–	–
Paralysis	1	2	15	17	26	21	40	72	93	70	47	17	5	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	1	10	2	3	3	4	1	5	3	4	1	–	–	1	–	–
Tetanus	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	1	2	1	–	–	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	7	7	9	12	7	12	12	9	14	5	7	–	–	–	1
Pericarditis	1	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Aneurism	2	–	1	–	–	–	4	1	–	1	–	–	–	–	–	–
Heart Disease	33	45	32	41	53	61	86	95	99	76	43	21	1	1	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	9	8	18	16	21	47	82	88	130	102	69	46	12	3	–	4
Pleurisy	2	3	1	5	3	6	5	6	6	5	2	1	–	–	–	–
Pneumonia	15	13	5	16	14	23	15	14	24	16	9	4	1	–	–	–
Asthma	1	1	–	4	4	11	16	22	24	16	4	3	–	–	–	–
Lung Disease	2	5	–	2	2	5	8	5	–	1	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	1	1	2	4	4	9	2	1	5	4	1	–	–	–	–
Enteritis	2	4	5	1	7	6	5	4	5	3	1	–	–	–	–	–
Peritonitis	4	4	5	1	5	3	5	6	1	6	2	–	–	–	–	–
Ascites	–	1	3	1	2	2	1	3	3	2	2	–	–	–	–	–
Ulceration of Intestines	4	4	5	3	2	1	4	10	2	2	2	1	–	–	–	–
Hernia	1	–	4	2	–	2	2	5	4	3	4	1	–	–	–	–
Ileus	2	1	1	3	5	9	4	9	9	12	1	1	1	–	–	–
Intussusception	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	2	–	–	1	2	1	–	–	–	–	–	–
Stomach Disease	3	6	5	15	13	15	12	26	26	16	5	2	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	3	4	2	6	2	7	4	2	5	1	1	–	–	–	–
Jaundice	–	2	–	2	4	1	5	8	3	3	2	1	–	–	–	–
Liver Disease	3	13	12	13	11	8	21	26	13	11	6	3	–	–	–	–
Spleen Disease	1	–	1	–	2	–	–	1	–	1	–	–	–	–	–	–
Nephritis	–	1	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Nephria	1	4	4	4	3	4	–	8	4	3	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Diabetes	–	1	–	1	1	1	2	2	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Cystitis	1	1	–	1	2	–	–	2	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	6	–	3	5	5	4	13	5	1	2	–	–	–	–
Paramenia	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	3	4	6	6	5	5	2	1	1	–	–	–	–	–	–
Childbirth	37	38	28	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	6	11	–	2	6	8	2	–	–	–	1	–	–	–
Arthritis	1	2	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Rheumatism	2	1	3	3	1	7	3	8	10	3	4	–	–	–	–	–
Joint Disease	–	2	–	–	1	1	1	1	2	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Phlegmon	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	2	1	2	1	–	1	–	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	3	1	–	1	1	–	–	–	–	–	–	–	–	–
Poison	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	2	1	1	–	3	3	–	9	3	1	2	–	–	–
Hanging, etc.	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Drowning	2	1	5	3	1	1	2	2	–	–	–	1	–	–	–	–
Fracture and Contusion	7	1	2	3	3	4	1	–	2	7	7	4	4	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	1	2	–	–	–	1	1	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	1	1	–	3	1	4	1	1	1	–	–	–	–
Not Specified	27	30	25	32	26	42	54	11	–	–	–	–	–	–	–	11

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	34372	3462	1367	2601	3416	1564	986	661	1644	735	1078	1357	1353
Specified Causes	33733	3256	1288	2554	3379	1547	976	648	1613	725	1070	1340	1332
I. Zymotic Class	7864	360	288	771	1269	704	514	346	760	207	203	275	263
II. Diseases of Uncertain Seat	1080	16	9	9	15	18	18	5	31	18	23	29	26
III. Tubercular Class	6218	81	159	393	588	297	182	130	382	246	559	656	567
IV. Brain and Nervous System	2751	297	97	147	143	76	46	36	119	47	49	55	76
V. Organs of Circulation	1529	15	3	3	8	7	3	3	10	32	26	45	71
VI. Respiratory Organs	5840	425	405	768	789	307	142	88	151	41	59	90	113
VII. Organs of Digestion	2282	229	123	319	398	60	28	16	35	31	45	38	63
VIII. Urinary Organs	489	2	2	2	7	6	7	7	28	16	19	28	26
IX. Organs of Generation	236	–	–	–	–	–	–	–	–	–	11	32	47
X. Organs of Locomotion	180	1	–	2	4	2	2	–	22	22	15	14	9
XI. Skin, etc.	34	4	2	2	5	1	–	–	2	–	1	–	–
XII. Malformation	83	64	9	5	3	–	1	1	–	–	–	–	–
XIII. Premature Debility	1905	1657	145	103	–	–	–	–	–	–	–	–	–
XIV. Atrophy	297	–	–	–	110	27	10	4	11	9	8	1	3
XV. Age	1756	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	87	10	7	2	–	–	1	–	2	–	–	1	3
XVII. Violent Deaths	1102	95	39	28	40	42	22	12	60	56	52	76	65
I. Small Pox	158	12	23	16	15	14	9	16	19	1	3	14	6
Measles	644	7	12	133	269	99	56	29	33	2	–	1	–
Scarlatina	1210	4	11	68	183	203	185	141	326	48	13	9	9
Diphtheria	234	9	5	26	51	39	33	17	34	3	3	3	2
Hooping Cough	1055	51	68	259	361	141	81	41	52	1	–	–	–
Croup	377	11	9	52	131	85	33	23	29	3	–	–	1
Thrush	18	14	2	–	–	1	1	–	–	–	–	–	–
Diarrhœa	838	143	89	142	141	19	11	9	22	1	7	12	6
Dysentery	113	3	5	11	8	4	2	–	3	–	2	3	4
Cholera	583	5	8	11	27	22	18	19	58	26	5	24	34
Influenza	53	5	–	2	2	1	1	3	2	–	2	2	1
Purpura	16	2	–	–	1	1	–	–	1	–	1	–	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	–	–	4	1	3	–	–	–	–
Typhus	1468	5	4	10	21	18	20	13	73	59	104	131	120
Enteric Fever	486	–	3	11	20	26	38	24	67	43	40	37	30
Relapsing Fever	14	–	–	–	–	2	–	–	4	2	–	–	–
Simple Continued Fever	86	1	–	4	6	5	5	–	11	7	5	6	4
Infantile Remittent	79	3	6	2	18	17	7	8	17	1	–	–	–
Metria	84	–	–	–	–	–	–	–	–	–	6	22	27
Rheumatic Fever	33	–	–	–	–	–	1	1	2	6	2	4	4
Erysipelas	165	46	13	9	6	4	1	–	3	4	7	3	6
Pyæmia	13	1	–	1	–	–	–	–	–	–	2	2	1
Syphilis	114	38	30	13	7	3	–	–	–	–	–	2	6
Noma	15	–	–	1	2	–	8	1	1	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	26	4	1	–	–	–	–	–	1	1	1	4	1
Dropsy	327	4	5	2	11	9	11	3	24	9	7	9	9
Abscess	70	4	2	7	1	5	3	1	2	4	5	1	2
Ulcer	16	1	–	–	1	–	–	–	–	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	76	3	–	–	1	2	1	–	2	–	2	3	4
Cancer	554	–	1	–	1	2	3	1	2	4	8	12	9
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	278	8	14	22	37	21	13	9	41	16	26	17	16
Tabes Mesenterica	442	22	23	59	130	72	24	17	44	18	14	6	3
Phthisis	4351	14	30	46	122	77	51	44	157	191	518	629	545
Hydrocephalus	1147	37	92	266	299	127	94	60	140	21	1	4	3

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1282	1363	1349	1301	1376	1292	1436	1376	1177	1022	713	311	113	22	5	10
Specified Causes	1266	1349	1325	1283	1359	1273	1414	1370	1177	1022	713	311	113	22	5	3
Zymotic Class	252	263	269	220	207	194	159	131	100	56	30	16	5	1	–	1
Uncertain Seat	31	51	77	99	129	103	122	90	67	56	31	6	–	–	–	1
Tubercular Class	479	410	321	246	214	133	99	41	23	9	2	–	–	–	–	1
Brain, etc.	71	93	96	118	151	136	215	233	183	156	79	25	7	–	–	–
Heart, etc.	77	116	113	133	128	141	184	162	111	86	39	12	1	–	–	–
Respiratory Organs	117	160	198	231	293	285	322	305	241	166	97	38	7	2	–	–
Digestive Organs	67	74	97	91	93	126	113	104	65	38	23	5	1	–	–	–
Urinary Organs	40	46	29	31	38	26	34	38	23	21	8	5	–	–	–	–
Generative Organs	38	44	27	10	8	9	3	2	1	4	–	–	–	–	–	–
Locomotive Organs	7	7	12	11	10	13	11	7	4	4	–	1	–	–	–	–
Skin	–	–	3	1	2	–	2	3	2	4	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	11	14	15	24	46	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	100	208	337	408	391	197	91	19	5	–
Sudden Deaths	2	12	9	6	4	10	7	8	3	–	–	–	–	–	–	–
Violent Deaths	81	62	60	71	58	51	43	38	17	14	13	6	1	–	–	–
Small Pox	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	2	2	1	–	1	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	15	16	19	14	21	27	24	35	23	20	14	6	2	–	–	–
Dysentery	1	3	5	5	7	5	9	7	15	7	1	2	–	1	–	–
Cholera	51	53	44	39	31	34	25	22	16	6	3	2	–	–	–	–
Influenza	1	1	–	–	2	2	5	7	6	4	1	3	–	–	–	–
Purpura	1	–	–	–	4	1	1	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	111	139	149	135	113	93	75	37	18	10	7	1	1	–	–	1
Enteric Fever	26	18	23	17	18	14	9	8	7	3	1	2	1	–	–	–
Relapsing Fever	2	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–
Simple Cont. Fever	3	2	5	2	3	5	2	3	3	2	1	–	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	13	10	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	4	2	1	–	3	1	–	–	–	–	–	–	–	–	–
Erysipelas	3	8	5	5	7	6	6	9	12	2	–	–	–	–	–	–
Pyæmia	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	1	5	1	1	1	2	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	2	3	2	–	–	–	3	–	–	–	–	–	–	–
Dropsy	9	15	20	20	23	30	36	35	15	12	8	1	–	–	–	–
Abscess	5	3	4	2	6	2	5	1	1	2	1	1	–	–	–	–
Ulcer	–	1	4	1	2	2	1	–	1	2	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–
Mortification	–	1	3	3	3	3	7	14	3	10	10	1	–	–	–	–
Cancer	14	30	44	70	93	64	68	40	44	29	11	3	–	–	–	1
Gout	1	–	–	–	–	2	1	–	–	1	1	–	–	–	–	–
Scrofula	7	7	6	5	5	3	2	1	1	1	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	2	–	–	1	2	–	–	–	–	–	–	–	–
Phthisis	468	401	313	239	209	130	96	38	22	8	2	–	–	–	–	1
Hydrocephalus	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.											
		ALL AGES.	AGE UNDER										
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	181	4	11	22	20	12	12	5	30	14	10	11	6
	Apoplexy	558	13	6	13	17	3	4	5	8	2	7	8	19
	Paralysis	707	–	–	1	–	3	–	–	3	–	1	4	10
	Delirium Tremens	42	–	–	–	–	–	–	–	–	–	–	3	4
	Chorea	7	–	–	–	–	–	–	–	1	1	4	–	–
	Epilepsy	115	–	–	–	–	–	–	–	4	4	12	9	16
	Tetanus	12	3	1	–	–	–	–	–	2	1	1	–	1
	Insanity	24	–	–	–	–	–	–	–	–	–	–	2	1
	Convulsions	596	267	74	91	76	40	15	13	19	–	–	–	–
	Brain Disease	509	10	5	20	30	18	15	13	52	25	14	18	19
V.	Pericarditis	31	1	–	–	–	2	1	–	2	4	2	3	1
	Aneurism	47	–	–	–	–	–	–	–	–	–	–	3	1
	Heart Disease	1451	14	3	3	8	5	2	3	8	28	24	39	69
VI.	Laryngitis	51	6	6	4	6	8	1	2	–	–	1	1	1
	Bronchitis	3979	314	331	588	594	213	104	54	100	16	15	32	44
	Pleurisy	91	3	–	2	2	2	1	2	3	1	6	4	4
	Pneumonia	1266	91	62	167	179	81	32	26	36	19	32	45	43
	Asthma	241	–	–	–	–	–	–	–	–	1	3	3	3
	Lung Disease	212	11	6	7	8	3	4	4	12	4	2	5	18
VII.	Teething	633	4	21	249	326	30	3	–	–	–	–	–	–
	Quinsey	13	2	1	–	2	1	1	–	–	–	–	1	–
	Gastritis	72	13	4	2	5	1	1	1	3	3	1	1	3
	Enteritis	374	105	48	45	35	12	11	9	10	8	6	5	14
	Peritonitis	118	4	4	3	1	–	1	–	6	6	10	10	15
	Ascites	24	–	–	–	–	2	–	–	1	3	3	–	–
	Ulceration of Intestines	56	2	–	3	1	–	–	–	–	–	3	4	7
	Hernia	55	6	1	–	–	–	–	–	–	–	–	1	–
	Ileus	98	16	5	2	3	2	–	2	2	3	8	3	2
	Intussusception	12	–	3	–	1	–	–	–	–	1	–	–	1
	Stricture of Intestines	23	2	–	–	1	–	–	–	–	1	1	1	1
	Stomach Disease	319	38	33	14	18	6	8	–	4	5	6	6	6
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	68	1	–	–	1	3	1	1	–	1	2	1	2
	Jaundice	62	28	2	–	–	1	2	–	–	–	–	–	–
	Liver Disease	344	8	1	1	3	2	–	2	9	–	4	4	12
	Spleen Disease	11	–	–	–	1	–	–	1	–	–	1	1	–
VIII.	Nephritis	41	1	–	1	1	3	2	1	11	2	3	1	2
	Nephria	137	–	–	–	1	2	2	3	5	9	9	9	12
	Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	19	–	1	–	2	–	–	–	–	–	–	1	–
	Diabetes	27	–	–	–	1	1	–	–	1	–	1	1	3
	Stone	17	–	–	–	1	–	–	–	1	–	–	1	–
	Cystitis	59	–	–	–	1	–	–	–	–	1	1	2	1
	Stricture of Urethra	11	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	175	1	1	1	–	–	3	3	10	4	5	13	8
IX.	Paramenia	8	–	–	–	–	–	–	–	–	–	3	1	–
	Ovarian Dropsy	39	–	–	–	–	–	–	–	–	–	1	–	6
	Childbirth	153	–	–	–	–	–	–	–	–	–	6	30	38
	Organs of Generation	36	–	–	–	–	–	–	–	–	–	1	1	3
X.	Arthritis	36	1	–	–	2	1	1	–	6	5	7	4	1
	Rheumatism	72	–	–	–	–	–	–	–	1	4	5	5	3
	Joint and Bone Disease	72	–	–	2	2	1	1	–	15	13	3	5	5
XI.	Carbuncle	10	–	–	1	1	–	–	–	–	–	–	–	–
	Phlegmon	2	–	–	–	–	–	–	–	1	–	–	–	–
	Skin Disease	22	4	2	1	4	1	–	–	1	–	1	–	–
XVII.	Intemperance	47	–	–	–	–	–	–	–	–	–	–	1	–
	Privation	4	–	–	–	2	1	–	–	–	–	–	–	–
	Want of Breast Milk	74	38	24	11	–	1	–	–	–	–	–	–	–
	Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
	Cold	5	–	–	–	–	–	1	–	–	–	–	–	–
	Poison	28	4	1	1	–	1	–	–	–	1	–	3	4
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	158	3	1	8	24	21	14	9	20	5	1	4	9
	Hanging, etc.	27	–	–	–	–	–	–	–	–	–	–	1	4
	Suffocation	62	38	12	3	1	–	1	–	–	–	–	–	1
	Drowning	147	3	–	–	2	7	1	–	9	6	11	13	11
	Fracture and Contusion	469	1	–	5	9	10	5	2	29	41	34	46	27
	Gunshot Wounds	10	–	–	–	–	–	–	–	–	1	1	1	3
	Cuts and Stabs	13	–	–	–	–	–	–	–	–	–	1	2	2
	Other Violent Causes	56	7	1	–	1	1	–	1	2	2	4	5	4
	Not Specified	639	206	79	47	37	17	10	13	31	10	8	17	21

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	4	1	4	4	2	2	1	–	–	–	–	–	–	–	–
Apoplexy	14	21	26	34	50	42	61	68	59	43	25	7	3	–	–	–
Paralysis	19	21	24	42	50	59	113	107	102	86	45	13	4	–	–	–
Delirium Tremens	6	12	3	6	4	3	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	7	11	11	10	5	2	9	5	3	5	1	1	–	–	–	–
Tetanus	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	1	3	2	3	2	5	–	–	1	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	16	21	28	20	34	25	24	51	19	21	7	4	–	–	–	–
Pericarditis	1	6	2	1	2	1	–	1	1	–	–	–	–	–	–	–
Aneurism	5	9	4	7	4	3	5	3	2	–	1	–	–	–	–	–
Heart Disease	71	101	107	125	122	137	179	158	108	86	38	12	1	–	–	–
Laryngitis	1	4	3	1	1	2	1	1	1	–	–	–	–	–	–	–
Bronchitis	49	81	93	138	185	185	213	209	180	130	74	28	7	2	–	–
Pleurisy	6	4	9	7	7	6	3	7	5	4	2	1	–	–	–	–
Pneumonia	46	47	58	45	53	48	50	44	26	15	13	8	–	–	–	–
Asthma	6	11	22	19	29	30	39	33	23	11	7	1	–	–	–	–
Lung Disease	9	13	13	21	18	14	16	11	6	6	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–
Gastritis	6	1	6	–	–	3	5	10	1	1	1	–	–	–	–	–
Enteritis	5	7	10	7	4	9	7	6	6	3	–	2	–	–	–	–
Peritonitis	12	8	9	5	1	8	1	8	6	–	–	–	–	–	–	–
Ascites	3	4	2	1	2	–	2	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	6	5	3	2	4	7	3	2	3	–	1	–	–	–	–	–
Hernia	–	4	1	3	8	11	8	5	4	–	3	–	–	–	–	–
Ileus	4	5	3	4	4	6	2	5	7	6	3	–	1	–	–	–
Intussusception	1	–	–	2	–	–	2	–	–	1	–	–	–	–	–	–
Stricture of Intestines	2	2	1	1	4	3	1	1	–	1	–	–	–	–	–	–
Stomach Disease	7	10	19	17	23	16	24	27	16	9	5	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	8	4	5	4	9	8	4	4	4	1	–	–	–	–	–
Jaundice	2	2	–	3	2	5	5	5	2	1	2	–	–	–	–	–
Liver Disease	14	17	38	40	34	49	41	31	16	11	6	1	–	–	–	–
Spleen Disease	1	1	–	–	2	–	2	–	–	1	–	–	–	–	–	–
Nephritis	4	1	2	–	2	–	2	–	1	–	–	1	–	–	–	–
Nephria	12	20	11	11	10	5	5	9	2	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	3	1	–	2	2	–	4	1	1	–	–	–	–
Diabetes	7	1	3	–	4	1	2	–	1	–	–	–	–	–	–	–
Stone	1	–	–	1	3	–	1	1	3	2	1	1	–	–	–	–
Cystitis	1	3	1	–	3	3	12	9	6	10	4	1	–	–	–	–
Stricture of Urethra	2	3	–	1	–	1	2	1	1	–	–	–	–	–	–	–
Kidney Disease	13	17	11	15	14	15	8	16	9	5	2	1	–	–	–	–
Paramenia	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	9	6	2	5	2	–	1	–	3	–	–	–	–	–	–
Childbirth	29	33	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	2	7	2	2	7	3	1	1	1	–	–	–	–	–	–
Arthritis	1	–	1	–	3	1	2	–	–	–	–	–	–	–	–	–
Rheumatism	3	3	7	8	6	8	6	4	4	4	–	1	–	–	–	–
Joint Disease	3	4	4	3	1	4	3	3	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	2	–	2	1	–	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	1	–	–	–	1	2	2	–	–	–	–	–	–
Intemperance	8	9	6	9	1	5	3	3	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	1	2	3	–	–	4	3	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	4	3	5	4	2	3	3	2	1	4	–	–	–	–	–
Hanging, etc.	3	2	2	6	5	2	–	–	1	1	–	–	–	–	–	–
Suffocation	1	–	2	1	–	–	1	–	–	1	–	–	–	–	–	–
Drowning	19	10	15	8	11	7	8	3	2	1	–	–	–	–	–	–
Fracture and Contusion	35	31	24	36	32	25	21	25	10	7	7	6	1	–	–	–
Gunshot Wounds	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	3	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–
Other Violent Causes	2	3	4	3	5	5	2	3	–	–	1	–	–	–	–	–
Not Specified	16	14	24	18	17	19	22	6	–	–	–	–	–	–	–	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17120	1879	776	1403	1766	813	511	312	852	386	514	650	637
SPECIFIED CAUSES	16767	1758	731	1376	1746	804	503	304	838	379	510	641	628
I. Zymotic Class	3886	196	165	388	602	366	266	162	373	99	99	133	107
II. Diseases of Uncertain Seat	378	8	6	3	7	6	14	2	15	10	14	8	12
III. Tubercular Class	3038	39	85	222	320	155	92	58	207	123	240	290	260
IV. Brain and Nervous System	1457	162	61	91	80	34	19	16	76	21	23	34	42
V. Organs of Circulation	790	11	3	–	6	5	1	2	7	11	12	27	39
VI. Respiratory Organs	3003	233	238	433	404	159	74	40	79	21	33	45	60
VII. Organs of Digestion	1190	131	72	171	232	33	15	9	13	21	19	16	25
VIII. Urinary Organs	303	2	–	2	6	4	1	5	13	10	9	16	16
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	99	1	–	2	2	1	1	–	13	14	11	7	6
XI. Skin, etc.	17	3	2	1	3	–	–	–	–	–	1	–	–
XII. Malformation	43	34	3	2	2	–	1	1	–	–	–	–	–
XIII. Premature Debility	1002	886	68	48	–	–	–	–	–	–	–	–	–
XIV. Atrophy	131	–	–	–	58	14	7	2	3	7	2	1	1
XV. Age	609	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	46	3	5	–	–	–	1	–	1	–	–	–	–
XVII. Violent Deaths	775	49	23	13	24	27	11	7	38	42	47	64	60
I. Small Pox	83	6	15	6	6	6	6	6	9	1	1	8	6
Measles	338	3	5	71	136	54	32	14	20	1	–	–	–
Scarlatina	644	3	8	38	103	106	99	77	156	33	9	5	3
Diphtheria	116	5	2	15	26	20	18	7	11	2	2	2	–
Hooping Cough	468	29	38	118	134	69	35	16	29	–	–	–	–
Croup	189	9	7	24	69	45	15	5	13	1	–	–	1
Thrush	8	5	2	–	–	–	1	–	–	–	–	–	–
Diarrhœa	404	79	48	78	67	12	7	3	11	–	1	6	1
Dysentery	64	2	5	7	5	2	2	–	3	–	2	2	3
Cholera	280	5	5	7	14	14	6	11	30	15	3	10	12
Influenza	27	3	–	1	1	–	1	2	–	–	2	–	1
Purpura	8	1	–	–	–	–	–	–	1	–	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	6	–	–	–	–	–	4	1	1	–	–	–	–
Typhus	764	3	1	3	13	7	6	6	34	22	54	71	65
Enteric Fever	218	–	1	6	10	17	22	10	29	15	17	20	8
Relapsing Fever	9	–	–	–	–	2	–	–	1	1	–	–	–
Simple Continued Fever	49	–	–	3	3	3	4	–	8	2	3	3	–
Infantile Remittent	38	1	2	–	10	7	3	2	13	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	17	–	–	–	–	–	1	1	1	3	2	3	2
Erysipelas	90	24	9	4	2	1	–	–	2	3	2	1	1
Pyæmia	7	–	–	1	–	–	–	–	–	–	–	2	1
Syphilis	53	18	17	6	3	1	–	–	–	–	–	–	2
Noma	6	–	–	–	–	–	4	1	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	2	–	–	–	–	–	–	1	1	1	2	1
Dropsy	119	1	4	2	6	3	8	1	12	4	3	1	4
Abscess	34	2	1	1	–	3	3	–	1	2	5	–	1
Ulcer	12	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	35	2	–	–	–	–	–	–	–	–	2	1	2
Cancer	159	–	1	–	1	–	3	1	1	3	3	4	4
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	140	5	7	8	16	8	7	5	26	11	15	9	8
Tabes Mesenterica	237	11	11	31	71	37	11	8	28	13	5	1	2
Phthisis	2013	4	15	25	56	44	24	18	77	84	220	277	248
Hydrocephalus	648	19	52	158	177	66	50	27	76	15	–	3	2

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	628	648	683	672	678	668	698	631	494	404	265	111	31	6	–	4
SPECIFIED CAUSES	617	635	676	662	671	660	688	629	494	404	265	111	31	6	–	–
Zymotic Class	118	139	141	107	115	88	80	61	38	22	14	6	1	–	–	–
Uncertain Seat	8	20	20	28	32	32	44	35	20	21	11	2	–	–	–	–
Tubercular Class	215	167	160	128	109	73	56	18	16	5	–	–	–	–	–	–
Brain, etc.	42	51	52	63	67	70	115	122	91	79	34	9	3	–	–	–
Heart, etc.	46	61	58	79	61	79	93	80	48	34	19	7	1	–	–	–
Respiratory Organs	65	82	109	135	158	162	135	125	98	60	34	18	1	2	–	–
Digestive Organs	30	32	48	43	54	74	52	48	31	15	4	2	–	–	–	–
Urinary Organs	23	22	14	17	25	15	31	25	20	17	6	4	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	1	8	7	2	6	7	3	1	2	–	–	–	–	–	–
Skin	–	–	3	–	–	–	–	3	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	4	6	4	7	15	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	42	77	122	141	136	62	25	4	–	–
Sudden Deaths	1	7	6	3	3	7	3	6	–	–	–	–	–	–	–	–
Violent Deaths	65	49	51	48	38	39	30	26	9	7	7	1	–	–	–	–
Small Pox	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	6	5	6	8	13	11	13	7	7	6	1	1	–	–	–
Dysentery	1	3	4	3	4	2	2	2	5	4	–	1	–	–	–	–
Cholera	21	25	22	13	18	11	15	14	6	2	–	1	–	–	–	–
Influenza	–	1	–	–	2	1	2	4	3	2	–	1	–	–	–	–
Purpura	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	62	84	86	70	63	44	39	17	6	3	4	1	–	–	–	–
Enteric Fever	7	6	6	10	12	7	6	3	3	1	1	1	–	–	–	–
Relapsing Fever	2	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Simple Cont. Fever	2	1	4	1	1	4	2	1	2	1	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	5	5	4	4	4	2	7	6	1	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	4	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	1	2	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	2	7	2	4	5	10	14	11	7	5	3	–	–	–	–	–
Abscess	1	2	–	2	3	1	3	1	–	1	–	1	–	–	–	–
Ulcer	–	1	3	–	1	2	1	–	1	2	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
Mortification	–	1	3	–	1	3	2	9	–	5	4	–	–	–	–	–
Cancer	4	8	11	20	22	15	21	14	11	8	3	1	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Scrofula	2	3	1	2	3	2	–	–	1	1	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	2	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	209	162	157	124	106	71	56	17	15	4	–	–	–	–	–	–
Hydrocephalus	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	99	2	6	12	12	4	6	3	14	8	5	6	4
Apoplexy	299	8	3	8	7	1	1	1	5	1	2	4	12
Paralysis	331	–	–	1	–	2	–	–	3	–	–	2	4
Delirium Tremens	34	–	–	–	–	–	–	–	–	–	–	2	4
Chorea	3	–	–	–	–	–	–	–	1	–	2	–	–
Epilepsy	61	–	–	–	–	–	–	–	3	1	7	5	6
Tetanus	7	2	1	–	–	–	–	–	1	–	–	–	–
Insanity	10	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	338	145	49	58	43	21	8	5	9	–	–	–	–
Brain Disease	275	5	2	12	18	6	4	7	40	11	7	14	12
V. Pericarditis	17	–	–	–	–	1	1	–	1	2	1	1	1
Aneurism	35	–	–	–	–	–	–	–	–	–	–	2	1
Heart Disease	738	11	3	–	6	4	–	2	6	9	11	24	37
VI. Laryngitis	26	3	2	1	4	5	1	2	–	–	–	–	–
Bronchitis	1954	170	195	326	302	109	57	23	48	8	7	11	22
Pleurisy	51	1	–	2	1	2	–	1	2	1	5	3	2
Pneumonia	733	50	37	99	93	42	13	13	21	9	18	28	26
Asthma	132	–	–	–	–	–	–	–	–	1	2	3	2
Lung Disease	107	9	4	5	4	1	3	1	8	2	1	–	8
VII. Teething	353	2	11	135	187	16	2	–	–	–	–	–	–
Quinsey	6	1	–	–	1	1	–	–	–	–	–	–	–
Gastritis	38	6	4	–	5	1	1	1	1	2	1	–	–
Enteritis	188	62	24	23	23	7	6	4	2	4	1	1	5
Peritonitis	45	2	1	2	1	–	1	–	2	4	4	3	4
Ascites	13	–	–	–	–	1	–	–	1	2	2	–	–
Ulceration of Intestines	26	1	–	1	1	–	–	–	–	–	1	1	4
Hernia	29	5	–	–	–	–	–	–	–	–	–	1	–
Ileus	49	9	4	1	2	1	–	2	1	2	5	1	–
Intussusception	9	–	3	–	1	–	–	–	–	1	–	–	1
Stricture of Intestines	15	1	–	–	–	–	–	–	–	1	1	1	1
Stomach Disease	171	21	22	8	8	4	4	–	3	4	1	3	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	43	–	–	–	1	1	–	1	–	1	2	1	2
Jaundice	31	16	2	–	–	–	1	–	–	–	–	–	–
Liver Disease	169	5	1	1	2	1	–	1	3	–	1	3	6
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	25	1	–	1	1	2	–	–	5	2	2	1	1
Nephria	72	–	–	–	1	1	–	3	2	6	3	5	7
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	2	–	–	–	–	–	–	–	–
Diabetes	17	–	–	–	–	1	–	–	–	–	1	–	3
Stone	16	–	–	–	1	–	–	–	1	–	–	1	–
Cystitis	47	–	–	–	1	–	–	–	–	–	1	1	1
Stricture of Urethra	11	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	104	1	–	1	–	–	1	2	5	2	2	8	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	23	1	–	–	–	1	–	–	3	4	6	4	1
Rheumatism	33	–	–	–	–	–	–	–	1	2	3	2	1
Joint and Bone Disease	43	–	–	2	2	–	1	–	9	8	2	1	4
XI. Carbuncle	5	–	–	1	1	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	11	3	2	–	2	–	–	–	–	–	1	–	–
X. Intemperance	23	–	–	–	–	–	–	–	–	–	–	–	–
Privation	3	–	–	–	1	1	–	–	–	–	–	–	–
Want of Breast Milk	41	20	17	4	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	–	–	–
Poison	15	2	1	1	–	–	–	–	–	–	–	1	3
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	85	1	–	4	14	16	7	5	8	3	1	2	7
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	–	1	2
Suffocation	33	22	4	1	1	–	1	–	–	–	–	–	1
Drowning	122	–	–	–	1	4	1	–	7	6	11	12	11
Fracture and Contusion	376	1	–	3	7	6	2	2	22	30	29	42	27
Gunshot Wounds	10	–	–	–	–	–	–	–	–	1	1	1	3
Cuts and Stabs	9	–	–	–	–	–	–	–	–	–	1	1	2
Other Violent Causes	40	3	1	–	–	–	–	–	1	2	4	4	4
Not Specified	353	121	45	27	20	9	8	8	14	7	4	9	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	2	–	4	4	1	1	1	–	–	–	–	–	–	–	–
Apoplexy	8	7	13	23	21	25	35	33	38	29	12	2	–	–	–	–
Paralysis	12	14	11	21	17	24	58	55	41	39	19	5	3	–	–	–
Delirium Tremens	4	9	3	6	3	2	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	5	6	6	3	2	6	3	2	3	–	–	–	–	–	–
Tetanus	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	2	–	2	1	2	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	13	17	3	16	14	12	30	10	8	3	2	–	–	–	–
Pericarditis	–	4	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Aneurism	5	6	2	6	3	2	5	–	2	–	1	–	–	–	–	–
Heart Disease	41	51	55	73	56	76	88	79	46	34	18	7	1	–	–	–
Laryngitis	1	2	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	19	36	46	73	87	96	89	78	70	44	25	10	1	2	–	–
Pleurisy	3	1	5	4	5	4	2	4	–	1	1	1	–	–	–	–
Pneumonia	35	32	34	38	40	35	21	22	11	6	4	6	–	–	–	–
Asthma	5	6	16	9	16	18	15	15	13	6	4	1	–	–	–	–
Lung Disease	2	5	5	11	10	8	7	6	4	3	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Gastritis	2	–	3	–	–	2	4	5	–	–	–	–	–	–	–	–
Enteritis	1	4	3	–	3	4	2	4	2	2	–	1	–	–	–	–
Peritonitis	5	2	3	–	–	4	1	3	3	–	–	–	–	–	–	–
Ascites	2	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	2	1	1	3	2	2	1	3	–	–	–	–	–	–	–
Hernia	–	2	–	2	2	7	3	3	3	–	1	–	–	–	–	–
Ileus	1	2	3	1	2	4	1	1	3	2	1	–	–	–	–	–
Intussusception	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	1	2	2	1	1	–	1	–	–	–	–	–	–
Stomach Disease	3	8	12	11	16	11	8	13	6	2	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	4	3	3	3	8	3	2	3	2	–	–	–	–	–	–
Jaundice	1	–	–	–	–	3	4	3	1	–	–	–	–	–	–	–
Liver Disease	7	6	18	22	19	27	19	12	7	6	2	–	–	–	–	–
Spleen Disease	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Nephritis	3	–	1	–	2	–	2	–	1	–	–	–	–	–	–	–
Nephria	7	8	3	5	6	2	5	6	2	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	2	–	–	1	1	–	4	–	1	–	–	–	–
Diabetes	4	1	1	–	3	1	1	–	1	–	–	–	–	–	–	–
Stone	1	–	–	1	2	–	1	1	3	2	1	1	–	–	–	–
Cystitis	–	2	1	–	1	2	12	6	5	9	4	1	–	–	–	–
Stricture of Urethra	2	3	–	1	–	1	2	1	1	–	–	–	–	–	–	–
Kidney Disease	6	8	8	8	11	9	7	10	7	2	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	5	4	1	2	5	2	1	2	–	–	–	–	–	–
Joint Disease	2	–	2	3	1	3	2	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	4	4	5	4	–	4	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	1	–	2	–	–	1	3	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	3	–	4	2	–	–	1	1	–	1	–	–	–	–	–
Hanging, etc.	1	2	2	2	2	1	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	18	8	14	4	8	7	6	2	2	–	–	–	–	–	–	–
Fracture and Contusion	30	28	22	29	22	23	18	20	5	3	4	1	–	–	–	–
Gunshot Wounds	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	3	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	2	3	3	2	4	2	2	2	–	–	1	–	–	–	–	–
Not Specified	11	13	7	10	7	8	10	2	–	–	–	–	–	–	–	4

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17252	1583	591	1198	1650	751	475	349	792	349	564	707	716
SPECIFIED CAUSES	16966	1498	557	1178	1633	743	473	344	775	346	560	699	704
I. Zymotic Class	3978	164	123	383	667	338	248	184	387	108	104	142	156
II. Diseases of Uncertain Seat	702	8	3	6	8	12	4	3	16	8	9	21	14
III. Tubercular Class	3180	42	74	171	268	142	90	72	175	123	319	366	307
IV. Brain and Nervous System	1294	135	36	56	63	42	27	20	43	26	26	21	34
V. Organs of Circulation	739	4	–	3	2	2	2	1	3	21	14	18	32
VI. Respiratory Organs	2837	192	167	335	385	148	68	48	72	20	26	45	53
VII. Organs of Digestion	1092	98	51	148	166	27	13	7	22	10	26	22	38
VIII. Urinary Organs	186	–	2	–	1	2	6	2	15	6	10	12	10
IX. Organs of Generation	236	–	–	–	–	–	–	–	–	–	11	32	47
X. Organs of Locomotion	81	–	–	–	2	1	1	–	9	8	4	7	3
XI. Skin, etc.	17	1	–	1	2	1	–	–	2	–	–	–	–
XII. Malformation	40	30	6	3	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	903	771	77	55	–	–	–	–	–	–	–	–	–
XIV. Atrophy	166	–	–	–	52	13	3	2	8	2	6	–	2
XV. Age	1147	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	41	7	2	2	–	–	–	–	1	–	–	1	3
XVII. Violent Deaths	327	46	16	15	16	15	11	5	22	14	5	12	5
I. Small Pox	75	6	8	10	9	8	3	10	10	–	2	6	–
Measles	306	4	7	62	133	45	24	15	13	1	–	1	–
Scarlatina	566	1	3	30	80	97	86	64	170	15	4	4	6
Diphtheria	118	4	3	11	25	19	15	10	23	1	1	1	2
Hooping Cough	587	22	30	141	227	72	46	25	23	1	–	–	–
Croup	188	2	2	28	62	40	18	18	16	2	–	–	–
Thrush	10	9	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	434	64	41	64	74	7	4	6	11	1	6	6	5
Dysentery	49	1	–	4	3	2	–	–	–	–	–	1	1
Cholera	303	–	3	4	13	8	12	8	28	11	2	14	22
Influenza	26	2	–	1	1	1	–	1	2	–	–	2	–
Purpura	8	1	–	–	1	1	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	704	2	3	7	8	11	14	7	39	37	50	60	55
Enteric Fever	268	–	2	5	10	9	16	14	38	28	23	17	22
Relapsing Fever	5	–	–	–	–	–	–	–	3	1	–	–	–
Simple Continued Fever	37	1	–	1	3	2	1	–	3	5	2	3	4
Infantile Remittent	41	2	4	2	8	10	4	6	4	1	–	–	–
Metria	84	–	–	–	–	–	–	–	–	–	6	22	27
Rheumatic Fever	16	–	–	–	–	–	–	–	1	3	–	1	2
Erysipelas	75	22	4	5	4	3	1	–	1	1	5	2	5
Pyæmia	6	1	–	–	–	–	–	–	–	–	2	–	–
Syphilis	61	20	13	7	4	2	–	–	–	–	–	2	4
Noma	9	–	–	1	2	–	4	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	2	1	–	–	–	–	–	–	–	–	2	–
Dropsy	208	3	1	–	5	6	3	2	12	5	4	8	5
Abscess	36	2	1	6	1	2	–	1	1	2	–	1	1
Ulcer	4	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	41	1	–	–	1	2	1	–	2	–	–	2	2
Cancer	395	–	–	–	–	2	–	–	1	1	5	8	5
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	138	3	7	14	21	13	6	4	15	5	11	8	8
Tabes Mesenterica	205	11	12	28	59	35	13	9	16	5	9	5	1
Phthisis	2338	10	15	21	66	33	27	26	80	107	298	352	297
Hydrocephalus	499	18	40	108	122	61	44	33	64	6	1	1	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	654	715	666	629	698	624	738	745	683	618	448	200	82	16	5	6
SPECIFIED CAUSES	649	714	649	621	688	613	726	741	683	618	448	200	82	16	5	3
Zymotic Class	134	124	128	113	92	106	79	70	62	34	16	10	4	1	–	1
Uncertain Seat	23	31	57	71	97	71	78	55	47	35	20	4	–	–	–	1
Tubercular Class	264	243	161	118	105	60	43	23	7	4	2	–	–	–	–	1
Brain, etc.	29	42	44	55	84	66	100	111	92	77	45	16	4	–	–	–
Heart, etc.	31	55	55	54	67	62	91	82	63	52	20	5	–	–	–	–
Respiratory Organs	52	78	89	96	135	123	187	180	143	106	63	20	6	–	–	–
Digestive Organs	37	42	49	48	39	52	61	56	34	23	19	3	1	–	–	–
Urinary Organs	17	24	15	14	13	11	3	13	3	4	2	1	–	–	–	–
Generative Organs	38	44	27	10	8	9	3	2	1	4	–	–	–	–	–	–
Locomotive Organs	3	6	4	4	8	7	4	4	3	2	–	1	–	–	–	–
Skin	–	–	–	1	2	–	2	–	2	3	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	7	8	11	17	31	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	58	131	215	267	255	135	66	15	5	–
Sudden Deaths	1	5	3	3	1	3	4	2	3	–	–	–	–	–	–	–
Violent Deaths	16	13	9	23	20	12	13	12	8	7	6	5	1	–	–	–
Small Pox	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	10	14	8	13	14	13	22	16	13	8	5	1	–	–	–
Dysentery	–	–	1	2	3	3	7	5	10	3	1	1	–	1	–	–
Cholera	30	28	22	26	13	23	10	8	10	4	3	1	–	–	–	–
Influenza	1	–	–	–	–	1	3	3	3	2	1	2	–	–	–	–
Purpura	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	55	63	65	50	49	36	20	12	7	3	–	1	–	–	1
Enteric Fever	19	12	17	7	6	7	3	5	4	2	–	1	1	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	1	1	1	2	1	–	2	1	1	–	–	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	13	10	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	1	1	–	3	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	3	–	1	3	2	4	2	6	1	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	1	1	1	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	1	2	–	–	–	2	–	–	–	–	–	–	–
Dropsy	7	8	18	16	18	20	22	24	8	7	5	1	–	–	–	–
Abscess	4	1	4	–	3	1	2	–	1	1	1	–	–	–	–	–
Ulcer	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	3	2	–	5	5	3	5	6	1	–	–	–	–
Cancer	10	22	33	50	71	49	47	26	33	21	8	2	–	–	–	1
Gout	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Scrofula	5	4	5	3	2	1	2	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Phthisis	259	239	156	115	103	59	40	21	7	4	2	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	82	2	5	10	8	8	6	2	16	6	5	5	2
Apoplexy	259	5	3	5	10	2	3	4	3	1	5	4	7
Paralysis	376	–	–	–	–	1	–	–	–	–	1	2	6
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	4	–	–	–	–	–	–	–	–	1	2	–	–
Epilepsy	54	–	–	–	–	–	–	–	1	3	5	4	10
Tetanus	5	1	–	–	–	–	–	–	1	1	1	–	1
Insanity	14	–	–	–	–	–	–	–	–	–	–	1	1
Convulsions	258	122	25	33	33	19	7	8	10	–	–	–	–
Brain Disease	234	5	3	8	12	12	11	6	12	14	7	4	7
V. Pericarditis	14	1	–	–	–	1	–	–	1	2	1	2	–
Aneurism	12	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	713	3	–	3	2	1	2	1	2	19	13	15	32
VI. Laryngitis	25	3	4	3	2	3	–	–	–	–	1	1	1
Bronchitis	2025	144	136	262	292	104	47	31	52	8	8	21	22
Pleurisy	40	2	–	–	1	–	1	1	1	–	1	1	2
Pneumonia	533	41	25	68	86	39	19	13	15	10	14	17	17
Asthma	109	–	–	–	–	–	–	–	–	–	1	–	1
Lung Disease	105	2	2	2	4	2	1	3	4	2	1	5	10
VII. Teething	280	2	10	114	139	14	1	–	–	–	–	–	–
Quinsey	7	1	1	–	1	–	1	–	–	–	–	1	–
Gastritis	34	7	–	2	–	–	–	–	2	1	–	1	3
Enteritis	186	43	24	22	12	5	5	5	8	4	5	4	9
Peritonitis	73	2	3	1	–	–	–	–	4	2	6	7	11
Ascites	11	–	–	–	–	1	–	–	–	1	1	–	–
Ulceration of Intestines	30	1	–	2	–	–	–	–	–	–	2	3	3
Hernia	26	1	1	–	–	–	–	–	–	–	–	–	–
Ileus	49	7	1	1	1	1	–	–	1	1	3	2	2
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	8	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	148	17	11	6	10	2	4	–	1	1	5	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	25	1	–	–	–	2	1	–	–	–	–	–	–
Jaundice	31	12	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	175	3	–	–	1	1	–	1	6	–	3	1	6
Spleen Disease	6	–	–	–	1	–	–	1	–	–	1	–	–
VIII. Nephritis	16	–	–	–	–	1	2	1	6	–	1	–	1
Nephria	65	–	–	–	–	1	2	–	3	3	6	4	5
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	8	–	1	–	–	–	–	–	–	–	–	1	–
Diabetes	10	–	–	–	1	–	–	–	1	–	–	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	12	–	–	–	–	–	–	–	–	1	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	71	–	1	–	–	–	2	1	5	2	3	5	4
IX. Paramenia	8	–	–	–	–	–	–	–	–	–	3	1	–
Ovarian Dropsy	39	–	–	–	–	–	–	–	–	–	1	–	6
Childbirth	153	–	–	–	–	–	–	–	–	–	6	30	38
Organs of Generation	36	–	–	–	–	–	–	–	–	–	1	1	3
X. Arthritis	13	–	–	–	2	–	1	–	3	1	1	–	–
Rheumatism	39	–	–	–	–	–	–	–	–	2	2	3	2
Joint and Bone Disease	29	–	–	–	–	1	–	–	6	5	1	4	1
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	11	1	–	1	2	1	–	–	1	–	–	–	–
XVII. Intemperance	24	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	33	18	7	7	–	1	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	1	–	–	–	–	–	–
Poison	13	2	–	–	–	1	–	–	–	1	–	2	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	73	2	1	4	10	5	7	4	12	2	–	2	2
Hanging, etc.	13	–	–	–	–	–	–	–	–	–	–	–	2
Suffocation	29	16	8	2	–	–	–	–	–	–	–	–	–
Drowning	25	3	–	–	1	3	–	–	2	–	–	1	–
Fracture and Contusion	93	–	–	2	2	4	3	–	7	11	5	4	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	16	4	–	–	1	1	–	1	1	–	–	1	–
Not Specified	286	85	34	20	17	8	2	5	17	3	4	8	12

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	6	14	13	11	29	17	26	35	21	14	13	5	3	–	–	–
Paralysis	7	7	13	21	33	35	55	52	61	47	26	8	1	–	–	–
Delirium Tremens	2	3	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	4	6	5	4	2	–	3	2	1	2	1	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	1	2	1	1	3	–	–	1	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	8	11	17	18	11	12	21	9	13	4	2	–	–	–	–
Pericarditis	1	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	3	2	1	1	1	–	3	–	–	–	–	–	–	–	–
Heart Disease	30	50	52	52	66	61	91	79	62	52	20	5	–	–	–	–
Laryngitis	–	2	–	1	1	1	–	1	1	–	–	–	–	–	–	–
Bronchitis	30	45	47	65	98	89	124	131	110	86	49	18	6	–	–	–
Pleurisy	3	3	4	3	2	2	1	3	5	3	1	–	–	–	–	–
Pneumonia	11	15	24	7	13	13	29	22	15	9	9	2	–	–	–	–
Asthma	1	5	6	10	13	12	24	18	10	5	3	–	–	–	–	–
Lung Disease	7	8	8	10	8	6	9	5	2	3	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	4	1	3	–	–	1	1	5	1	1	1	–	–	–	–	–
Enteritis	4	3	7	7	1	5	5	2	4	1	–	1	–	–	–	–
Peritonitis	7	6	6	5	1	4	–	5	3	–	–	–	–	–	–	–
Ascites	1	3	1	–	1	–	1	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	4	3	2	1	1	5	1	1	–	–	1	–	–	–	–	–
Hernia	–	2	1	1	6	4	5	2	1	–	2	–	–	–	–	–
Ileus	3	3	–	3	2	2	1	4	4	4	2	–	1	–	–	–
Intussusception	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	2	7	6	7	5	16	14	10	7	5	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	4	1	2	1	1	5	2	1	2	1	–	–	–	–	–
Jaundice	1	2	–	3	2	2	1	2	1	1	2	–	–	–	–	–
Liver Disease	7	11	20	18	15	22	22	19	9	5	4	1	–	–	–	–
Spleen Disease	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Nephritis	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	5	12	8	6	4	3	–	3	–	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	1	1	–	1	1	–	–	1	–	–	–	–	–
Diabetes	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	1	–	–	2	1	–	3	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	9	3	7	3	6	1	6	2	3	1	–	–	–	–	–
Paramenia	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	9	6	2	5	2	–	1	–	3	–	–	–	–	–	–
Childbirth	29	33	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	2	7	2	2	7	3	1	1	1	–	–	–	–	–	–
Arthritis	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	2	2	2	4	5	6	1	2	3	2	–	1	–	–	–	–
Joint Disease	1	4	2	–	–	1	1	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	2	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	2	2	–	–	–	–	–	–
Intemperance	4	5	1	5	1	1	2	2	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	1	3	1	2	2	3	2	1	1	3	–	–	–	–	–
Hanging, etc.	2	–	–	4	3	1	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	4	3	–	2	1	–	1	–	–	–	–	–	–
Fracture and Contusion	5	3	2	7	10	2	3	5	5	4	3	5	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	1	1	3	–	1	–	–	–	–	–	–	–	–
Not Specified	5	1	17	8	10	11	12	4	–	–	–	–	–	–	–	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	12829	1320	510	1075	1566	684	415	287	631	295	398	540	532
Specified Causes	12628	1263	488	1062	1552	680	412	278	619	291	396	536	527
I. Zymotic Class	2854	121	110	317	542	287	186	127	256	67	75	112	103
II. Diseases of Uncertain Seat	349	7	2	3	2	7	5	2	15	11	10	12	5
III. Tubercular Class	2452	27	58	150	280	120	84	64	158	109	211	259	222
IV. Brain and Nervous System	956	127	35	60	64	38	21	19	49	16	17	22	36
V. Organs of Circulation	458	5	–	2	3	2	1	2	4	6	10	15	32
VI. Respiratory Organs	2630	173	166	354	417	169	82	50	71	21	27	44	60
VII. Organs of Digestion	863	104	47	127	174	26	16	8	17	12	15	15	23
VIII. Urinary Organs	162	–	1	1	3	1	4	1	14	6	6	11	6
IX. Organs of Generation	88	–	–	–	–	–	–	–	–	–	2	18	11
X. Organs of Locomotion	61	–	–	1	2	–	–	–	6	10	6	3	2
XI. Skin, etc.	12	–	–	1	3	1	–	–	2	–	–	–	–
XII. Malformation	24	18	1	2	2	–	1	–	–	–	–	–	–
XIII. Premature Debility	722	643	47	32	–	–	–	–	–	–	–	–	–
XIV. Atrophy	105	–	–	–	43	10	2	–	5	5	3	–	1
XV. Age	434	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	37	1	1	–	–	–	–	–	1	–	–	1	–
XVII. Violent Deaths	421	37	20	12	17	19	10	5	21	28	14	24	26
I. Small Pox	104	4	16	10	11	9	8	13	13	1	1	8	4
Measles	333	2	5	63	142	57	31	14	17	2	–	–	–
Scarlatina	422	1	4	25	73	63	62	42	121	17	6	3	3
Diphtheria	83	3	1	13	20	20	12	4	7	–	–	–	1
Hooping Cough	432	18	22	105	159	65	32	14	17	–	–	–	–
Croup	127	4	3	18	43	31	10	7	9	2	–	–	–
Thrush	2	1	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa	291	49	34	57	50	9	1	6	4	1	3	2	2
Dysentery	29	1	1	5	2	1	–	–	1	–	2	1	1
Cholera	68	3	2	5	3	2	1	4	5	4	1	9	2
Influenza	20	2	–	–	2	–	–	3	1	–	1	–	–
Purpura	5	1	–	–	–	–	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	–	2	1	1	–	–	–	–
Typhus	596	1	4	3	9	12	6	4	33	23	47	68	59
Enteric Fever	154	–	2	5	11	14	15	11	17	10	6	10	15
Relapsing Fever	3	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	8	–	–	1	3	–	1	–	–	2	–	–	–
Infantile Remittent	27	1	3	1	6	3	1	4	7	1	–	–	–
Metria	36	–	–	–	–	–	–	–	–	–	3	9	13
Rheumatic Fever	9	–	–	–	–	–	1	–	1	2	–	–	–
Erysipelas	62	16	3	4	5	1	1	–	1	1	3	–	2
Pyæmia	3	1	–	–	–	–	–	–	–	–	1	1	–
Syphilis	33	13	10	2	2	–	–	–	–	–	–	1	–
Noma	3	–	–	–	1	–	1	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	1	1	–	–	–	–	–	–	1	–	3	1
Dropsy	123	2	–	1	2	3	4	2	11	4	4	2	3
Abscess	22	1	1	2	–	2	1	–	1	3	2	–	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	21	2	–	–	–	1	–	–	2	–	–	2	1
Cancer	170	–	–	–	–	1	–	–	1	3	4	5	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	106	–	7	7	15	11	5	6	18	7	5	10	5
Tabes Mesenterica	195	4	9	20	70	36	10	5	18	9	3	2	2
Phthisis	1720	7	13	22	74	31	26	31	74	85	203	245	213
Hydrocephalus	431	16	29	101	121	39	43	22	48	8	–	2	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	483	501	506	486	503	437	463	412	313	230	153	53	29	3	4	–
SPECIFIED CAUSES	477	494	497	478	496	431	456	410	313	230	153	53	29	3	4	–
Zymotic Class	83	72	91	63	76	53	43	26	21	13	6	4	–	–	–	–
Uncertain Seat	8	21	26	31	47	36	34	28	13	16	5	3	–	–	–	–
Tubercular Class	188	158	117	94	62	49	26	12	3	1	–	–	–	–	–	–
Brain, etc.	16	31	34	44	45	49	63	77	45	25	21	1	1	–	–	–
Heart, etc.	26	35	37	45	50	33	47	47	27	19	7	2	1	–	–	–
Respiratory Organs	58	71	102	117	132	124	139	99	77	48	22	7	–	–	–	–
Digestive Organs	26	25	30	33	34	37	39	28	14	6	7	–	–	–	–	–
Urinary Organs	17	17	12	10	14	5	13	9	6	2	2	1	–	–	–	–
Generative Organs	16	20	11	3	2	4	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	4	2	3	3	6	3	2	2	1	–	–	–	–	–	–
Skin	–	–	1	–	–	–	2	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	5	3	5	5	16	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	31	63	96	95	82	34	26	3	4	–
Sudden Deaths	2	6	6	3	3	6	1	4	2	–	–	–	–	–	–	–
Violent Deaths	30	29	25	27	23	13	14	15	6	3	1	1	1	–	–	–
Small Pox	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	4	7	2	7	8	7	10	7	6	4	3	–	–	–	–
Dysentery	–	1	–	1	3	3	–	2	4	–	–	–	–	–	–	–
Cholera	8	2	3	2	4	1	5	1	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	1	1	1	2	2	2	1	1	–	–	–	–
Purpura	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	52	63	50	50	34	23	7	6	1	–	–	–	–	–	–
Enteric Fever	8	3	10	6	5	1	3	1	–	1	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	4	3	2	3	2	3	2	2	2	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	2	–	1	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	8	8	7	10	10	12	14	4	5	3	–	–	–	–	–
Abscess	1	2	1	–	1	1	1	1	–	1	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	2	–	–	2	–	5	–	2	1	1	–	–	–	–
Cancer	3	11	13	24	35	23	19	8	9	8	1	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	1	2	–	1	3	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	182	157	113	93	61	46	26	11	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	76	2	7	11	10	3	5	1	13	3	5	5	3
	Apoplexy	177	4	1	7	6	1	3	2	4	1	4	4	5
	Paralysis	202	–	–	–	–	1	–	–	–	–	1	2	5
	Delirium Tremens	15	–	–	–	–	–	–	–	–	–	–	2	3
	Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	25	–	–	–	–	–	–	–	1	2	2	–	7
	Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
	Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
	Convulsions	257	119	25	31	33	24	6	9	10	–	–	–	–
	Brain Disease	198	1	2	11	15	9	7	7	21	10	5	9	12
V.	Pericarditis	9	–	–	–	–	–	–	–	–	–	1	2	–
	Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	443	5	–	2	3	2	1	2	4	6	9	13	32
VI.	Laryngitis	15	3	1	2	3	3	–	–	–	–	–	–	–
	Bronchitis	1839	128	133	263	314	113	62	33	46	9	8	16	25
	Pleurisy	17	1	–	–	1	–	–	–	–	–	1	2	–
	Pneumonia	602	36	28	85	95	52	19	15	19	10	16	22	25
	Asthma	81	–	–	–	–	–	–	–	–	–	–	3	1
	Lung Disease	76	5	4	4	4	1	1	2	6	2	2	1	9
VII.	Teething	263	1	6	108	139	9	–	–	–	–	–	–	–
	Quinsey	4	1	–	–	1	–	1	–	–	–	–	–	–
	Gastritis	35	11	1	–	3	–	1	–	1	2	–	1	2
	Enteritis	144	42	18	10	16	7	8	5	7	3	2	1	8
	Peritonitis	40	1	2	–	1	–	1	–	1	1	4	5	6
	Ascites	8	–	–	–	–	2	–	–	1	2	1	–	–
	Ulceration of Intestines	11	–	–	–	–	–	–	–	–	–	2	2	1
	Hernia	17	1	–	–	–	–	–	–	–	–	–	–	–
	Ileus	37	13	2	1	2	1	–	1	1	–	1	–	–
	Intussusception	3	–	1	–	1	–	–	–	–	–	–	–	–
	Stricture of Intestines	5	1	–	–	1	–	–	–	–	–	–	–	–
	Stomach Disease	126	24	16	7	8	3	5	–	1	3	2	4	2
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	27	–	–	–	1	3	–	1	–	1	–	1	–
	Jaundice	15	4	1	–	–	–	–	–	–	–	–	–	–
	Liver Disease	125	5	–	1	1	1	–	1	5	–	3	1	4
	Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	22	–	–	1	–	1	2	–	9	2	1	–	–
	Nephria	40	–	–	–	1	–	1	1	2	3	2	2	4
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	11	–	–	–	1	–	–	–	–	–	1	1	1
	Stone	5	–	–	–	–	–	–	–	1	–	–	–	–
	Cystitis	13	–	–	–	1	–	–	–	–	–	–	1	–
	Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	65	–	1	–	–	–	1	–	2	1	2	7	1
IX.	Paramenia	2	–	–	–	–	–	–	–	–	–	1	1	–
	Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	1
	Childbirth	59	–	–	–	–	–	–	–	–	–	1	16	10
	Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	1	–
X.	Arthritis	11	–	–	–	1	–	–	–	1	2	3	1	–
	Rheumatism	26	–	–	–	–	–	–	–	1	1	2	1	2
	Joint and Bone Disease	24	–	–	1	1	–	–	–	4	7	1	1	–
XI.	Carbuncle	4	–	–	1	–	–	–	–	–	–	–	–	–
	Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–
	Skin Disease	7	–	–	–	3	1	–	–	1	–	–	–	–
XVII.	Intemperance	24	–	–	–	–	–	–	–	–	–	–	1	–
	Privation	2	–	–	–	1	1	–	–	–	–	–	–	–
	Want of Breast Milk	38	17	13	7	–	1	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	12	3	1	–	–	–	–	–	–	1	–	–	4
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	77	–	1	4	12	11	7	5	10	4	–	1	7
	Hanging, etc.	12	–	–	–	–	–	–	–	–	–	–	–	1
	Suffocation	23	15	4	–	–	–	–	–	–	–	–	–	1
	Drowning	48	2	–	–	–	–	–	–	3	3	3	4	5
	Fracture and Contusion	166	–	–	1	4	6	3	–	8	18	11	18	7
	Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	–	–
	Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	12	–	1	–	–	–	–	–	–	1	–	–	1
	Not Specified	201	57	22	13	14	4	3	9	12	4	2	4	5

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	4	11	8	14	18	15	15	22	13	10	5	–	–	–	–	–
Paralysis	4	7	8	18	10	22	36	36	25	12	14	–	1	–	–	–
Delirium Tremens	–	2	1	3	2	2	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	2	2	4	–	1	2	1	1	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	6	15	4	14	9	8	17	6	3	2	1	–	–	–	–
Pericarditis	–	4	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	2	–	–	–	2	–	–	–	–	–	–	–	–
Heart Disease	25	30	37	43	48	33	47	45	27	19	7	2	1	–	–	–
Laryngitis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	28	45	50	81	97	92	99	74	62	43	16	2	–	–	–	–
Pleurisy	2	1	3	1	2	2	1	–	–	–	–	–	–	–	–	–
Pneumonia	20	16	34	18	21	16	21	14	9	2	4	5	–	–	–	–
Asthma	4	6	8	12	6	10	15	8	5	1	2	–	–	–	–	–
Lung Disease	3	2	6	5	6	4	3	3	1	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	4	1	2	–	–	3	1	1	1	–	–	–	–	–	–	–
Enteritis	3	2	3	1	1	3	2	–	1	1	–	–	–	–	–	–
Peritonitis	2	1	4	1	1	4	–	4	1	–	–	–	–	–	–	–
Ascites	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	2	1	–	3	3	3	1	1	–	2	–	–	–	–	–
Ileus	2	1	–	1	1	2	–	4	2	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	5	2	9	12	6	4	7	2	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	4	1	4	1	2	4	1	1	1	1	–	–	–	–	–
Jaundice	2	–	–	1	1	–	3	1	1	–	1	–	–	–	–	–
Liver Disease	9	7	15	15	10	14	18	9	3	1	2	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Nephritis	2	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Nephria	2	6	4	2	4	–	4	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Diabetes	3	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Cystitis	1	–	1	–	–	–	2	1	3	2	1	–	–	–	–	–
Stricture of Urethra	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	8	9	5	7	5	5	3	5	2	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	13	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	1	1	1	2	4	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	1	1	3	1	4	2	1	2	1	–	–	–	–	–	–
Joint Disease	2	3	1	–	–	1	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	4	6	2	5	1	2	1	2	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	4	1	1	2	1	1	1	1	1	–	–	–	–	–	–
Hanging, etc.	2	1	2	2	2	–	–	–	1	1	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	7	5	5	4	4	–	1	1	1	–	–	–	–	–	–	–
Fracture and Contusion	13	10	13	13	12	8	7	8	2	1	1	1	1	–	–	–
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	2	2	1	2	–	–	–	–	–	–	–	–
Not Specified	6	7	9	8	7	6	7	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Males.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6414	695	306	581	795	367	209	128	325	156	180	248	257
SPECIFIED CAUSES	6288	658	291	573	789	365	206	120	318	154	178	245	255
I. Zymotic Class	1403	58	62	164	243	154	95	55	130	33	32	55	50
II. Diseases of Uncertain Seat	130	2	1	1	1	3	4	1	4	7	4	3	1
III. Tubercular Class	1187	9	34	87	153	62	43	28	91	52	91	105	94
IV. Brain and Nervous System	495	67	24	39	38	17	8	7	27	5	6	13	22
V. Organs of Circulation	240	5	–	–	2	2	–	1	3	3	3	10	17
VI. Respiratory Organs	1354	99	100	195	206	91	40	22	34	10	13	26	38
VII. Organs of Digestion	449	59	32	60	104	14	10	3	8	8	6	5	6
VIII. Urinary Organs	99	–	–	1	2	1	–	1	5	4	4	5	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	32	–	–	1	1	–	–	–	3	9	6	1	–
XI. Skin, etc.	3	–	–	1	1	–	–	–	–	–	–	–	–
XII. Malformation	14	12	–	–	1	–	1	–	–	–	–	–	–
XIII. Premature Debility	369	328	23	18	–	–	–	–	–	–	–	–	–
XIV. Atrophy	51	–	–	–	25	8	2	–	2	4	1	–	–
XV. Age	154	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	21	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	287	19	15	6	12	13	3	2	10	19	12	22	23
I. Small Pox	56	1	10	5	3	5	5	6	8	1	–	4	4
Measles	168	1	1	32	68	34	17	5	9	1	–	–	–
Scarlatina	221	1	4	12	42	33	31	21	56	12	3	3	2
Diphtheria	43	2	–	7	10	10	7	2	4	–	–	–	–
Hooping Cough	188	6	14	50	56	33	13	5	11	–	–	–	–
Croup	63	3	2	9	21	17	4	2	4	1	–	–	–
Thrush	1	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa	134	23	18	34	21	6	1	2	2	–	–	1	–
Dysentery	19	1	1	4	2	–	–	–	1	–	2	1	1
Cholera	34	3	2	3	1	–	–	2	1	1	–	7	1
Influenza	15	2	–	–	1	–	–	2	–	–	1	–	–
Purpura	4	–	–	–	–	–	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	2	1	–	–	–	–	–
Typhus	312	1	1	–	6	5	–	3	16	11	25	33	36
Enteric Fever	69	–	1	4	4	9	11	4	9	4	1	5	4
Relapsing Fever	3	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	3	–	–	1	1	–	–	–	–	–	–	–	–
Infantile Remittent	16	–	1	–	5	2	1	–	7	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	1	–	–	1	–	–	–
Erysipelas	30	5	3	2	1	–	–	–	1	–	–	–	1
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	1	–
Syphilis	16	9	4	1	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	1	–	1	1
Dropsy	45	–	–	1	1	1	3	1	3	2	1	1	–
Abscess	15	–	1	–	–	2	1	–	–	2	2	–	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	53	–	–	–	–	–	–	–	1	2	1	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	55	–	5	1	6	4	3	2	13	5	3	6	1
Tabes Mesenterica	112	1	5	13	38	17	5	4	13	6	1	1	1
Phthisis	774	2	6	13	36	22	12	12	38	35	87	96	90
Hydrocephalus	246	6	18	60	73	19	23	10	27	6	–	2	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	241	230	264	256	247	224	213	188	127	93	52	20	11	1	–	–
SPECIFIED CAUSES	237	223	261	251	243	222	207	188	127	93	52	20	11	1	–	–
Zymotic Class	40	43	48	32	37	22	21	8	9	7	4	1	–	–	–	–
Uncertain Seat	3	9	9	9	13	14	11	12	7	8	2	1	–	–	–	–
Tubercular Class	85	57	61	52	33	28	11	7	3	1	–	–	–	–	–	–
Brain, etc.	11	13	18	22	22	22	28	40	23	15	7	–	1	–	–	–
Heart, etc.	18	17	19	29	23	17	25	26	10	6	1	2	1	–	–	–
Respiratory Organs	33	37	61	61	69	70	56	40	29	14	7	3	–	–	–	–
Digestive Organs	13	13	11	18	16	24	15	12	6	3	3	–	–	–	–	–
Urinary Organs	10	8	5	5	13	4	11	6	6	2	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	–	–	3	–	2	3	1	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	2	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	18	22	30	35	27	12	9	1	–	–
Sudden Deaths	1	3	5	1	2	4	–	4	–	–	–	–	–	–	–	–
Violent Deaths	21	22	23	18	13	10	8	10	4	2	–	–	–	–	–	–
Small Pox	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	3	1	1	1	3	2	4	2	2	3	–	–	–	–	–
Dysentery	–	1	–	–	2	1	–	–	2	–	–	–	–	–	–	–
Cholera	3	1	2	–	3	–	4	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	1	–	2	2	2	–	1	–	–	–	–
Purpura	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	34	37	25	25	14	14	1	2	1	–	–	–	–	–	–
Enteric Fever	2	1	2	4	2	1	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	3	3	2	1	2	1	1	1	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	5	2	3	3	5	1	4	3	3	1	–	–	–	–	–
Abscess	1	2	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	2	–	–	2	–	3	–	1	1	–	–	–	–	–
Cancer	1	2	4	6	9	6	8	4	4	3	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	80	57	58	51	32	26	11	6	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	38	–	4	6	5	–	3	1	5	1	3	3	1
Apoplexy	92	2	–	3	5	–	–	–	2	–	1	3	3
Paralysis	84	–	–	–	–	–	–	–	–	–	–	–	3
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	1	3
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	1	–	–	–	3
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	148	64	19	23	17	16	2	3	4	–	–	–	–
Brain Disease	107	–	1	7	11	1	3	3	15	4	2	6	9
V. Pericarditis	4	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	232	5	–	–	2	2	–	1	3	3	3	10	17
VI. Laryngitis	10	2	–	1	2	2	–	–	–	–	–	–	–
Bronchitis	914	71	81	139	155	60	34	14	21	5	3	7	15
Pleurisy	10	1	–	–	1	–	–	–	–	–	1	1	–
Pneumonia	341	20	16	52	46	29	6	8	8	4	8	15	17
Asthma	39	–	–	–	–	–	–	–	–	–	–	3	1
Lung Disease	40	5	3	3	2	–	–	–	5	1	1	–	5
VII. Teething	140	–	4	50	81	5	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	15	4	1	–	3	–	1	–	–	1	–	–	–
Enteritis	69	25	10	3	11	4	5	1	2	1	1	–	1
Peritonitis	17	1	1	–	1	–	1	–	1	1	1	–	2
Ascites	7	–	–	–	–	1	–	–	1	2	1	–	–
Ulceration of Intestines	7	–	–	–	–	–	–	–	–	–	1	1	1
Hernia	6	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	19	7	1	1	1	–	–	1	1	–	1	–	–
Intussusception	2	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	75	14	13	5	4	2	3	–	1	2	–	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	–	–	–	1	1	–	1	–	1	–	1	–
Jaundice	9	3	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	64	3	–	1	1	1	–	–	2	–	1	1	2
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	14	–	–	1	–	1	–	–	4	2	1	–	–
Nephria	24	–	–	–	1	–	–	1	–	2	1	1	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	1	–	1
Stone	5	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	11	–	–	–	1	–	–	–	–	–	–	1	–
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	35	–	–	–	–	–	–	–	–	–	1	3	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	7	–	–	–	–	–	–	–	–	2	3	1	–
Rheumatism	11	–	–	–	–	–	–	–	1	1	2	–	–
Joint and Bone Disease	14	–	–	1	1	–	–	–	2	6	1	–	–
XI. Carbuncle	1	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	1	1	–	–	–	–	–	–	–
Want of Breast Milk	22	8	11	3	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
Poison	8	2	1	–	–	–	–	–	–	–	–	–	3
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	43	–	–	2	8	9	2	2	1	3	–	1	6
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	13	9	2	–	–	–	–	–	–	–	–	–	1
Drowning	40	–	–	–	–	–	–	–	2	3	3	4	5
Fracture and Contusion	129	–	–	1	3	3	1	–	7	11	9	17	7
Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	11	–	1	–	–	–	–	–	–	1	–	–	1
Not Specified	126	37	15	8	6	2	3	8	7	2	2	3	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	3	4	11	7	9	7	13	9	5	2	–	–	–	–	–
Paralysis	2	3	2	5	6	6	15	19	11	8	3	–	1	–	–	–
Delirium Tremens	–	1	1	3	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	2	–	1	2	–	–	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	4	9	–	7	5	2	8	3	2	2	–	–	–	–	–
Pericarditis	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	14	19	27	21	17	25	26	10	6	1	2	1	–	–	–
Laryngitis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	10	23	26	39	47	52	43	30	21	13	5	–	–	–	–	–
Pleurisy	1	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
Pneumonia	17	11	22	15	16	9	8	7	4	–	–	3	–	–	–	–
Asthma	3	2	7	5	3	6	3	1	3	–	2	–	–	–	–	–
Lung Disease	1	–	4	2	2	1	1	2	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Enteritis	1	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Peritonitis	2	–	1	–	–	3	–	1	1	–	–	–	–	–	–	–
Ascites	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	2	–	–	1	–	1	–	–	–	–	–
Ileus	–	1	–	–	–	2	–	1	1	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	4	–	6	9	4	–	4	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	1	2	–	2	1	1	–	1	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–
Liver Disease	6	2	8	9	5	8	8	4	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis	2	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Nephria	2	2	–	2	3	–	4	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Diabetes	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	2	–	3	2	1	–	–	–	–	–
Stricture of Urethra	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	4	4	4	2	5	4	3	3	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	3	–	–	2	1	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	2	2	–	1	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	3	–	1	1	–	–	1	1	–	–	–	–	–	–	–
Hanging, etc.	–	1	2	–	1	–	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	5	5	2	3	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	10	9	12	11	7	7	6	6	1	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	1	2	1	2	–	–	–	–	–	–	–	–
Not Specified	4	7	3	5	4	2	6	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6415	625	204	494	771	317	206	159	306	139	218	292	275
SPECIFIED CAUSES	6340	605	197	489	763	315	206	158	301	137	218	291	272
I. Zymotic Class	1451	63	48	153	299	133	91	72	126	34	43	57	53
II. Diseases of Uncertain Seat	219	5	1	2	1	4	1	1	11	4	6	9	4
III. Tubercular Class	1265	18	24	63	127	58	41	36	67	57	120	154	128
IV. Brain and Nervous System	461	60	11	21	26	21	13	12	22	11	11	9	14
V. Organs of Circulation	218	–	–	2	1	–	1	1	1	3	7	5	15
VI. Respiratory Organs	1276	74	66	159	211	78	42	28	37	11	14	18	22
VII. Organs of Digestion	414	45	15	67	70	12	6	5	9	4	9	10	17
VIII. Urinary Organs	63	–	1	–	1	–	4	–	9	2	2	6	2
IX. Organs of Generation	88	–	–	–	–	–	–	–	–	–	2	18	11
X. Organs of Locomotion	29	–	–	–	1	–	–	–	3	1	–	2	2
XI. Skin, etc.	9	–	–	–	2	1	–	–	2	–	–	–	–
XII. Malformation	10	6	1	2	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	353	315	24	14	–	–	–	–	–	–	–	–	–
XIV. Atrophy	54	–	–	–	18	2	–	–	3	1	2	–	1
XV. Age	280	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	16	1	1	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	134	18	5	6	5	6	7	3	11	9	2	2	3
I. Small Pox	48	3	6	5	8	4	3	7	5	–	1	4	–
Measles	165	1	4	31	74	23	14	9	8	1	–	–	–
Scarlatina	201	–	–	13	31	30	31	21	65	5	3	–	1
Diphtheria	40	1	1	6	10	10	5	2	3	–	–	–	1
Hooping Cough	244	12	8	55	103	32	19	9	6	–	–	–	–
Croup	64	1	1	9	22	14	6	5	5	1	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	157	26	16	23	29	3	–	4	2	1	3	1	2
Dysentery	10	–	–	1	–	1	–	–	–	–	–	–	–
Cholera	34	–	–	2	2	2	1	2	4	3	1	2	1
Influenza	5	–	–	–	1	–	–	1	1	–	–	–	–
Purpura	1	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	284	–	3	3	3	7	6	1	17	12	22	35	23
Enteric Fever	85	–	1	1	7	5	4	7	8	6	5	5	11
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	5	–	–	–	2	–	1	–	–	2	–	–	–
Infantile Remittent	11	1	2	1	1	1	–	4	–	1	–	–	–
Metria	36	–	–	–	–	–	–	–	–	–	3	9	13
Rheumatic Fever	6	–	–	–	–	–	–	–	1	1	–	–	–
Erysipelas	32	11	–	2	4	1	1	–	–	1	3	–	1
Pyæmia	2	1	–	–	–	–	–	–	–	–	1	–	–
Syphilis	17	4	6	1	1	–	–	–	–	–	–	1	–
Noma	2	–	–	–	1	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	1	1	–	–	–	–	–	–	–	–	2	–
Dropsy	78	2	–	–	1	2	1	1	8	2	3	1	3
Abscess	7	1	–	2	–	–	–	–	1	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	1	–	–	–	1	–	–	2	–	–	2	1
Cancer	117	–	–	–	–	1	–	–	–	1	3	4	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	51	–	2	6	9	7	2	4	5	2	2	4	4
Tabes Mesenterica	83	3	4	7	32	19	5	1	5	3	2	1	1
Phthisis	946	5	7	9	38	12	14	19	36	50	116	149	123
Hydrocephalus	185	10	11	41	48	20	20	12	21	2	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	242	271	242	230	256	213	250	224	186	137	101	33	18	2	4	–
SPECIFIED CAUSES	240	271	236	227	253	209	249	222	186	137	101	33	18	2	4	–
Zymotic Class	43	29	43	31	39	31	22	18	12	6	2	3	–	–	–	–
Uncertain Seat	5	12	17	22	34	22	23	16	6	8	3	2	–	–	–	–
Tubercular Class	103	101	56	42	29	21	15	5	–	–	–	–	–	–	–	–
Brain, etc.	5	18	16	22	23	27	35	37	22	10	14	1	–	–	–	–
Heart, etc.	8	18	18	16	27	16	22	21	17	13	6	–	–	–	–	–
Respiratory Organs	25	34	41	56	63	54	83	59	48	34	15	4	–	–	–	–
Digestive Organs	13	12	19	15	18	13	24	16	8	3	4	–	–	–	–	–
Urinary Organs	7	9	7	5	1	1	2	3	–	–	1	–	–	–	–	–
Generative Organs	16	20	11	3	2	4	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	4	2	–	3	4	–	1	2	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	4	3	4	3	11	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	13	41	66	60	55	22	17	2	4	–
Sudden Deaths	1	3	1	2	1	2	1	–	2	–	–	–	–	–	–	–
Violent Deaths	9	7	2	9	10	3	6	5	2	1	1	1	1	–	–	–
Small Pox	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	1	6	1	6	5	5	6	5	4	1	3	–	–	–	–
Dysentery	–	–	–	1	1	2	–	2	2	–	–	–	–	–	–	–
Cholera	5	1	1	2	1	1	1	1	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	18	26	25	25	20	9	6	4	–	–	–	–	–	–	–
Enteric Fever	6	2	8	2	3	–	3	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	2	–	2	1	1	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	3	6	4	7	5	11	10	1	2	2	–	–	–	–	–
Abscess	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–
Cancer	2	9	9	18	26	17	11	4	5	5	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	102	100	55	42	29	20	15	5	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	38	2	3	5	5	3	2	–	8	2	2	2	2
Apoplexy	85	2	1	4	1	1	3	2	2	1	3	1	2
Paralysis	118	–	–	–	–	1	–	–	–	–	1	2	2
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	–	–	–	–	–	–	–	–	2	2	–	4
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	109	55	6	8	16	8	4	6	6	–	–	–	–
Brain Disease	91	1	1	4	4	8	4	4	6	6	3	3	3
V. Pericarditis	5	–	–	–	–	–	–	–	–	–	1	2	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	211	–	–	2	1	–	1	1	1	3	6	3	15
VI. Laryngitis	5	1	1	1	1	1	–	–	–	–	–	–	–
Bronchitis	925	57	52	124	159	53	28	19	25	4	5	9	10
Pleurisy	7	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	261	16	12	33	49	23	13	7	11	6	8	7	8
Asthma	42	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	36	–	1	1	2	1	1	2	1	1	1	1	4
VII. Teething	123	1	2	58	58	4	–	–	–	–	–	–	–
Quinsey	2	–	–	–	1	–	1	–	–	–	–	–	–
Gastritis	20	7	–	–	–	–	–	–	1	1	–	1	2
Enteritis	75	17	8	7	5	3	3	4	5	2	1	1	7
Peritonitis	23	–	1	–	–	–	–	–	–	–	3	5	4
Ascites	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	1	1	–
Hernia	11	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	18	6	1	–	1	1	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	5	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	51	10	3	2	4	1	2	–	–	1	2	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	12	–	–	–	–	2	–	–	–	–	–	–	–
Jaundice	6	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	61	2	–	–	–	–	–	1	3	–	2	–	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	8	–	–	–	–	–	2	–	5	–	–	–	–
Nephria	16	–	–	–	–	–	1	–	2	1	1	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	6	–	–	–	1	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	30	–	1	–	–	–	1	–	2	1	1	4	1
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	59	–	–	–	–	–	–	–	–	–	1	16	10
Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	4	–	–	–	1	–	–	–	1	–	–	–	–
Rheumatism	15	–	–	–	–	–	–	–	–	–	–	1	2
Joint and Bone Disease	10	–	–	–	–	–	–	–	2	1	–	1	–
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	5	–	–	–	2	1	–	–	1	–	–	–	–
XVII. Intemperance	15	–	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	16	9	2	4	–	1	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	1	–	–	–	–	–	–	–	1	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	34	–	1	2	4	2	5	3	9	1	–	–	1
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	10	6	2	–	–	–	–	–	–	–	–	–	–
Drowning	8	2	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	37	–	–	–	1	3	2	–	1	7	2	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	75	20	7	5	8	2	–	1	5	2	–	1	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	8	4	3	11	6	8	9	4	5	3	–	–	–	–	–
Paralysis	2	4	6	13	4	16	21	17	14	4	11	–	–	–	–	–
Delirium Tremens	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	2	–	–	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	6	4	7	4	6	9	3	1	–	1	–	–	–	–
Pericarditis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Heart Disease	8	16	18	16	27	16	22	19	17	13	6	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	18	22	24	42	50	40	56	44	41	30	11	2	–	–	–	–
Pleurisy	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	5	12	3	5	7	13	7	5	2	4	2	–	–	–	–
Asthma	1	4	1	7	3	4	12	7	2	1	–	–	–	–	–	–
Lung Disease	2	2	2	3	4	3	2	1	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–
Enteritis	2	1	3	1	1	2	2	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	3	1	1	1	–	3	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	1	–	3	1	3	1	–	–	1	–	–	–	–	–
Ileus	2	–	–	1	1	–	–	3	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	2	3	3	2	4	3	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	2	1	–	3	–	1	–	1	–	–	–	–	–
Jaundice	1	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–
Liver Disease	3	5	7	6	5	6	10	5	2	1	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	4	4	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diabetes	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	5	1	5	–	1	–	2	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	13	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	1	1	1	2	4	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	1	–	1	4	–	–	2	1	–	–	–	–	–	–
Joint Disease	1	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	3	4	–	3	1	1	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	–	1	1	1	–	–	1	–	–	–	–	–	–
Hanging, etc.	2	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	3	1	1	2	5	1	1	2	1	–	1	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	6	3	3	4	1	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1742	161	84	162	188	86	57	33	66	41	49	72	70
Specified Causes	1706	149	83	156	187	84	57	33	65	38	48	72	69
I. Zymotic Class	372	15	15	42	70	44	29	18	34	5	4	7	11
II. Diseases of Uncertain Seat	43	–	–	–	1	–	–	1	1	2	1	2	2
III. Tubercular Class	354	7	15	34	37	17	11	7	18	17	31	44	33
IV. Brain and Nervous System	153	9	7	11	12	3	2	1	3	4	2	5	4
V. Organs of Circulation	49	–	–	–	–	–	–	–	–	3	–	2	1
VI. Respiratory Organs	320	20	22	49	46	9	9	5	5	4	5	4	10
VII. Organs of Digestion	86	9	11	10	14	4	2	–	1	1	1	1	4
VIII. Urinary Organs	18	1	–	–	–	–	1	–	–	–	–	1	1
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	2	–
X. Organs of Locomotion	9	–	–	–	–	–	–	–	2	1	–	1	–
XI. Skin, etc.	3	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	2	2	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	100	82	11	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	19	–	–	–	4	4	1	–	–	–	1	1	–
XV. Age	118	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	46	3	–	2	3	3	2	1	1	1	2	2	3
I. Small Pox	6	1	–	–	1	–	–	2	1	–	–	–	–
Measles	49	1	1	11	20	8	6	1	1	–	–	–	–
Scarlatina	71	–	1	6	9	15	8	11	18	3	–	–	–
Diphtheria	15	1	–	1	6	2	2	–	1	–	–	–	–
Hooping Cough	45	–	6	12	15	7	5	–	–	–	–	–	–
Croup	18	–	–	1	4	9	3	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	49	5	4	3	10	1	–	–	2	–	2	1	1
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	10	–	–	2	1	–	–	1	–	–	–	–	1
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	45	–	–	1	–	–	1	–	1	–	–	1	6
Enteric Fever	24	–	–	1	2	–	3	1	8	1	2	2	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	1	–	–	–	1	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	5	–	–	–	–	–	–	1	–	–	–	1	1
Erysipelas	10	4	1	–	–	1	–	–	–	1	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	3	2	4	–	–	–	–	–	–	–	1	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	1	–	–	1	1	1	–	–	–
Abscess	5	–	–	–	–	–	–	–	–	1	1	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	24	–	–	–	–	–	–	–	–	–	–	2	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	18	1	2	3	3	1	1	–	2	–	2	–	–
Tabes Mesenterica	29	1	3	5	3	4	3	3	2	2	2	1	–
Phthisis	230	2	3	2	9	5	1	2	8	15	27	43	33
Hydrocephalus	77	3	7	24	22	7	6	2	6	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	64	60	71	72	76	55	71	48	54	44	35	17	3	1	–	2
Specified Causes	64	59	70	71	75	54	69	48	54	44	35	17	3	1	–	1
Zymotic Class	8	16	13	11	7	4	9	4	1	3	2	–	–	–	–	–
Uncertain Seat	3	2	3	6	9	2	3	1	1	1	1	–	–	–	–	1
Tubercular Class	22	16	13	12	13	2	3	1	–	1	–	–	–	–	–	–
Brain, etc.	5	8	8	10	16	9	8	12	7	4	2	1	–	–	–	–
Heart, etc.	1	3	5	13	6	3	8	3	–	1	–	–	–	–	–	–
Respiratory Organs	12	6	17	11	18	15	23	12	7	4	7	–	–	–	–	–
Digestive Organs	–	1	4	4	1	9	3	3	2	1	–	–	–	–	–	–
Urinary Organs	2	3	2	–	–	1	1	2	1	1	1	–	–	–	–	–
Generative Organs	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	1	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	10	35	26	22	15	3	1	–	–
Sudden Deaths	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	7	2	4	3	1	2	3	–	–	–	–	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	–	3	3	2	4	1	1	2	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Cholera	–	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	7	11	6	1	1	2	1	–	–	–	–	–	–	–	–
Enteric Fever	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	–	1	1	2	1	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	1	2	6	6	1	1	–	1	1	1	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	22	14	13	12	13	2	3	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	17	1	1	4	2	–	1	–	1	4	–	–	1
	Apoplexy	36	–	1	1	2	–	–	–	–	–	–	2	1
	Paralysis	30	–	–	–	–	–	–	–	–	–	–	1	–
	Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	9	–	–	–	–	–	–	–	–	–	1	–	2
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	4	–	–	–	–	–	–	–	–	–	–	2	–
	Convulsions	26	8	5	5	5	2	1	–	–	–	–	–	–
	Brain Disease	30	–	–	1	3	1	–	1	2	–	1	–	–
V.	Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	44	–	–	–	–	–	–	–	–	3	–	2	1
VI.	Laryngitis	3	–	2	–	–	–	–	–	–	–	–	–	–
	Bronchitis	186	16	16	39	28	9	6	1	4	–	–	–	4
	Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
	Pneumonia	93	3	4	10	18	–	3	4	1	3	4	3	6
	Asthma	25	–	–	–	–	–	–	–	–	1	1	–	–
	Lung Disease	11	1	–	–	–	–	–	–	–	–	–	1	–
VII.	Teething	21	–	2	9	10	–	–	–	–	–	–	–	–
	Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–
	Enteritis	27	6	7	1	2	3	–	–	1	1	1	1	1
	Peritonitis	4	–	–	–	–	–	–	–	–	–	–	–	2
	Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	7	–	2	–	–	1	–	–	–	–	–	–	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	3	–	–	–	–	–	1	–	–	–	–	–	–
	Jaundice	5	1	–	–	–	–	1	–	–	–	–	–	–
	Liver Disease	13	2	–	–	–	–	–	–	–	–	–	–	1
	Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII.	Nephritis	2	1	–	–	–	–	–	–	–	–	–	–	–
	Nephria	3	–	–	–	–	–	1	–	–	–	–	–	1
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	8	–	–	–	–	–	–	–	–	–	–	1	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	7	–	–	–	–	–	–	–	–	–	1	2	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	1	–	–	–	–	–	–	–	–	–	–	1	–
	Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
	Joint and Bone Disease	6	–	–	–	–	–	–	–	2	1	–	–	–
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	3	1	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	3	2	–	1	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	7	–	–	1	–	1	1	1	–	–	–	–	–
	Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	2	1	–	–	1	–	–	–	–	–	–	–	–
	Drowning	11	–	–	–	–	1	–	–	–	–	1	–	2
	Fracture and Contusion	19	–	–	–	1	1	1	–	1	1	1	1	1
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	3	–	–	–	1	–	–	–	–	–	–	1	–
	Not Specified	36	12	1	6	1	2	–	–	1	3	1	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	1	6	4	5	5	2	2	–	1	–	–	–	–
Paralysis	3	1	3	3	5	4	–	3	3	2	2	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	3	1	2	4	1	3	3	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	–	3	3	13	6	3	7	2	–	1	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	4	9	10	8	8	6	4	4	4	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	7	3	7	–	3	5	6	1	1	–	1	–	–	–	–	–
Asthma	–	–	4	1	3	2	6	4	2	–	1	–	–	–	–	–
Lung Disease	1	–	1	1	2	–	3	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	3	2	1	2	1	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	2	–	–	1	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	2	1	–	1	2	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	1	1	1	2	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	851	84	45	84	91	39	25	17	33	22	18	33	26
SPECIFIED CAUSES	837	81	44	80	91	38	25	17	33	19	18	33	26
I. Zymotic Class	180	7	11	18	33	21	13	9	18	2	–	3	3
II. Diseases of Uncertain Seat	14	–	–	–	1	–	–	–	1	–	1	2	–
III. Tubercular Class	155	4	5	20	21	8	4	5	7	8	10	19	13
IV. Brain and Nervous System	88	2	2	6	8	–	1	–	3	3	2	3	2
V. Organs of Circulation	28	–	–	–	–	–	–	–	–	1	–	–	1
VI. Respiratory Organs	162	16	12	23	20	4	5	2	2	3	3	2	3
VII. Organs of Digestion	48	5	7	7	6	2	1	–	–	1	1	–	–
VIII. Urinary Organs	13	1	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	1	–	–	1	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	54	43	7	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	1	1	1	–	–	–	–	1	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	34	2	–	1	1	2	–	1	1	1	2	2	3
I. Small Pox	2	–	–	–	1	–	–	–	–	–	–	–	–
Measles	22	–	1	6	8	4	2	–	1	–	–	–	–
Scarlatina	40	–	–	2	6	9	5	8	9	1	–	–	–
Diphtheria	6	1	–	–	1	–	1	–	1	–	–	–	–
Hooping Cough	20	–	5	4	5	4	2	–	–	–	–	–	–
Croup	10	–	–	–	4	4	2	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	4	3	2	4	–	–	–	2	–	–	1	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	1	1	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	22	–	–	1	–	–	–	–	–	–	–	–	1
Enteric Fever	8	–	–	–	1	–	1	–	3	–	–	1	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	1	–	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	1	–	–	–	1	1
Erysipelas	7	2	1	–	–	–	–	–	–	1	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	2	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	–	–	–	1	–	–	–	1	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	2	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	1	1	1	–	–	–	–	1	–	2	–	–
Tabes Mesenterica	13	1	1	2	3	2	1	1	1	1	–	–	–
Phthisis	92	1	–	2	2	4	1	2	4	7	8	19	13
Hydrocephalus	42	1	3	15	16	2	2	2	1	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	29	26	36	45	36	32	38	32	22	19	13	4	1	–	–	1
SPECIFIED CAUSES	29	25	36	45	36	32	38	32	22	19	13	4	1	–	–	–
Zymotic Class	4	7	9	6	5	2	3	3	–	2	1	–	–	–	–	–
Uncertain Seat	–	–	–	3	2	–	1	1	–	1	1	–	–	–	–	–
Tubercular Class	9	3	2	5	8	1	2	–	–	1	–	–	–	–	–	–
Brain, etc.	4	7	6	7	7	3	6	9	5	2	–	–	–	–	–	–
Heart, etc.	1	1	3	9	2	2	6	2	–	–	–	–	–	–	–	–
Respiratory Organs	3	1	8	9	8	12	11	8	4	1	2	–	–	–	–	–
Digestive Organs	–	–	3	3	1	7	1	3	–	1	–	–	–	–	–	–
Urinary Organs	2	3	1	–	–	–	1	2	1	–	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	4	12	11	8	4	1	–	–	–
Sudden Deaths	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	6	2	4	2	1	2	1	–	–	–	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	1	1	2	1	–	1	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	4	7	4	1	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Contd. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	3	1	–	–	–	–	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	2	2	5	8	1	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	1	–	3	1	–	–	–	1	3	–	–	1
Apoplexy	21	–	–	1	1	–	–	–	–	–	–	1	1
Paralysis	17	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	10	1	2	2	4	–	1	–	–	–	–	–	–
Brain Disease	18	–	–	–	2	–	–	–	2	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	25	–	–	–	–	–	–	–	–	1	–	–	1
VI. Laryngitis	2	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	94	13	8	20	14	4	4	1	1	–	–	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	40	2	3	3	6	–	1	1	1	2	2	2	2
Asthma	20	–	–	–	–	–	–	–	–	1	1	–	–
Lung Disease	6	1	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	12	–	1	7	4	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	3	–	–	1	–	–	–	–	–	–	–	–
Enteritis	13	4	4	–	1	2	–	–	–	1	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	2	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	8	1	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	1	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	–	–	1	–	2
Fracture and Contusion	15	–	–	–	–	1	–	–	1	1	1	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	14	3	1	4	–	1	–	–	–	3	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	–	4	1	4	4	1	1	–	–	–	–	–	–
Paralysis	3	1	2	3	1	2	–	1	2	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	1	1	–	2	3	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	2	9	2	2	5	2	–	–	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	7	3	6	4	3	2	1	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	1	4	–	1	4	2	–	–	–	–	–	–	–	–	–
Asthma	–	–	2	1	3	2	3	4	2	–	1	–	–	–	–	–
Lung Disease	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	2	2	1	1	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	2	1	–	1	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	891	77	39	78	97	47	32	16	33	19	31	39	44
SPECIFIED CAUSES	869	68	39	76	96	46	32	16	32	19	30	39	43
I. Zymotic Class	192	8	4	24	37	23	16	9	16	3	4	4	8
II. Diseases of Uncertain Seat	29	–	–	–	–	–	–	1	–	2	–	–	2
III. Tubercular Class	199	3	10	14	16	9	7	2	11	9	21	25	20
IV. Brain and Nervous System	65	7	5	5	4	3	1	1	–	1	–	2	2
V. Organs of Circulation	21	–	–	–	–	–	–	–	–	2	–	2	–
VI. Respiratory Organs	158	4	10	26	26	5	4	3	3	1	2	2	7
VII. Organs of Digestion	38	4	4	3	8	2	1	–	1	–	1	1	4
VIII. Urinary Organs	5	–	–	–	–	–	1	–	–	–	–	1	–
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	2	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	1	–	–	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	2	2	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	46	39	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	3	3	–	–	–	–	1	–	–
XV. Age	74	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	12	1	–	1	2	1	2	–	–	–	–	–	–
I. Small Pox	4	1	–	–	–	–	–	2	1	–	–	–	–
Measles	27	1	–	5	12	4	4	1	–	–	–	–	–
Scarlatina	31	–	1	4	3	6	3	3	9	2	–	–	–
Diphtheria	9	–	–	1	5	2	1	–	–	–	–	–	–
Hooping Cough	25	–	1	8	10	3	3	–	–	–	–	–	–
Croup	8	–	–	1	–	5	1	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	25	1	1	1	6	1	–	–	–	–	2	–	1
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	6	–	–	1	–	–	–	1	–	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	–	–	–	–	1	–	1	–	–	1	5
Enteric Fever	16	–	–	1	1	–	2	1	5	1	2	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	7	3	1	2	–	–	–	–	–	–	–	1	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	–	–	1	–	1	–	–	–
Abscess	4	–	–	–	–	–	–	–	–	1	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	1	2	3	1	1	–	1	–	–	–	–
Tabes Mesenterica	16	–	2	3	–	2	2	2	1	1	2	1	–
Phthisis	138	1	3	–	7	1	–	–	4	8	19	24	20
Hydrocephalus	35	2	4	9	6	5	4	–	5	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	35	34	35	27	40	23	33	16	32	25	22	13	2	1	–	1
SPECIFIED CAUSES	35	34	34	26	39	22	31	16	32	25	22	13	2	1	–	1
Zymotic Class	4	9	4	5	2	2	6	1	1	1	1	–	–	–	–	–
Uncertain Seat	3	2	3	3	7	2	2	–	1	–	–	–	–	–	–	1
Tubercular Class	13	13	11	7	5	1	1	1	–	–	–	–	–	–	–	–
Brain, etc.	1	1	2	3	9	6	2	3	2	2	2	1	–	–	–	–
Heart, etc.	–	2	2	4	4	1	2	1	–	1	–	–	–	–	–	–
Respiratory Organs	9	5	9	2	10	3	12	4	3	3	5	–	–	–	–	–
Digestive Organs	–	1	1	1	–	2	2	–	2	–	–	–	–	–	–	–
Urinary Organs	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Generative Organs	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	6	23	15	14	11	2	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	2	2	1	2	–	1	1	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	4	2	–	1	2	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	1	2	3	5	1	1	–	1	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	12	11	7	5	1	1	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	1	1	1	–	1	–	–	1	–	–	–
Apoplexy	15	–	1	–	1	–	–	–	–	–	–	1	–
Paralysis	13	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	16	7	3	3	1	2	–	–	–	–	–	–	–
Brain Disease	12	–	–	1	1	1	–	1	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	19	–	–	–	–	–	–	–	–	2	–	2	–
VI. Laryngitis	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	92	3	8	19	14	5	2	–	3	–	–	–	3
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	53	1	1	7	12	–	2	3	–	1	2	1	4
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	9	–	1	2	6	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	2	3	1	1	1	–	–	1	–	1	1	1
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	2
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	1	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	2	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	4	–	–	–	1	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	22	9	–	2	1	1	–	–	1	–	1	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	1	2	3	1	1	1	1	–	1	–	–	–	–
Paralysis	–	–	1	–	4	2	–	2	1	1	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	3	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	–	2	1	4	4	1	2	–	–	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	3	2	7	2	4	3	2	3	3	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	4	2	3	–	2	1	4	1	1	–	1	–	–	–	–	–
Asthma	–	–	2	–	–	–	3	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	4813	430	159	297	365	155	92	65	182	88	141	191	237
Specified Causes	4783	422	158	297	361	155	92	65	180	87	141	189	235
I. Zymotic Class	1012	54	44	95	144	56	51	33	62	27	39	42	52
II. Diseases of Uncertain Seat	200	4	–	1	2	2	–	2	1	1	1	3	8
III. Tubercular Class	879	11	21	48	71	40	24	12	45	22	62	91	93
IV. Brain and Nervous System	425	29	10	18	16	12	5	5	17	6	4	4	12
V. Organs of Circulation	294	2	1	1	–	1	–	–	1	8	3	8	15
VI. Respiratory Organs	754	64	42	85	81	32	7	5	20	2	8	12	7
VII. Organs of Digestion	303	26	12	18	24	4	1	3	9	5	7	4	11
VIII. Urinary Organs	110	–	–	–	1	2	–	2	5	5	5	5	9
IX. Organs of Generation	31	–	–	–	–	–	–	–	–	–	1	1	13
X. Organs of Locomotion	37	–	–	1	1	–	–	–	9	5	1	3	1
XI. Skin, etc.	4	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	27	22	2	2	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	237	198	16	23	–	–	–	–	–	–	–	–	–
XIV. Atrophy	40	–	–	–	17	1	3	1	2	–	1	–	–
XV. Age	236	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	2	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	184	9	8	5	3	5	1	2	9	6	9	16	14
I. Small Pox	9	1	2	1	1	–	–	–	1	–	–	2	1
Measles	40	1	2	9	17	3	4	2	2	–	–	–	–
Scarlatina	45	–	–	3	10	9	6	6	4	2	2	3	–
Diphtheria	49	2	1	4	11	2	5	4	12	1	3	2	1
Hooping Cough	189	5	16	46	66	20	16	10	9	1	–	–	–
Croup	19	2	–	3	5	6	2	–	1	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	114	25	11	19	22	1	1	–	2	–	1	3	2
Dysentery	14	1	1	–	–	–	1	–	–	–	–	–	–
Cholera	148	1	1	1	5	8	4	4	9	5	3	5	15
Influenza	7	2	–	–	–	1	1	–	–	–	–	–	1
Purpura	5	1	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	190	–	–	1	1	–	4	1	9	6	13	15	13
Enteric Fever	84	–	–	1	2	3	3	4	11	9	12	6	5
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	7	2	–	–	2	1	–	2	–	–	–	–	–
Metria	14	–	–	–	–	–	–	–	–	–	1	3	7
Rheumatic Fever	7	–	–	–	–	–	–	–	1	1	1	2	–
Erysipelas	24	3	2	2	–	2	–	–	–	2	1	–	1
Pyæmia	6	–	–	–	–	–	–	–	–	–	1	1	1
Syphilis	30	8	7	5	1	–	–	–	–	–	–	–	4
Noma	5	–	–	–	1	–	3	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	3	–	–	–	–	–	–	–	–	–	–	–
Dropsy	23	1	–	–	–	–	–	–	–	–	–	–	–
Abscess	14	–	–	1	1	1	–	1	–	–	–	–	–
Ulcer	4	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	14	–	–	–	1	–	–	–	–	–	–	–	1
Cancer	136	–	–	–	–	1	–	1	1	1	1	3	6
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	51	2	–	5	5	5	3	–	8	–	4	2	6
Tabes Mesenterica	57	5	1	5	19	11	3	2	5	2	2	1	–
Phthisis	603	–	2	4	4	3	5	–	15	17	56	86	86
Hydrocephalus	168	4	18	34	43	21	13	10	17	3	–	2	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	210	254	195	209	231	235	229	256	205	198	122	53	10	3	–	1
Specified Causes	209	254	192	208	229	234	227	256	205	198	122	53	10	3	–	1
Zymotic Class	34	54	28	40	33	40	22	28	18	7	6	1	2	–	–	–
Uncertain Seat	7	12	9	17	29	22	30	14	14	15	6	–	–	–	–	–
Tubercular Class	81	74	51	43	36	26	13	9	3	2	–	–	–	–	–	1
Brain, etc.	16	17	13	19	24	22	29	42	39	40	14	11	1	–	–	–
Heart, etc.	15	28	18	20	19	38	36	32	18	20	6	4	–	–	–	–
Respiratory Organs	15	25	26	32	44	34	42	61	46	38	16	9	1	–	–	–
Digestive Organs	13	15	22	12	22	24	23	19	13	6	8	2	–	–	–	–
Urinary Organs	9	9	4	7	6	10	8	10	5	6	1	1	–	–	–	–
Generative Organs	3	5	2	1	1	1	2	–	–	1	–	–	–	–	–	–
Locomotive Organs	1	2	4	1	1	–	3	2	–	2	–	–	–	–	–	–
Skin	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	5	–	–	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	29	46	57	62	23	6	3	–	–
Sudden Deaths	–	2	1	–	–	1	1	1	–	–	–	–	–	–	–	–
Violent Deaths	14	10	9	15	12	8	8	9	3	4	3	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	2	1	1	2	4	6	2	3	2	1	–	–	–	–
Dysentery	–	1	–	1	1	–	1	3	3	1	–	–	–	–	–	–
Cholera	10	17	10	12	6	13	6	7	4	1	1	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	22	12	21	17	19	9	8	2	2	2	–	1	–	–	–
Enteric Fever	2	7	2	3	4	3	–	2	3	–	1	–	1	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	2	2	2	1	–	2	–	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	1	1	1	–	4	6	3	2	3	–	–	–	–	–	–
Abscess	–	1	–	1	3	–	3	–	1	1	–	–	–	–	–	–
Ulcer	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	2	–	2	2	–	1	4	–	–	–	–	–
Cancer	6	9	7	15	22	16	17	9	10	9	2	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Scrofula	2	2	1	2	3	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	78	71	50	40	33	26	12	9	3	2	–	–	–	–	–	1
Hydrocephalus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	29	–	1	2	3	6	3	2	3	2	1	–	1
Apoplexy	97	6	–	2	3	2	–	–	–	–	–	–	4
Paralysis	121	–	–	–	–	–	–	–	1	–	–	–	4
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	3	–	–	–	–	–	–	–	1	–	2	–	–
Epilepsy	22	–	–	–	–	–	–	–	–	1	–	3	1
Tetanus	3	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	49	20	7	12	5	2	–	3	–	–	–	–	–
Brain Disease	92	2	1	2	5	2	2	–	12	3	1	1	1
V. Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	280	1	1	1	–	1	–	–	1	8	3	8	15
VI. Laryngitis	13	1	1	–	2	2	–	1	–	–	1	–	1
Bronchitis	512	55	32	66	57	22	6	2	15	2	2	5	1
Pleurisy	25	1	–	–	1	–	–	–	–	–	1	1	1
Pneumonia	136	6	8	18	21	8	–	1	3	–	4	5	2
Asthma	33	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	35	1	1	1	–	–	1	1	2	–	–	1	1
VII. Teething	28	–	1	8	18	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	1	–
Gastritis	7	–	–	–	–	–	–	1	1	–	–	–	1
Enteritis	47	16	6	9	2	1	1	2	–	1	–	–	1
Peritonitis	25	2	–	1	–	–	–	–	3	1	–	1	3
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	13	–	–	–	–	–	–	–	–	–	–	1	3
Hernia	14	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	13	–	1	–	–	–	–	–	1	–	4	–	1
Intussusception	3	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	11	–	–	–	–	–	–	–	–	1	1	–	–
Stomach Disease	47	–	2	–	4	1	–	–	–	2	1	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	14	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	67	–	1	–	–	1	–	–	4	–	–	1	–
Spleen Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	4	–	–	–	–	1	–	1	–	–	–	–	1
Nephria	35	–	–	–	–	1	–	–	2	5	2	3	4
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	7	–	–	–	1	–	–	–	–	–	–	1	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	17	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	33	–	–	–	–	–	–	1	3	–	2	1	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	4
Childbirth	18	–	–	–	–	–	–	–	–	–	1	1	9
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	14	–	–	–	1	–	–	–	4	3	1	1	–
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	15	–	–	1	–	–	–	–	5	2	–	2	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	12	3	7	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	22	–	–	1	1	3	1	–	2	1	–	1	1
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	3	1	1	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	105	1	–	1	1	2	–	1	6	5	8	11	8
Gunshot Wounds	5	–	–	–	–	–	–	–	–	–	1	–	3
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	–	2	2
Other Violent Causes	6	2	–	–	–	–	–	1	–	–	–	1	–
Not Specified	30	8	1	–	4	–	–	–	2	1	–	2	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	3	2	5	8	5	10	11	10	13	6	3	1	–	–	–
Paralysis	5	6	2	7	5	7	13	17	24	18	6	6	–	–	–	–
Delirium Tremens	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	3	2	1	–	1	2	1	3	–	1	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	4	5	4	5	9	4	12	4	6	2	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	6	1	2	–	1	2	–	–	–	–	–	–	–	–	–
Heart Disease	14	22	17	18	19	37	34	32	18	20	6	4	–	–	–	–
Laryngitis	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	6	10	14	17	25	24	27	43	33	27	12	8	1	–	–	–
Pleurisy	2	1	2	4	2	1	–	5	1	2	–	–	–	–	–	–
Pneumonia	5	6	6	5	10	3	6	6	6	4	2	1	–	–	–	–
Asthma	–	1	4	4	4	4	4	4	3	3	1	–	–	–	–	–
Lung Disease	2	5	–	2	3	1	5	3	2	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–
Enteritis	–	–	3	2	–	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	3	2	1	2	–	2	–	–	4	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	–	2	1	–	2	2	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	4	3	3	2	–	–	–	–	–	–	–	–
Ileus	–	2	2	–	–	–	–	–	1	1	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	2	–	–	2	2	1	–	–	1	–	–	–	–	–	–
Stomach Disease	1	1	6	1	2	4	6	4	5	1	2	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Jaundice	–	2	–	–	–	1	1	2	–	1	1	–	–	–	–	–
Liver Disease	4	3	8	6	10	9	8	7	2	–	3	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	3	3	2	3	–	3	–	4	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–
Diabetes	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Cystitis	–	2	–	–	1	–	5	1	2	4	–	1	–	–	–	–
Stricture of Urethra	1	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Kidney Disease	2	3	1	2	4	5	–	3	2	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Childbirth	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Arthritis	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	2	–	1	–	1	1	–	2	–	–	–	–	–	–
Joint Disease	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	1	–	1	1	–	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	3	1	–	1	1	–	–	2	–	–	–	–	–
Hanging, etc.	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	2	–	–	1	–	–	1	–	–	–	–	–	–
Fracture and Contusion	8	9	5	5	10	6	5	8	2	–	1	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	3	1	2	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2422	238	95	172	182	84	47	31	97	48	77	110	115
SPECIFIED CAUSES	2409	234	95	172	180	84	47	31	97	48	77	109	113
I. Zymotic Class	522	31	33	51	73	32	31	20	27	13	21	22	19
II. Diseases of Uncertain Seat	64	2	–	1	–	–	–	1	–	1	1	1	3
III. Tubercular Class	470	8	8	27	33	21	9	3	24	14	34	55	54
IV. Brain and Nervous System	225	18	8	10	9	6	1	1	13	2	1	2	3
V. Organs of Circulation	161	–	1	–	–	–	–	–	1	2	2	5	9
VI. Respiratory Organs	362	30	26	57	41	16	2	2	13	1	3	5	3
VII. Organs of Digestion	143	13	7	14	14	2	–	3	1	4	4	2	3
VIII. Urinary Organs	68	–	–	–	1	2	–	–	4	3	1	3	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	22	–	–	1	–	–	–	–	6	4	1	2	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	15	12	1	1	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	127	112	6	9	–	–	–	–	–	–	–	–	–
XIV. Atrophy	17	–	–	–	7	–	3	–	1	–	1	–	–
XV. Age	87	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	121	7	3	1	1	5	1	1	7	4	8	12	13
I. Small Pox	6	–	2	–	1	–	–	–	1	–	–	1	1
Measles	23	–	1	4	9	2	4	1	2	–	–	–	–
Scarlatina	33	–	–	3	8	7	4	4	2	2	2	1	–
Diphtheria	24	–	1	4	6	2	2	1	3	1	2	1	–
Hooping Cough	94	4	12	23	30	8	8	4	5	–	–	–	–
Croup	10	2	–	1	2	3	1	–	1	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	54	15	7	10	13	1	1	–	–	–	–	2	–
Dysentery	9	1	1	–	–	–	1	–	–	–	–	–	–
Cholera	71	1	1	1	3	6	2	4	4	4	2	2	6
Influenza	3	1	–	–	–	–	1	–	–	–	–	–	1
Purpura	2	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	108	–	–	–	–	–	2	1	5	2	6	12	8
Enteric Fever	35	–	–	1	1	2	3	3	2	2	6	1	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	3	1	–	–	–	–	–	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	1	–	1	1	–
Erysipelas	16	2	2	1	–	1	–	–	–	2	1	–	–
Pyæmia	4	–	–	–	–	–	–	–	–	–	–	1	1
Syphilis	15	3	5	3	–	–	–	–	–	–	–	–	2
Noma	2	–	–	–	–	–	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	7	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	36	–	–	–	–	–	–	1	–	1	1	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	24	–	–	2	2	2	2	–	6	–	2	1	5
Tabes Mesenterica	25	4	–	2	8	5	–	1	3	1	–	–	–
Phthisis	332	–	1	1	3	2	–	–	6	10	32	53	49
Hydrocephalus	89	4	7	22	20	12	7	2	9	3	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	117	126	101	104	127	111	105	107	87	74	43	22	1	1	–	–
SPECIFIED CAUSES	116	126	101	103	125	111	105	107	87	74	43	22	1	1	–	–
Zymotic Class	17	30	14	17	19	18	11	13	8	–	2	–	–	–	–	–
Uncertain Seat	2	2	1	6	8	6	13	7	4	3	2	–	–	–	–	–
Tubercular Class	45	35	26	23	21	15	8	3	2	2	–	–	–	–	–	–
Brain, etc.	11	10	6	11	11	12	16	22	21	23	5	3	–	–	–	–
Heart, etc.	10	17	10	11	15	22	14	15	11	8	5	3	–	–	–	–
Respiratory Organs	10	12	14	17	28	15	17	20	11	10	5	4	–	–	–	–
Digestive Organs	5	6	15	3	14	9	9	8	3	2	1	1	–	–	–	–
Urinary Organs	5	5	2	6	4	5	8	3	4	5	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	2	1	–	–	–	1	–	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	10	23	17	21	10	1	1	–	–
Sudden Deaths	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	10	7	8	8	5	7	5	5	–	2	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Dysentery	–	1	–	1	1	–	–	1	2	–	–	–	–	–	–	–
Cholera	3	9	4	3	3	3	5	3	2	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	13	7	11	11	10	3	6	1	–	1	–	–	–	–	–
Enteric Fever	–	3	1	1	2	2	–	2	2	–	1	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	1	1	2	–	–	1	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	2	3	2	1	1	–	–	–	–	–	–
Abscess	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Cancer	2	1	–	5	4	3	5	4	3	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	44	34	26	21	20	15	8	3	2	2	–	–	–	–	–	–
Hydrocephalus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	14	–	1	1	2	3	1	–	2	–	–	–	1
Apoplexy	55	4	–	2	1	1	–	–	–	–	–	–	1
Paralysis	56	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	2	–	–	–	–	–	–	–	1	–	1	–	–
Epilepsy	10	–	–	–	–	–	–	–	–	1	–	1	–
Tetanus	3	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	29	13	6	5	4	–	–	1	–	–	–	–	–
Brain Disease	47	–	–	2	2	2	–	–	9	1	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	9	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	152	–	1	–	–	–	–	–	1	2	2	5	9
VI. Laryngitis	6	1	–	–	1	1	–	1	–	–	–	–	–
Bronchitis	233	26	20	44	27	13	1	–	10	1	–	1	1
Pleurisy	15	–	–	–	–	–	–	–	–	–	1	1	–
Pneumonia	76	2	5	12	13	2	–	1	2	–	2	3	1
Asthma	16	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	16	1	1	1	–	–	1	–	1	–	–	–	–
VII. Teething	18	–	1	5	11	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	1	–	–	–	–	–
Enteritis	29	9	2	8	2	–	–	2	–	1	–	–	1
Peritonitis	5	–	–	1	–	–	–	–	–	–	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	8	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	1	–	–	–	–	–	–	–	2	–	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	9	–	–	–	–	–	–	–	–	1	1	–	–
Stomach Disease	17	–	1	–	1	1	–	–	–	2	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	32	–	1	–	–	–	–	–	1	–	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	1	–	–	–	–	–	–	1
Nephria	18	–	–	–	–	1	–	–	2	3	–	2	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	14	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	18	–	–	–	–	–	–	–	2	–	–	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	8	–	–	–	–	–	–	–	2	2	1	1	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	11	–	–	1	–	–	–	–	4	2	–	1	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	2	3	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	–	–	1	–	3	1	–	2	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	3	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	81	1	–	–	1	2	–	1	4	4	7	10	8
Gunshot Wounds	5	–	–	–	–	–	–	–	–	–	1	–	3
Cuts and Stabs	6	–	–	–	–	–	–	–	–	–	–	1	2
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	4	–	–	2	–	–	–	–	–	–	1	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES. *(Continued.)*

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	1	1	3	3	2	6	6	7	11	3	1	–	–	–	–
Paralysis	3	5	2	5	–	3	8	8	11	7	2	1	–	–	–	–
Delirium Tremens	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	2	–	–	–	1	1	3	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	2	2	–	3	6	2	7	2	2	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	4	1	1	–	–	2	–	–	–	–	–	–	–	–	–
Heart Disease	9	13	9	10	15	22	12	15	11	8	5	3	–	–	–	–
Laryngitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	7	8	14	8	10	12	9	9	5	3	–	–	–	–
Pleurisy	2	–	1	3	2	1	–	4	–	–	–	–	–	–	–	–
Pneumonia	4	5	3	4	6	2	3	3	1	1	–	1	–	–	–	–
Asthma	–	1	3	2	3	2	2	1	1	–	–	–	–	–	–	–
Lung Disease	1	4	–	–	3	1	2	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	2	2	1	2	–	–	–	–	–	–	–	–
Ileus	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	–	2	1	1	–	–	1	–	–	–	–	–	–
Stomach Disease	–	1	4	–	1	2	1	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	2	5	3	5	3	5	4	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	2	1	2	–	1	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Cystitis	–	1	–	–	1	–	5	–	1	4	–	1	–	–	–	–
Stricture of Urethra	1	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Kidney Disease	1	1	1	2	3	3	–	1	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	7	5	4	5	6	4	5	–	–	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2391	192	64	125	183	71	45	34	85	40	64	81	122
Specified Causes	2374	188	63	125	181	71	45	34	83	39	64	80	122
I. Zymotic Class	490	23	11	44	71	24	20	13	35	14	18	20	33
II. Diseases of Uncertain Seat	136	2	–	–	2	2	–	1	1	–	–	2	5
III. Tubercular Class	409	3	13	21	38	19	15	9	21	8	28	36	39
IV. Brain and Nervous System	200	11	2	8	7	6	4	4	4	4	3	2	9
V. Organs of Circulation	133	2	–	1	–	1	–	–	–	6	1	3	6
VI. Respiratory Organs	392	34	16	28	40	16	5	3	7	1	5	7	4
VII. Organs of Digestion	160	13	5	4	10	2	1	–	8	1	3	2	8
VIII. Urinary Organs	42	–	–	–	–	–	–	2	1	2	4	2	4
IX. Organs of Generation	31	–	–	–	–	–	–	–	–	–	1	1	13
X. Organs of Locomotion	15	–	–	–	1	–	–	–	3	1	–	1	–
XI. Skin, etc.	4	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	12	10	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	110	86	10	14	–	–	–	–	–	–	–	–	–
XIV. Atrophy	23	–	–	–	10	1	–	1	1	–	–	–	–
XV. Age	149	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	63	2	5	4	2	–	–	1	2	2	1	4	1
I. Small Pox	3	1	–	1	–	–	–	–	–	–	–	1	–
Measles	17	1	1	5	8	1	–	1	–	–	–	–	–
Scarlatina	12	–	–	–	2	2	2	2	2	–	–	2	–
Diphtheria	25	2	–	–	5	–	3	3	9	–	1	1	1
Hooping Cough	95	1	4	23	36	12	8	6	4	1	–	–	–
Croup	9	–	–	2	3	3	1	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	60	10	4	9	9	–	–	–	2	–	1	1	2
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	77	–	–	–	2	2	2	–	5	1	1	3	9
Influenza	4	1	–	–	–	1	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	82	–	–	1	1	–	2	–	4	4	7	3	5
Enteric Fever	49	–	–	–	1	1	–	1	9	7	6	5	5
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	4	1	–	–	2	1	–	–	–	–	–	–	–
Metria	14	–	–	–	–	–	–	–	–	–	1	3	7
Rheumatic Fever	2	–	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	8	1	–	1	–	1	–	–	–	–	–	–	1
Pyæmia	2	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	15	5	2	2	1	–	–	–	–	–	–	–	2
Noma	3	–	–	–	1	–	2	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	1	–	–	–	–	–	–	–	–	–	–	–
Abscess	7	–	–	–	1	1	–	1	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	9	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	100	–	–	–	–	1	–	–	1	–	–	2	4
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	2	–	3	3	3	1	–	2	–	2	1	1
Tabes Mesenterica	32	1	1	3	11	6	3	1	2	1	2	1	–
Phthisis	271	–	1	3	1	1	5	–	9	7	24	33	37
Hydrocephalus	79	–	11	12	23	9	6	8	8	–	–	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	93	128	94	105	104	124	124	149	118	124	79	31	9	2	–	1
SPECIFIED CAUSES	93	128	91	105	104	123	122	149	118	124	79	31	9	2	–	1
Zymotic Class	17	24	14	23	14	22	11	15	10	7	4	1	2	–	–	–
Uncertain Seat	5	10	8	11	21	16	17	7	10	12	4	–	–	–	–	–
Tubercular Class	36	39	25	20	15	11	5	6	1	–	–	–	–	–	–	1
Brain, etc.	5	7	7	8	13	10	13	20	18	17	9	8	1	–	–	–
Heart, etc.	5	11	8	9	4	16	22	17	7	12	1	1	–	–	–	–
Respiratory Organs	5	13	12	15	16	19	25	41	35	28	11	5	1	–	–	–
Digestive Organs	8	9	7	9	8	15	14	11	10	4	7	1	–	–	–	–
Urinary Organs	4	4	2	1	2	5	–	7	1	1	–	–	–	–	–	–
Generative Organs	3	5	2	1	1	1	2	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	2	2	–	1	–	3	1	–	–	–	–	–	–	–	–
Skin	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	2	–	–	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	19	23	40	41	13	5	2	–	–
Sudden Deaths	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	4	3	1	7	7	1	3	4	3	2	2	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	2	1	1	1	2	5	2	3	2	1	–	–	–	–
Dysentery	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–
Cholera	7	8	6	9	3	10	1	4	2	1	1	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	9	5	10	6	9	6	2	1	2	1	–	1	–	–	–
Enteric Fever	2	4	1	2	2	1	–	–	1	–	–	–	1	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	1	1	1	–	2	3	1	1	2	–	–	–	–	–	–
Abscess	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	2	1	–	1	3	–	–	–	–	–
Cancer	4	8	7	10	18	13	12	5	7	7	1	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Scrofula	2	2	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	34	37	24	19	13	11	4	6	1	–	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	15	–	–	1	1	3	2	2	1	2	1	–	–
Apoplexy	42	2	–	–	2	1	–	–	–	–	–	–	3
Paralysis	65	–	–	–	–	–	–	–	–	–	–	–	4
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	12	–	–	–	–	–	–	–	–	–	–	2	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	20	7	1	7	1	2	–	2	–	–	–	–	–
Brain Disease	45	2	1	–	3	–	2	–	3	2	1	–	1
V. Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	128	1	–	1	–	1	–	–	–	6	1	3	6
VI. Laryngitis	7	–	1	–	1	1	–	–	–	–	1	–	1
Bronchitis	279	29	12	22	30	9	5	2	5	1	2	4	–
Pleurisy	10	1	–	–	1	–	–	–	–	–	–	–	1
Pneumonia	60	4	3	6	8	6	–	–	1	–	2	2	1
Asthma	17	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	19	–	–	–	–	–	–	1	1	–	–	1	1
VII. Teething	10	–	–	3	7	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	1	–
Gastritis	5	–	–	–	–	–	–	–	1	–	–	–	1
Enteritis	18	7	4	1	–	1	1	–	–	–	–	–	–
Peritonitis	20	2	–	–	–	–	–	–	3	1	–	–	3
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	8	–	–	–	–	–	–	–	–	–	–	1	2
Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	–	–	–	–	–	–	–	1	–	2	–	1
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	30	–	1	–	3	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	10	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	35	–	–	–	–	1	–	–	3	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	1	–	–	–	–	–	–	1	–	–	–	–	–
Nephria	17	–	–	–	–	–	–	–	–	2	2	1	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	–	–	–	–	1	1	–	2	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	4
Childbirth	18	–	–	–	–	–	–	–	–	–	1	1	9
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	6	–	–	–	1	–	–	–	2	1	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	1	–	–	1	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	7	1	4	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	–	–	–	1	–	–	–	–	1	–	1	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	1	1	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	24	–	–	1	–	–	–	–	2	1	1	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	4	1	–	–	–	–	–	1	–	–	–	1	–
Not Specified	17	4	1	–	2	–	–	–	2	1	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	1	2	5	3	4	5	3	2	3	2	1	–	–	–
Paralysis	2	1	–	2	5	4	5	9	13	11	4	5	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	2	–	1	–	1	1	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	3	4	2	3	2	5	2	4	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	9	8	8	4	15	22	17	7	12	1	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	3	9	7	9	11	16	17	31	24	18	7	5	1	–	–	–
Pleurisy	–	1	1	1	–	–	–	1	1	2	–	–	–	–	–	–
Pneumonia	1	1	3	1	4	1	3	3	5	3	2	–	–	–	–	–
Asthma	–	–	1	2	1	2	2	3	2	3	1	–	–	–	–	–
Lung Disease	1	1	–	2	–	–	3	3	2	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
Enteritis	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	2	2	–	2	–	2	–	–	3	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	2	1	1	2	5	4	5	1	2	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	2	–	–	–	1	1	1	–	1	1	–	–	–	–	–
Liver Disease	4	1	3	3	5	6	3	3	1	–	2	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	1	1	–	2	–	3	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	–	–	1	2	–	2	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Childbirth	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	–	1	–	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	1	1	–	1	1	–	–	2	–	–	–	–	–
Hanging, etc.	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	2	2	–	1	5	–	1	3	2	–	–	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	3	–	–	1	2	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	3130	414	166	215	260	122	79	42	146	50	97	134	111
Specified Causes	3006	379	146	209	253	116	76	41	135	50	95	127	106
I. Zymotic Class	771	47	36	43	83	56	48	28	68	25	21	34	25
II. Diseases of Uncertain Seat	119	3	2	1	3	3	2	–	6	1	–	4	1
III. Tubercular Class	544	9	18	37	51	26	13	4	33	14	50	54	47
IV. Brain and Nervous System	218	48	9	14	9	3	4	2	5	1	4	5	3
V. Organs of Circulation	140	4	1	–	1	1	–	–	1	–	4	3	3
VI. Respiratory Organs	455	44	51	63	48	20	5	5	11	3	1	10	9
VII. Organs of Digestion	190	19	10	40	41	3	1	–	1	–	2	3	5
VIII. Urinary Organs	39	–	–	–	2	–	–	1	2	–	2	4	1
IX. Organs of Generation	22	–	–	–	–	–	–	–	–	–	2	2	7
X. Organs of Locomotion	6	–	–	–	–	–	–	–	2	–	–	–	–
XI. Skin, etc.	3	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	212	190	14	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	29	–	–	–	10	3	2	–	–	1	–	–	–
XV. Age	160	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	1	1	–	–	–	1	–	–	–	–	–	1
XVII. Violent Deaths	87	11	3	3	5	1	–	1	6	5	9	8	4
I. Small Pox	23	3	2	3	1	5	1	1	3	–	2	1	–
Measles	7	–	–	–	1	2	1	2	1	–	–	–	–
Scarlatina	100	1	1	6	16	17	18	13	23	1	1	1	2
Diphtheria	18	2	2	2	3	2	4	1	2	–	–	–	–
Hooping Cough	59	9	5	13	14	9	4	2	3	–	–	–	–
Croup	54	1	2	5	24	12	4	2	4	–	–	–	–
Thrush	7	7	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	82	15	16	5	16	1	1	2	2	–	–	4	–
Dysentery	15	1	1	1	–	–	–	–	1	–	–	–	2
Cholera	112	–	1	2	2	2	5	2	15	7	1	7	6
Influenza	10	–	–	1	–	–	–	–	1	–	1	1	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	183	1	–	1	2	–	–	2	3	11	10	14	13
Enteric Fever	41	–	–	1	1	2	5	–	5	5	4	3	–
Relapsing Fever	2	–	–	–	–	–	–	–	1	–	–	–	–
Simple Continued Fever	19	–	–	2	1	2	3	–	2	–	1	–	–
Infantile Remittent	8	–	1	–	1	2	–	–	2	–	–	–	–
Metria	8	–	–	–	–	–	–	–	–	–	–	3	2
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	9	2	1	1	–	–	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	5	4	–	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	53	1	2	1	3	1	2	–	6	1	–	3	1
Abscess	8	2	–	–	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	47	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	1	1	2	–	–	1	–	4	1	–
Tabes Mesenterica	23	4	–	3	5	2	–	–	5	1	1	–	1
Phthisis	393	1	7	4	14	7	4	2	12	12	45	53	46
Hydrocephalus	117	4	11	29	31	15	9	2	15	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	109	112	138	109	143	154	161	119	95	79	46	21	7	1	–	–
Specified Causes	107	110	134	106	140	150	161	116	95	79	46	21	7	1	–	–
Zymotic Class	30	30	37	30	32	39	27	13	11	5	1	2	–	–	–	–
Uncertain Seat	2	1	12	15	11	11	17	11	7	4	1	1	–	–	–	–
Tubercular Class	41	31	34	20	28	15	14	2	3	–	–	–	–	–	–	–
Brain, etc.	9	6	4	3	10	11	24	14	14	10	6	–	–	–	–	–
Heart, etc.	9	8	19	13	12	19	17	11	6	5	2	1	–	–	–	–
Respiratory Organs	7	14	8	14	28	30	27	22	18	10	4	2	1	–	–	–
Digestive Organs	3	6	8	3	8	8	12	7	4	4	2	–	–	–	–	–
Urinary Organs	3	6	2	1	1	3	3	7	–	–	–	1	–	–	–	–
Generative Organs	1	2	3	1	2	1	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	1	1	4	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	16	25	29	41	28	14	6	1	–	–
Sudden Deaths	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	3	4	3	4	6	4	3	–	–	2	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	3	1	–	3	4	3	2	2	1	–	–	–	–	–	–
Dysentery	–	1	1	1	1	1	–	–	2	1	–	1	–	–	–	–
Cholera	8	10	8	6	8	10	4	4	2	1	–	1	–	–	–	–
Influenza	1	1	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	14	15	23	20	15	16	15	5	1	2	–	–	–	–	–	–
Enteric Fever	1	–	2	2	3	3	2	–	2	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	1	1	1	4	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	4	4	3	5	7	3	3	1	1	1	–	–	–	–
Abscess	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–
Cancer	–	1	6	9	7	5	8	6	3	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	41	30	34	20	28	15	13	2	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	11	–	–	–	1	–	–	–	1	1	1	3	–
Apoplexy	47	1	2	–	–	–	–	1	–	–	1	–	3
Paralysis	47	–	–	1	–	1	–	–	–	–	–	–	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	84	47	7	13	8	2	3	1	3	–	–	–	–
Brain Disease	17	–	–	–	–	–	1	–	1	–	2	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	138	4	1	–	1	1	–	–	–	–	4	3	3
VI. Laryngitis	2	–	–	–	–	1	–	–	–	–	–	1	–
Bronchitis	311	37	45	49	42	15	2	5	5	1	–	3	3
Pleurisy	4	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	86	7	6	13	5	3	2	–	5	2	1	5	1
Asthma	24	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	28	–	–	–	1	1	1	–	1	–	–	1	4
VII. Teething	78	–	4	36	36	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	23	6	3	2	3	–	1	–	–	–	–	–	1
Peritonitis	6	1	–	–	–	–	–	–	–	–	1	–	–
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	11	–	1	–	1	–	–	–	–	–	–	2	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	22	4	1	2	1	1	–	–	1	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	9	8	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	21	–	–	–	–	–	–	–	–	–	–	1	3
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	6	–	–	–	1	–	–	–	1	–	1	1	–
Nephria	14	–	–	–	–	–	–	1	–	–	1	2	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	1	–	–	1	–
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	–	–	–	–	–	–	–	–	–	1	2	6
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	2	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	1	1	–	–	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	1	–	–	1	1	–	–	2	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	7	5	2	–	–	–	–	–	–	–	–	–	–
Drowning	18	–	–	–	1	–	–	–	–	2	4	2	–
Fracture and Contusion	34	–	–	2	2	–	–	1	4	2	2	5	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	11	1	–	–	–	–	–	–	–	1	3	1	1
Not Specified	124	35	20	6	7	6	3	1	11	–	2	7	5

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	1	1	4	9	4	10	5	2	–	–	–	–	–
Paralysis	–	2	1	–	6	5	12	7	4	4	4	–	–	–	–	–
Delirium Tremens	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	2	1	2	3	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	8	19	13	11	19	17	11	6	5	2	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	5	5	6	15	17	17	14	13	7	1	1	1	–	–	–
Pleurisy	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
Pneumonia	4	4	2	2	2	5	4	5	3	2	2	1	–	–	–	–
Asthma	1	3	–	–	6	3	5	2	2	–	1	–	–	–	–	–
Lung Disease	–	2	1	6	5	3	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–
Enteritis	1	3	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	2	1	1	–	1	2	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	2	3	–	2	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	3	2	3	1	5	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	2	3	4	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	–	1	–	–	3	–	–	–	1	–	–	–	–
Paramenia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	–	–	–	4	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	2	2	3	1	–	2	–	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	4	3	3	4	–	3	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1567	232	96	118	147	66	40	17	79	21	48	58	45
SPECIFIED CAUSES	1499	207	85	116	142	63	38	17	75	21	48	54	44
I. Zymotic Class	382	27	22	17	46	30	23	11	34	6	9	12	5
II. Diseases of Uncertain Seat	41	3	2	1	1	1	1	–	4	1	–	1	–
III. Tubercular Class	271	4	12	17	35	17	7	1	19	7	22	20	25
IV. Brain and Nervous System	126	28	6	11	5	2	2	1	3	1	3	2	3
V. Organs of Circulation	71	4	1	–	1	1	–	–	–	–	2	1	2
VI. Respiratory Organs	235	26	27	42	26	7	3	2	9	–	1	4	3
VII. Organs of Digestion	90	10	5	23	17	2	–	–	–	–	–	2	2
VIII. Urinary Organs	23	–	–	–	2	–	–	1	1	–	2	4	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	2	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	109	99	7	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	6	2	1	–	–	1	–	–	–
XV. Age	60	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	1	–	–	–	1	–	–	–	–	–	–
XVII. Violent Deaths	63	4	1	2	3	1	–	1	4	5	9	8	4
I. Small Pox	10	2	2	–	1	1	1	–	–	–	1	1	–
Measles	5	–	–	–	1	1	–	2	1	–	–	–	–
Scarlatina	55	1	–	3	9	11	11	6	13	–	1	–	–
Diphtheria	9	2	1	1	2	–	1	1	1	–	–	–	–
Hooping Cough	25	7	2	4	6	3	1	–	2	–	–	–	–
Croup	28	1	2	3	12	8	2	–	–	–	–	–	–
Thrush	5	5	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	38	5	9	1	9	1	1	–	–	–	–	1	–
Dysentery	10	–	1	–	–	–	–	–	1	–	–	–	1
Cholera	54	–	1	2	2	1	2	–	8	4	1	1	1
Influenza	4	–	–	1	–	–	–	–	–	–	1	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	87	–	–	–	2	–	–	1	2	1	2	8	3
Enteric Fever	16	–	–	–	–	2	1	–	2	–	2	1	–
Relapsing Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Simple Continued Fever	19	–	–	2	1	2	3	–	2	–	1	–	–
Infantile Remittent	3	–	1	–	1	–	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	2	3	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	19	1	2	1	1	–	1	–	4	1	–	–	–
Abscess	4	2	–	–	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	1	1	1	–	–	1	–	4	1	–
Tabes Mesenterica	15	2	–	1	5	2	–	–	2	1	1	–	1
Phthisis	175	–	4	1	7	4	2	–	7	6	17	19	24
Hydrocephalus	71	2	8	14	22	10	5	1	9	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	46	53	67	50	70	82	78	49	40	37	19	7	1	1	–	–
SPECIFIED CAUSES	45	52	64	48	70	80	78	47	40	37	19	7	1	1	–	–
Zymotic Class	15	16	23	13	23	19	14	7	5	3	1	1	–	–	–	–
Uncertain Seat	–	1	3	6	1	3	6	4	–	2	–	–	–	–	–	–
Tubercular Class	14	18	17	10	12	4	7	1	2	–	–	–	–	–	–	–
Brain, etc.	4	4	3	1	4	9	15	6	6	5	2	–	–	–	–	–
Heart, etc.	3	2	7	7	5	14	10	5	3	2	1	–	–	–	–	–
Respiratory Organs	6	4	4	8	14	17	9	7	9	5	1	1	–	–	–	–
Digestive Organs	1	2	3	2	6	4	4	2	3	2	–	–	–	–	–	–
Urinary Organs	1	2	–	–	–	1	3	5	–	–	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	7	11	18	12	4	1	1	–	–
Sudden Deaths	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	2	–	4	4	4	3	–	–	2	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	3	1	2	2	1	–	–	–	–	–	–	–
Dysentery	–	1	1	1	1	1	–	–	1	1	–	–	–	–	–	–
Cholera	5	4	4	2	5	4	3	2	–	1	–	1	–	–	–	–
Influenza	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	9	16	8	9	8	6	2	1	1	–	–	–	–	–	–
Enteric Fever	–	–	–	1	3	1	2	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	1	1	4	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	1	5	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	–	1	2	4	1	2	1	1	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	14	17	17	10	12	4	7	1	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	–	1	–	–	–	–	1	–	1	–
Apoplexy	31	1	1	–	–	–	–	–	–	–	1	–	3
Paralysis	21	–	–	1	–	1	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	52	27	5	10	4	1	2	1	2	–	–	–	–
Brain Disease	11	–	–	–	–	–	–	–	1	–	2	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	70	4	1	–	1	1	–	–	–	–	2	1	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	151	22	23	30	22	5	2	2	4	–	–	1	–
Pleurisy	3	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	55	4	4	11	4	1	–	–	4	–	1	3	1
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	16	–	–	–	–	1	1	–	1	–	–	–	2
VII. Teething	39	–	1	22	15	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	4	2	1	1	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	1	–	1	–	–	–	–	–	–	1	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	6	5	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	1	–	–	–	–	–	1	1	–
Nephria	6	–	–	–	–	–	–	1	–	–	1	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	1	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	1	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	–	–	2	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	2	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	15	–	–	–	1	–	–	–	–	2	4	2	–
Fracture and Contusion	28	–	–	1	2	–	–	1	2	2	2	5	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	8	1	–	–	–	–	–	–	–	1	3	1	1
Not Specified	68	25	11	2	5	3	2	–	4	–	–	4	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	1	–	4	7	1	5	2	2	–	–	–	–	–
Paralysis	–	2	–	–	2	3	6	3	1	2	–	–	–	–	–	–
Delirium Tremens	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	1	1	1	2	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	2	7	7	4	14	10	5	3	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	3	3	7	8	4	3	7	3	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Pneumonia	3	2	1	2	2	4	2	2	1	1	1	1	–	–	–	–
Asthma	1	2	–	–	2	1	2	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	3	3	3	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	1	–	–	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	2	–	1	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	3	3	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	–	4	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	–	3	1	–	2	–	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	3	2	–	2	–	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1563	182	70	97	113	56	39	25	67	29	49	76	66
Specified Causes	1507	172	61	93	111	53	38	24	60	29	47	73	62
I. Zymotic Class	389	20	14	26	37	26	25	17	34	19	12	22	20
II. Diseases of Uncertain Seat	78	–	–	–	2	2	1	–	2	–	–	3	1
III. Tubercular Class	273	5	6	20	16	9	6	3	14	7	28	34	22
IV. Brain and Nervous System	92	20	3	3	4	1	2	1	2	–	1	3	–
V. Organs of Circulation	69	–	–	–	–	–	–	–	1	–	2	2	1
VI. Respiratory Organs	220	18	24	21	22	13	2	3	2	3	–	6	6
VII. Organs of Digestion	100	9	5	17	24	1	1	–	1	–	2	1	3
VIII. Urinary Organs	16	–	–	–	–	–	–	–	1	–	–	–	1
IX. Organs of Generation	22	–	–	–	–	–	–	–	–	–	2	2	7
X. Organs of Locomotion	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	103	91	7	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	4	1	1	–	–	–	–	–	–
XV. Age	100	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	24	7	2	1	2	–	–	–	2	–	–	–	–
I. Small Pox	13	1	–	3	–	4	–	1	3	–	1	–	–
Measles	2	–	–	–	–	1	1	–	–	–	–	–	–
Scarlatina	45	–	1	3	7	6	7	7	10	1	–	1	2
Diphtheria	9	–	1	1	1	2	3	–	1	–	–	–	–
Hooping Cough	34	2	3	9	8	6	3	2	1	–	–	–	–
Croup	26	–	–	2	12	4	2	2	4	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	44	10	7	4	7	–	–	2	2	–	–	3	–
Dysentery	5	1	–	1	–	–	–	–	–	–	–	–	1
Cholera	58	–	–	–	–	1	3	2	7	3	–	6	5
Influenza	6	–	–	–	–	–	–	–	1	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	96	1	–	1	–	–	–	1	1	10	8	6	10
Enteric Fever	25	–	–	1	1	–	4	–	3	5	2	2	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	–	–	–	–	2	2	–	1	–	–	–	–
Metria	8	–	–	–	–	–	–	–	–	–	–	3	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	–	1	1	–	–	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	3	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	34	–	–	–	2	1	1	–	2	–	–	3	1
Abscess	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	34	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	8	2	–	2	–	–	–	–	3	–	–	–	–
Phthisis	218	1	3	3	7	3	2	2	5	6	28	34	22
Hydrocephalus	46	2	3	15	9	5	4	1	6	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	63	59	71	59	73	72	83	70	55	42	27	14	6	–	–	–
SPECIFIED CAUSES	62	58	70	58	70	70	83	69	55	42	27	14	6	–	–	–
Zymotic Class	15	14	14	17	9	20	13	6	6	2	–	1	–	–	–	–
Uncertain Seat	2	–	9	9	10	8	11	7	7	2	1	1	–	–	–	–
Tubercular Class	27	13	17	10	16	11	7	1	1	–	–	–	–	–	–	–
Brain, etc.	5	2	1	2	6	2	9	8	8	5	4	–	–	–	–	–
Heart, etc.	6	6	12	6	7	5	7	6	3	3	1	1	–	–	–	–
Respiratory Organs	1	10	4	6	14	13	18	15	9	5	3	1	1	–	–	–
Digestive Organs	2	4	5	1	2	4	8	5	1	2	2	–	–	–	–	–
Urinary Organs	2	4	2	1	1	2	–	2	–	–	–	–	–	–	–	–
Generative Organs	1	2	3	1	2	1	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	3	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	18	18	23	16	10	5	–	–	–
Sudden Deaths	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	2	3	–	2	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	–	–	–	3	1	–	1	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Cholera	3	6	4	4	3	6	1	2	2	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	6	7	12	6	8	9	3	–	1	–	–	–	–	–	–
Enteric Fever	1	–	2	1	–	2	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	4	3	3	4	2	2	3	1	1	1	–	–	–	–
Abscess	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	–	–	4	5	6	3	7	5	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	27	13	17	10	16	11	6	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Females. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–	–	–	–	1	–	1	2	–
Apoplexy	16	–	1	–	–	–	–	1	–	–	–	–	–
Paralysis	26	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	32	20	2	3	4	1	1	–	1	–	–	–	–
Brain Disease	6	–	–	–	–	–	1	–	–	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	68	–	–	–	–	–	–	–	–	–	2	2	1
VI. Laryngitis	2	–	–	–	–	1	–	–	–	–	–	1	–
Bronchitis	160	15	22	19	20	10	–	3	1	1	–	2	3
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	31	3	2	2	1	2	2	–	1	2	–	2	–
Asthma	14	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	12	–	–	–	1	–	–	–	–	–	–	1	2
VII. Teething	39	–	3	14	21	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	12	2	1	1	2	–	1	–	–	–	–	–	1
Peritonitis	5	–	–	–	–	–	–	–	–	–	1	–	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	4	1	2	1	–	–	–	1	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	13	–	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	8	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	–	–	–	–	–	–	–	–	–	1	2	6
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	2	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	–	–	1	–	–	–	–	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	56	10	9	4	2	3	1	1	7	–	2	3	4

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	–	2	3	5	3	–	–	–	–	–	–
Paralysis	–	–	1	–	4	2	6	4	3	2	4	–	–	–	–	–
Delirium Tremens.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	6	12	6	7	5	7	6	3	3	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	5	2	3	8	9	13	11	6	4	1	1	1	–	–	–
Pleurisy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	2	1	–	–	1	2	3	2	1	1	–	–	–	–	–
Asthma	–	1	–	–	4	2	3	1	1	–	1	–	–	–	–	–
Lung Disease	–	2	1	3	2	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Enteritis	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	3	–	–	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	2	1	1	1	4	2	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	1	3	2	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2324	228	94	168	206	112	75	53	130	51	73	83	67
Specified Causes	2311	224	93	166	206	112	75	50	130	51	73	83	67
I. Zymotic Class	610	30	22	61	84	54	51	32	73	21	7	20	11
II. Diseases of Uncertain Seat	69	2	3	–	–	1	2	–	2	1	3	1	1
III. Tubercular Class	376	10	8	29	22	22	12	3	23	19	45	39	21
IV. Brain and Nervous System	234	29	19	7	10	3	–	5	11	4	5	5	5
V. Organs of Circulation	106	1	–	–	–	–	–	–	1	1	–	3	5
VI. Respiratory Organs	342	34	28	37	40	21	7	4	13	–	2	3	4
VII. Organs of Digestion	168	15	3	27	42	5	2	2	–	1	1	4	8
VIII. Urinary Organs	48	–	–	1	1	1	–	2	2	1	2	–	2
XI. Organs of Generation	14	–	–	–	–	–	–	–	–	–	1	1	2
X. Organs of Locomotion	19	–	–	–	–	–	–	–	–	1	2	4	3
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	1	1	–	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	94	87	5	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	5	2	–	–	1	–	–	–	–
XV. Age	145	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	1	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	66	14	4	1	2	3	1	1	3	2	5	3	5
I. Small Pox	10	1	–	2	1	–	–	–	1	–	–	3	1
Measles	70	1	1	25	19	9	6	5	3	–	–	–	–
Scarlatina	143	2	2	5	21	17	31	16	35	8	1	1	1
Diphtheria	17	–	–	1	1	5	3	4	2	–	–	1	–
Hooping Cough	68	5	9	14	18	11	5	4	2	–	–	–	–
Croup	10	–	–	1	6	2	–	–	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	53	9	5	9	5	2	3	–	1	–	–	–	–
Dysentery	9	–	–	–	2	–	–	–	1	–	–	1	–
Cholera	66	1	1	–	4	2	1	3	9	3	–	2	2
Influenza	7	1	–	1	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	59	–	–	1	1	1	1	–	4	3	1	5	1
Enteric Fever	45	–	–	–	1	–	–	–	7	6	3	5	2
Relapsing Fever	5	–	–	–	–	2	–	–	3	–	–	–	–
Simple Continued Fever	14	1	–	1	1	–	–	–	4	1	–	1	1
Infantile Remittent	5	–	1	–	1	2	1	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	11	5	1	–	–	–	–	–	–	–	1	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	3	2	1	2	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	13	–	2	–	–	1	1	–	1	1	–	–	–
Abscess	4	1	–	–	–	–	–	–	–	–	1	–	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	1	–	–	–	–	–	–	–	–	1	–	–
Cancer	39	–	1	–	–	–	1	–	–	–	1	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	2	–	3	2	–	2	–	1	5	2	1	–
Tabes Mesenterica	31	2	3	8	8	3	2	–	3	–	1	–	–
Phthisis	261	1	–	2	3	9	5	–	8	12	42	38	21
Hydrocephalus	64	5	5	16	9	10	3	3	11	2	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	72	70	66	84	71	74	101	112	112	100	64	40	15	2	1	–
Specified Causes	72	70	66	82	71	74	101	111	112	100	64	40	15	2	1	–
Zymotic Class	19	19	17	22	11	14	7	17	12	4	1	1	–	–	–	–
Uncertain Seat	4	3	2	5	6	3	12	5	5	3	5	–	–	–	–	–
Tubercular Class	28	24	15	15	10	6	13	6	4	1	1	–	–	–	–	–
Brain, etc.	8	8	13	6	6	8	17	22	18	17	7	1	–	–	–	–
Heart, etc.	2	4	5	5	11	12	22	8	12	10	2	2	–	–	–	–
Respiratory Organs	1	4	4	13	10	14	16	21	28	16	11	9	2	–	–	–
Digestive Organs	3	3	1	7	4	9	5	9	8	5	3	–	1	–	–	–
Urinary Organs	1	4	4	4	5	3	2	3	3	5	2	–	–	–	–	–
Generative Organs	1	1	3	1	1	1	–	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	2	2	–	3	1	–	–	–	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	4	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	14	21	37	30	25	12	2	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	–	1	2	1	3	1	4	1	1	2	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	2	–	4	1	7	2	–	1	–	–	–	–	–
Dysentery	–	–	1	–	1	–	1	–	1	1	–	–	–	–	–	–
Cholera	8	7	4	7	3	1	–	3	3	1	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	6	9	5	7	3	3	–	–	–	–	–	–	–	–
Enteric Fever	5	3	3	3	1	2	1	2	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	–	–	1	3	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	2	–	–	2	2	–	–	–	–	–
Cancer	3	3	1	4	5	2	8	2	3	1	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	28	24	14	15	10	6	12	5	4	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	12	–	–	–	–	–	–	2	4	1	–	2	1
Apoplexy	40	–	–	–	1	–	–	–	–	–	–	–	1
Paralysis	62	–	–	–	–	1	–	–	–	–	–	–	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	–	–	–	–	–	–	–	3	–	3	2	2
Tetanus	2	–	–	–	–	–	–	–	1	–	1	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	63	28	18	7	8	2	–	–	–	–	–	–	–
Brain Disease	30	1	1	–	1	–	–	3	3	3	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	102	1	–	–	–	–	–	–	1	1	–	2	5
VI. Laryngitis	6	–	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	211	15	22	22	25	14	3	3	5	–	1	2	1
Pleurisy	12	–	–	–	–	1	–	–	1	–	–	–	–
Pneumonia	82	19	5	14	13	4	3	–	5	–	–	1	2
Asthma	15	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	16	–	–	1	2	1	1	1	2	–	–	–	1
VII. Teething	71	1	1	24	39	4	2	–	–	–	–	–	–
Quinsey	2	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	3	–	1	–	–	–	–	–	–	–	–	1
Peritonitis	6	–	–	–	–	–	–	–	–	–	–	2	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	9	–	–	–	1	–	–	–	–	–	–	–	2
Hernia	3	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	1	–	1	–	–	–	1	–	1	–	1	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	3	2	1	1	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	7	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	22	–	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	2	–	–	–	–	–	–	1	–	–	–	1	–
VIII. Nephritis	3	–	–	–	–	1	–	–	–	–	–	–	1
Nephria	10	–	–	–	–	–	–	1	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	24	–	–	1	–	–	–	1	2	1	1	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	1	1
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	13	–	–	–	–	–	–	–	–	1	1	4	1
Joint and Bone Disease	5	–	–	–	–	–	–	–	–	–	1	–	2
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	8	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	1	1	1	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	8	5	2	1	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	–	1	1	1
Fracture and Contusion	24	–	–	–	1	1	–	–	2	2	4	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	1	–	–	–	–	–	–	2
Not Specified	13	4	1	2	–	–	–	3	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	3	4	2	1	2	6	5	7	4	4	–	–	–	–	–
Paralysis	4	1	5	2	–	4	7	11	9	13	3	1	–	–	–	–
Delirium Tremens	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	2	–	1	–	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	2	1	2	1	1	4	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	1	4	5	5	10	12	21	8	12	10	2	2	–	–	–	–
Laryngitis	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	1	5	4	7	12	13	21	12	10	9	2	–	–	–
Pleurisy	1	1	1	1	1	–	1	2	–	1	1	–	–	–	–	–
Pneumonia	–	–	–	4	3	3	–	4	–	2	–	–	–	–	–	–
Asthma	–	–	–	1	1	3	2	2	4	1	–	–	–	–	–	–
Lung Disease	–	–	1	1	1	1	–	–	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	1	–	–	–	2	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	2	–	4	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	4	1	1	1	4	4	4	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	3	1	–	1	–	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	–	1	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	2	3	1	3	1	1	1	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	2	1	–	1	1	–	–	–	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	2	1	2	1	–	1	1	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1144	127	57	92	110	55	40	30	65	29	34	42	40
SPECIFIED CAUSES	1139	125	56	91	110	55	40	30	65	29	34	42	40
I. Zymotic Class	300	19	10	34	37	27	28	17	37	12	2	12	6
II. Diseases of Uncertain Seat	25	1	2	–	–	1	2	–	1	–	3	–	1
III. Tubercular Class	179	7	3	17	13	10	4	1	12	11	20	18	10
IV. Brain and Nervous System	146	14	14	5	6	2	–	5	6	3	2	4	5
V. Organs of Circulation	50	–	–	–	–	–	–	–	–	–	–	2	4
VI. Respiratory Organs	160	18	19	15	19	10	4	2	8	–	2	–	1
VII. Organs of Digestion	98	9	3	17	30	4	1	1	–	1	1	2	5
VIII. Urinary Organs	27	–	–	1	1	–	–	2	–	1	1	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	–	–	2	3
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	–	1	–	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	52	48	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	2	1	–	–	–	–	–	–	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	43	8	1	1	2	–	1	1	1	1	3	2	4
I. Small Pox	5	1	–	1	–	–	–	–	–	–	–	2	1
Measles	39	1	1	16	9	4	5	2	1	–	–	–	–
Scarlatina	77	1	2	4	11	8	15	11	16	7	–	1	–
Diphtheria	7	–	–	–	1	2	2	1	–	–	–	1	–
Hooping Cough	33	5	2	9	5	5	3	2	2	–	–	–	–
Croup	5	–	–	–	2	2	–	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	6	2	3	2	1	2	–	1	–	–	–	–
Dysentery	6	–	–	–	2	–	–	–	1	–	–	1	–
Cholera	31	1	1	–	2	1	–	1	5	1	–	–	1
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	–	–	1	–	–	1	–	3	–	1	3	1
Enteric Fever	24	–	–	–	1	–	–	–	4	3	1	4	2
Relapsing Fever	2	–	–	–	–	2	–	–	–	–	–	–	–
Simple Continued Fever	6	–	–	–	–	–	–	–	3	1	–	–	–
Infantile Remittent	2	–	–	–	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	6	3	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	1	1	–	1	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	4	–	1	–	–	1	1	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	1	–	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	1	–	–	–	–	–	–	–	–	1	–	–
Cancer	9	–	1	–	–	–	1	–	–	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	1	–	1	1	–	1	–	1	3	1	1	–
Tabes Mesenterica	18	2	1	4	6	2	1	–	2	–	–	–	–
Phthisis	117	1	–	–	1	4	2	–	4	6	19	17	10
Hydrocephalus	34	3	2	12	5	4	–	1	5	2	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	31	30	32	35	26	36	55	51	59	31	22	13	2	–	–	–
SPECIFIED CAUSES	31	30	32	34	26	36	55	51	59	31	22	13	2	–	–	–
Zymotic Class	8	9	8	8	5	5	4	7	3	2	–	–	–	–	–	–
Uncertain Seat	2	3	–	–	1	1	4	–	1	1	1	–	–	–	–	–
Tubercular Class	11	10	5	7	3	2	9	2	4	–	–	–	–	–	–	–
Brain, etc.	3	4	9	3	2	6	12	17	13	7	4	–	–	–	–	–
Heart, etc.	2	1	4	2	4	6	10	3	6	3	2	1	–	–	–	–
Respiratory Organs	–	2	2	6	7	6	9	5	14	5	4	2	–	–	–	–
Digestive Organs	–	–	–	3	2	5	2	5	6	1	–	–	–	–	–	–
Urinary Organs	–	1	2	2	1	2	2	3	2	3	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	8	9	8	7	10	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	–	1	2	1	3	1	1	1	1	2	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	4	3	2	2	3	–	–	3	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	4	3	4	1	2	1	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	1	2	1	1	1	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	2	–	–	1	1	–	–	–	–	–
Cancer	1	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	10	5	7	3	2	9	2	4	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	–	–	–	–	2	1	1	–	1	1
Apoplexy	22	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	40	–	–	–	–	1	–	–	–	–	–	–	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	–	–	–	–	–	–	2	–	2	2	2
Tetanus	1	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	38	13	14	5	5	1	–	–	–	–	–	–	–
Brain Disease	19	1	–	–	1	–	–	3	2	2	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	46	–	–	–	–	–	–	–	–	–	–	1	4
VI. Laryngitis	3	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	91	6	15	10	13	4	1	1	2	–	1	–	1
Pleurisy	7	–	–	–	–	1	–	–	1	–	–	–	–
Pneumonia	44	12	4	5	5	4	2	–	4	–	–	–	–
Asthma	7	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	8	–	–	–	1	–	1	1	1	–	–	–	–
VII. Teething	49	–	1	17	27	3	1	–	–	–	–	–	–
Quinsey	2	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	2	–	–	–	–	–	–	–	–	–	–	1
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	1	–	–	–	–	–	–	–	1
Hernia	2	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	1	–	–	–	–	–	1	–	1	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	2	2	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	3	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	12	–	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	1	–	–	–	1	–	1	1	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	2	1
Joint and Bone Disease	3	–	–	–	–	–	–	–	–	–	–	–	2
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	5	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	3	–	1	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	–	1	1	1
Fracture and Contusion	18	–	–	–	1	–	–	–	1	1	2	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	2
Not Specified	5	2	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	3	1	–	2	4	1	6	2	2	–	–	–	–	–
Paralysis	2	1	3	1	–	3	4	11	6	5	2	–	–	–	–	–
Delirium Tremens	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	1	–	1	1	1	3	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	4	2	3	6	9	3	6	3	2	1	–	–	–	–
Laryngitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	–	2	3	3	5	4	9	4	3	2	–	–	–	–
Pleurisy	–	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–
Pneumonia	–	–	–	2	3	2	–	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	2	–	2	1	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	3	1	–	–	2	3	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	2	1	2	1	1	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	2	1	2	1	–	1	1	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1180	101	37	76	96	57	35	23	65	22	39	41	27
SPECIFIED CAUSES	1172	99	37	75	96	57	35	20	65	22	39	41	27
I. Zymotic Class	310	11	12	27	47	27	23	15	36	9	5	8	5
II. Diseases of Uncertain Seat	44	1	1	–	–	–	–	–	1	1	–	1	–
III. Tubercular Class	197	3	5	12	9	12	8	2	11	8	25	21	11
IV. Brain and Nervous System	88	15	5	2	4	1	–	–	5	1	3	1	–
V. Organs of Circulation	56	1	–	–	–	–	–	–	1	1	–	1	1
VI. Respiratory Organs	182	16	9	22	21	11	3	2	5	–	–	3	3
VII. Organs of Digestion	70	6	–	10	12	1	1	1	–	–	–	2	3
VIII. Urinary Organs	21	–	–	–	–	1	–	–	2	–	1	–	1
IX. Organs of Generation	14	–	–	–	–	–	–	–	–	–	1	1	2
X. Organs of Locomotion	11	–	–	–	–	–	–	–	–	1	2	2	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	42	39	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	1	–	–	1	–	–	–	–
XV. Age	101	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	1	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	23	6	3	–	–	3	–	–	2	1	2	1	1
I. Small Pox	5	–	–	1	1	–	–	–	1	–	–	1	–
Measles	31	–	–	9	10	5	1	3	2	–	–	–	–
Scarlatina	66	1	–	1	10	9	16	5	19	1	1	–	1
Diphtheria	10	–	–	1	–	3	1	3	2	–	–	–	–
Hooping Cough	35	–	7	5	13	6	2	2	–	–	–	–	–
Croup	5	–	–	1	4	–	–	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	29	3	3	6	3	1	1	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	35	–	–	–	2	1	1	2	4	2	–	2	1
Influenza	5	1	–	1	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	33	–	–	–	1	1	–	–	1	3	–	2	–
Enteric Fever	21	–	–	–	–	–	–	–	3	3	2	1	–
Relapsing Fever	3	–	–	–	–	–	–	–	3	–	–	–	–
Simple Continued Fever	8	1	–	1	1	–	–	–	1	–	–	1	1
Infantile Remittent	3	–	1	–	–	1	1	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	1	1	1	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	1	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	2	1	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	1	–	–	–	–	–	1	1	–	–	–
Abscess	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	1	–	2	1	–	1	–	–	2	1	–	–
Tabes Mesenterica	13	–	2	4	2	1	1	–	1	–	1	–	–
Phthisis	144	–	–	2	2	5	3	–	4	6	23	21	11
Hydrocephalus	30	2	3	4	4	6	3	2	6	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	41	40	34	49	45	38	46	61	53	69	42	27	13	2	1	–
SPECIFIED CAUSES	41	40	34	48	45	38	46	60	53	69	42	27	13	2	1	–
Zymotic Class	11	10	9	14	6	9	3	10	9	2	1	1	–	–	–	–
Uncertain Seat	2	–	2	5	5	2	8	5	4	2	4	–	–	–	–	–
Tubercular Class	17	14	10	8	7	4	4	4	–	1	1	–	–	–	–	–
Brain, etc.	5	4	4	3	4	2	5	5	5	10	3	1	–	–	–	–
Heart, etc.	–	3	1	3	7	6	12	5	6	7	–	1	–	–	–	–
Respiratory Organs	1	2	2	7	3	8	7	16	14	11	7	7	2	–	–	–
Digestive Organs	3	3	1	4	2	4	3	4	2	4	3	–	1	–	–	–
Urinary Organs	1	3	2	2	4	1	–	–	1	2	–	–	–	–	–	–
Generative Organs	1	1	3	1	1	1	–	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	2	–	1	1	–	–	–	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	4	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	6	12	29	23	15	10	2	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	2	–	2	–	6	1	–	1	–	–	–	–	–
Dysentery	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Cholera	4	4	2	5	–	1	–	–	3	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	2	3	5	4	5	2	3	–	–	–	–	–	–	–	–
Enteric Fever	4	2	2	1	–	1	–	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	–	–	–	3	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Cancer	2	–	1	4	4	2	7	2	3	1	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	17	14	9	8	7	4	3	3	–	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	–	–	–	–	–	–	–	3	–	–	1	–
Apoplexy	18	–	–	–	1	–	–	–	–	–	–	–	–
Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	1	–	1	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	1	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	25	15	4	2	3	1	–	–	–	–	–	–	–
Brain Disease	11	–	1	–	–	–	–	–	1	1	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	56	1	–	–	–	–	–	–	1	1	–	1	1
VI. Laryngitis	3	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	120	9	7	12	12	10	2	2	3	–	–	2	–
Pleurisy	5	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	38	7	1	9	8	–	1	–	1	–	–	1	2
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	8	–	–	1	1	1	–	–	1	–	–	–	1
VII. Teething	22	1	–	7	12	1	1	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	1	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	1	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	1	–	1	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	1	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	1	–	–	–	–	–	–	1
Nephria	6	–	–	–	–	–	–	–	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	2	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	1	1
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	8	–	–	–	–	–	–	–	–	1	1	2	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	3	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	–	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	4	2	2	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	–	–	–	–	1	–	–	1	1	2	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	1	–	–	–	1	–	–	–	–	–	–	–
Not Specified	8	2	–	1	–	–	–	3	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	3	1	1	1	–	2	4	1	2	2	–	–	–	–	–
Paralysis	2	–	2	1	–	1	3	–	3	8	1	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	1	1	1	–	–	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	3	1	3	7	6	12	5	6	7	–	1	–	–	–	–
Laryngitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	3	1	4	7	9	12	8	7	7	2	–	–	–
Pleurisy	1	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Pneumonia	–	–	–	2	–	1	–	3	–	2	–	–	–	–	–	–
Asthma	–	–	–	1	1	2	–	2	2	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	–	–	–	–	2	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	–	2	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	1	–	1	1	2	1	3	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	1	–	1	–	–	1	2	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1345	113	48	92	125	56	43	27	47	25	50	55	48
Specified Causes	1302	99	42	85	123	55	40	27	47	25	49	53	47
I. Zymotic Class	320	11	4	20	43	26	19	14	29	8	10	14	10
II. Diseases of Uncertain Seat	44	–	–	–	3	1	–	–	–	–	–	3	4
III. Tubercular Class	224	2	5	12	26	11	12	7	9	8	24	22	20
IV. Brain and Nervous System	106	4	2	7	3	2	4	2	3	3	4	1	3
V. Organs of Circulation	50	1	–	–	1	1	–	–	–	1	1	3	1
VI. Respiratory Organs	166	6	14	20	15	6	3	4	1	–	2	3	3
VII. Organs of Digestion	117	8	7	16	22	4	1	–	1	1	3	2	2
VIII. Urinary Organs	9	–	–	–	–	1	–	–	–	1	1	–	1
IX. Organs of Generation	11	–	–	–	–	–	–	–	–	–	2	1	1
X. Organs of Locomotion	12	–	–	–	–	1	–	–	2	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	82	64	10	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	19	–	–	–	9	2	1	–	–	1	–	–	–
XV. Age	107	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII Violent Deaths	30	1	–	2	1	–	–	–	2	2	1	4	2
I. Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	31	1	–	6	15	5	1	1	2	–	–	–	–
Scarlatina	59	–	–	–	8	13	12	10	13	2	–	1	–
Diphtheria	5	–	–	–	2	–	1	–	2	–	–	–	–
Hooping Cough	22	1	–	8	3	5	2	1	2	–	–	–	–
Croup	17	–	1	1	10	1	2	1	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	27	5	1	5	4	–	1	–	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	7	–	–	–	–	1	–	–	1	1	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	116	–	–	–	1	–	–	1	2	4	9	9	8
Enteric Fever	14	–	–	–	–	–	–	–	2	1	1	1	2
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	4	–	–	–	–	1	–	–	3	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	9	3	1	–	–	–	–	–	1	–	–	3	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	27	–	–	–	2	1	–	–	–	–	–	2	4
Abscess	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	1	1	2	1	1	1	1	1	4	–	2
Tabes Mesenterica	11	–	1	1	4	2	1	1	–	–	1	–	–
Phthisis	155	2	2	1	5	2	7	3	3	6	19	22	18
Hydrocephalus	42	–	1	9	15	6	3	2	5	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	41	62	74	58	55	45	53	67	53	44	45	11	6	–	–	2
Specified Causes	41	62	73	57	55	43	52	67	53	44	45	11	6	–	–	1
Zymotic Class	14	16	19	15	12	8	9	8	3	4	3	–	–	–	–	1
Uncertain Seat	2	–	4	–	4	2	3	7	7	2	2	–	–	–	–	–
Tubercular Class	9	15	15	16	6	2	2	–	1	–	–	–	–	–	–	–
Brain, etc.	3	7	3	5	6	5	9	13	3	8	4	1	1	–	–	–
Heart, etc.	1	6	7	3	3	4	6	4	5	1	1	–	–	–	–	–
Respiratory Organs	2	7	11	5	11	11	10	15	9	2	6	–	–	–	–	–
Digestive Organs	5	6	6	8	6	5	6	5	1	2	–	–	–	–	–	–
Urinary Organs	1	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Generative Organs	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	4	–	1	3	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	12	23	24	29	10	5	–	–	–
Sudden Deaths	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	2	4	2	1	1	1	–	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	1	2	3	–	2	–	–	1	–	–	–	–	–
Dysentery	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	14	14	12	8	3	8	4	2	1	2	–	–	–	–	1
Enteric Fever	–	–	1	–	1	1	–	2	–	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	1	–	3	2	2	6	3	–	–	–	–	–	–	–
Abscess	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	–	1	–	1	–	1	1	4	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	15	15	15	6	2	2	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	–	–	1	–	–	–	–	1	–	1	–	–
Apoplexy	33	–	–	2	2	–	1	2	1	1	–	1	1
Paralysis	32	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	2	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	14	2	2	4	–	2	3	–	–	–	–	–	–
Brain Disease	13	2	–	–	1	–	–	–	1	2	–	–	–
V. Pericarditis	5	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	43	1	–	–	1	1	–	–	–	1	1	2	1
VI. Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	114	4	14	17	11	5	3	2	1	–	–	–	3
Pleurisy	3	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	35	1	–	3	4	1	–	2	–	–	1	2	–
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	28	–	–	10	14	4	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	40	7	5	6	8	–	–	–	–	–	2	1	1
Peritonitis	7	–	–	–	–	–	–	–	1	1	1	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	2	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	20	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	2	–	–	–	–	–	–	–	–	1	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	1	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	1	1	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	6	–	–	–	–	1	–	–	2	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	1	–	–	–	–	–	–	1	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	13	–	–	–	–	–	–	–	1	2	–	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	1	1	–
Not Specified	43	14	6	7	2	1	3	–	–	–	1	2	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	3	4	3	1	4	–	2	1	–	1	–	–	–
Paralysis	–	1	1	1	1	2	6	7	3	6	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Pericarditis	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	5	5	2	3	4	6	4	4	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	3	5	1	6	4	8	11	8	2	5	–	–	–	–	–
Pleurisy	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	2	2	2	3	6	1	3	1	–	–	–	–	–	–	–
Asthma	–	–	3	–	2	1	1	1	–	–	1	–	–	–	–	–
Lung Disease	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	1	3	1	–	2	2	–	–	–	–	–	–	–	–
Peritonitis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	–	–	2	2	1	–	1	–	–	–	–	–	–
Jaundice	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	2	3	3	4	3	–	2	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	2	–	1	2	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	3	–	1	–	1	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1488	143	60	133	184	55	50	29	72	29	47	63	65
Specified Causes	1443	130	54	128	183	55	50	29	72	28	46	63	61
I. Zymotic Class	310	12	6	36	74	17	22	15	32	2	6	12	7
II. Diseases of Uncertain Seat	34	–	1	–	1	1	4	–	1	–	–	–	–
III. Tubercular Class	293	2	5	14	22	13	10	8	23	12	27	31	28
IV. Brain and Nervous System	135	12	4	13	10	3	2	2	5	4	2	5	5
V. Organs of Circulation	74	2	–	–	1	–	1	–	–	3	1	3	1
VI. Respiratory Organs	210	16	20	32	34	13	8	3	5	1	3	2	6
VII. Organs of Digestion	115	9	6	27	29	6	1	–	–	3	3	1	1
VIII. Urinary Organs	13	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	19	–	–	–	–	–	–	–	–	–	–	4	7
X. Organs of Locomotion	4	–	–	–	1	–	1	–	1	–	–	–	–
XI. Skin, etc.	4	–	1	–	2	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	83	70	9	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	8	–	1	1	2	–	1	–	1
XV. Age	68	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	59	4	1	2	1	2	–	–	2	3	3	4	5
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	40	1	1	4	25	2	2	1	4	–	–	–	–
Scarlatina	44	–	–	3	7	4	8	8	12	1	–	–	1
Diphtheria	10	–	–	1	3	1	2	–	3	–	–	–	–
Hooping Cough	35	3	2	11	14	2	2	1	–	–	–	–	–
Croup	23	–	1	3	8	4	1	3	3	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	38	3	1	8	12	2	1	–	1	–	1	1	–
Dysentery	7	–	–	2	2	–	1	–	–	–	–	–	–
Cholera	14	–	–	–	–	–	–	–	2	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	69	1	–	3	1	–	2	1	5	1	5	7	5
Enteric Fever	8	–	–	1	1	–	1	1	2	–	–	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	1	1	–	–	–	–	–	–
Infantile Remittent	3	–	1	–	1	1	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	1	–	1	1	3	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	1	–	1	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	2	–	–	3	1	1	–	5	–	–	–	–
Tabes Mesenterica	17	–	1	–	4	2	2	2	3	1	–	2	–
Phthisis	216	–	1	5	4	4	1	1	9	11	26	29	28
Hydrocephalus	47	–	3	9	11	6	6	5	6	–	1	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	66	56	54	44	62	47	60	51	49	32	23	8	3	3	–	–
Specified Causes	62	54	51	44	62	46	56	51	49	32	23	8	3	3	–	–
Zymotic Class	4	9	11	10	7	5	10	5	3	3	2	–	–	–	–	–
Uncertain Seat	1	4	2	–	3	3	3	4	3	1	2	–	–	–	–	–
Tubercular Class	26	17	13	3	16	8	9	2	3	1	–	–	–	–	–	–
Brain, etc.	4	2	6	8	10	6	8	9	8	5	2	–	–	–	–	–
Heart, etc.	4	7	3	8	8	8	5	9	7	1	2	–	–	–	–	–
Respiratory Organs	6	6	4	5	8	8	9	7	6	4	3	–	1	–	–	–
Digestive Organs	3	4	6	3	5	1	2	2	1	1	–	1	–	–	–	–
Urinary Organs	3	–	1	1	1	1	1	–	1	2	–	–	–	–	–	–
Generative Organs	3	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	10	15	14	11	7	2	3	–	–
Sudden Deaths	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	8	4	3	4	2	3	3	2	2	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	–	–	1	2	–	2	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	1	2	–	1	–	2	3	–	–	–	2	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	5	8	7	3	5	1	–	1	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	1	2	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–
Cancer	–	1	1	–	2	1	–	2	3	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	26	17	13	3	16	8	9	2	2	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	9	–	–	3	2	–	–	–	2	–	1	–	–
Apoplexy	21	2	–	–	–	–	–	–	–	–	–	–	3
Paralysis	30	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	–	2	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	26	9	4	5	5	1	1	–	1	–	–	–	–
Brain Disease	41	1	–	5	3	2	1	2	2	3	1	2	1
V. Pericarditis	5	–	–	–	–	–	1	–	–	1	–	–	1
Aneurism	2	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	67	2	–	–	1	–	–	–	–	2	1	2	–
VI. Laryngitis	2	–	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	154	14	17	28	29	10	7	1	3	1	2	–	2
Pleurisy	3	–	–	–	–	–	–	1	1	–	–	1	–
Pneumonia	30	1	2	4	4	3	1	–	–	–	1	1	2
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	14	1	1	–	1	–	–	–	1	–	–	–	2
VII. Teething	61	1	2	24	28	5	1	–	–	–	–	–	–
Quinsey	3	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	2	–	–	1	–	–	–	–	–	–	–
Enteritis	9	5	1	1	–	–	–	–	–	1	–	–	–
Peritonitis	8	–	–	1	1	–	–	–	–	1	2	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	1	1	–	–	–	–	–	–	–	1	–	–
Intussusception	1	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	1	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	–	4	6
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	2	–	–	–	–	–	1	–	1	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	1	–	1	1	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	14	–	–	–	–	1	–	–	1	–	1	2	3
Fracture and Contusion	27	–	–	1	–	–	–	–	1	3	1	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	3	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	45	13	6	5	1	–	–	–	–	1	1	–	4

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	2	3	–	2	3	3	–	–	–	–	–	–	–
Paralysis	–	–	–	3	4	5	6	3	5	1	2	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	3	3	3	–	–	3	–	4	–	–	–	–	–	–
Pericarditis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	6	2	7	8	8	5	9	7	1	2	–	–	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	4	3	5	5	4	5	6	1	3	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	2	–	2	1	1	1	–	–	2	–	–	–	–	–	–
Asthma	–	–	–	–	1	1	3	2	–	–	–	–	–	–	–	–
Lung Disease	3	2	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	2	1	1	1	1	1	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	2	–	3	–	1	1	2	2	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	4	2	3	–	–	1	4	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	924	127	33	74	77	46	20	14	39	18	19	26	34
Specified Causes	911	120	31	73	77	45	20	14	39	18	19	26	34
I. Zymotic Class	232	9	6	16	24	20	14	8	24	8	3	8	11
II. Diseases of Uncertain Seat	27	–	–	–	2	–	1	–	–	–	–	–	–
III. Tubercular Class	113	5	7	15	13	6	3	4	5	3	7	13	8
IV. Brain and Nervous System	68	10	2	3	2	3	1	–	2	1	3	–	1
V. Organs of Circulation	43	–	–	–	–	–	–	–	1	1	1	2	3
VI. Respiratory Organs	163	17	5	24	22	7	1	1	3	1	2	1	5
VII. Organs of Digestion	71	4	4	11	8	4	–	1	1	1	2	1	3
VIII. Urinary Organs	8	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	4	–	–	–	–	–	–	–	–	1	–	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	75	67	4	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	3	2	–	–	–	–	–	–	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	44	6	2	–	3	3	–	–	3	2	1	1	1
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	–	1	1	2	–	–	1	–	–	–	–
Scarlatina	8	–	–	1	1	3	–	1	2	–	–	–	–
Diphtheria	4	–	–	2	–	2	–	–	–	–	–	–	–
Hooping Cough	20	2	2	5	4	2	4	–	1	–	–	–	–
Croup	5	–	–	1	4	–	–	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	21	5	3	2	1	2	–	–	2	–	–	–	–
Dysentery	6	–	1	2	1	–	–	–	–	–	–	–	–
Cholera	98	–	–	1	11	6	5	5	13	4	–	1	3
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	–	–	–	–	–	–	–	2	2	2	5	5
Enteric Fever	20	–	–	–	–	1	4	2	2	2	–	2	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	–	–	–	1	2	1	–	1	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	–	1
Pyæmia	2	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	2	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	1	–	2	–	–	1	–	1	–	–	1
Tabes Mesenterica	15	4	2	3	4	1	–	–	–	–	1	–	–
Phthisis	56	–	–	–	–	1	–	–	4	2	6	13	7
Hydrocephalus	35	1	4	12	7	4	3	3	1	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	44	28	45	32	37	25	48	35	38	26	30	3	5	–	–	1
Specified Causes	44	28	44	32	37	25	48	35	38	26	30	3	5	–	–	–
Zymotic Class	17	11	18	6	6	4	6	5	4	3	1	–	–	–	–	–
Uncertain Seat	2	1	2	5	1	3	2	1	4	1	2	–	–	–	–	–
Tubercular Class	7	3	8	2	2	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	–	2	2	2	5	4	9	4	7	1	3	1	–	–	–	–
Heart, etc.	4	2	1	2	4	2	7	5	6	1	1	–	–	–	–	–
Respiratory Organs	4	2	5	5	9	8	9	9	10	7	6	–	–	–	–	–
Digestive Organs	2	3	7	2	3	1	6	4	–	3	–	–	–	–	–	–
Urinary Organs	1	–	–	2	1	–	2	1	–	1	–	–	–	–	–	–
Generative Organs	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	3	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	5	5	9	16	1	5	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	4	2	1	3	5	1	2	1	1	–	1	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	1	–	1	–	2	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	11	6	13	2	5	2	3	3	3	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	5	2	1	–	1	2	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	2	1	3	1	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cancer	–	–	2	1	–	–	1	–	4	–	1	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	3	8	2	2	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	–	1	–	–	2	–	–	1	–	–	–	–
Apoplexy	12	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	25	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	3	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	10	1	3	1	–	1	–	–	–	–	–	–
Brain Disease	5	–	–	–	1	1	–	–	1	1	–	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	39	–	–	–	–	–	–	–	1	–	1	2	2
VI. Laryngitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	117	12	5	16	18	3	1	–	2	1	–	–	2
Pleurisy	8	1	–	1	–	–	–	–	1	–	2	–	2
Pneumonia	25	2	–	6	4	4	–	1	–	–	–	1	1
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	1	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	18	–	1	7	8	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	1	1	1	–	1	–	–	–	–	–	–	1
Peritonitis	6	–	1	–	–	–	–	–	1	–	1	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	5	–	–	1	–	–	–	–	–	–	–	1	–
Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	1	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	15	1	1	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	3	3	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	4	2	–	–	–	–	–	–	–	–	–	–
Drowning	8	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	15	–	–	–	–	–	–	–	3	2	1	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	7	2	1	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	1	1	1	4	2	2	–	–	–	–	–	–	–
Paralysis	–	1	1	1	4	2	5	2	5	1	2	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	1	1	2	3	2	7	5	6	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	2	2	2	4	8	6	7	7	7	6	6	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
Asthma	–	–	1	–	1	1	–	1	–	1	–	–	–	–	–	–
Lung Disease	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	3	1	2	–	–	1	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	1	1	4	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	2	1	–	–	1	–	–	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	613	62	24	29	26	20	10	8	20	10	22	23	23
Specified Causes	601	59	20	29	26	20	10	8	20	9	22	23	22
I. Zymotic Class	113	3	4	6	7	7	7	5	9	1	2	3	4
II. Diseases of Uncertain Seat	18	–	1	–	–	–	–	–	–	–	–	–	1
III. Tubercular Class	103	–	1	5	5	5	1	2	6	3	12	10	12
IV. Brain and Nervous System	51	4	2	1	–	–	–	–	2	–	1	–	–
V. Organs of Circulation	44	–	1	–	1	–	–	–	–	1	1	2	1
VI. Respiratory Organs	68	6	6	11	5	1	1	–	–	2	2	–	–
VII. Organs of Digestion	34	2	–	3	6	2	–	–	–	2	–	2	–
VIII. Urinary Organs	15	–	–	–	–	1	–	–	1	–	–	–	1
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	1	1
X. Organs of Locomotion	4	–	–	–	–	–	1	–	–	–	2	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	48	41	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	2	1	–	–	–	–	–	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	24	–	–	–	–	3	–	1	2	–	1	5	2
I. Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	–	–	–	1	–	1	1	2	–	–	–	–
Diphtheria	3	–	–	–	–	–	–	1	1	–	–	–	–
Hooping Cough	14	–	–	2	5	2	1	1	3	–	–	–	–
Croup	7	–	–	–	1	2	3	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	1	–	3	–	–	1	–	2	–	–	–	–
Dysentery	2	–	1	–	–	–	–	–	–	–	–	–	1
Cholera	17	–	–	–	–	–	–	–	–	1	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	–	–	–	–	2	1	1	1	–	1	–	1
Enteric Fever	7	–	–	–	–	–	–	–	–	–	–	1	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	5	2	1	–	–	–	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	1	–	–	–	–	1	1	1	–
Tabes Mesenterica	4	–	–	1	–	2	–	–	1	–	–	–	–
Phthisis	77	–	–	1	–	–	–	–	2	2	11	9	12
Hydrocephalus	17	–	1	3	4	3	1	2	3	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	33	27	30	35	18	23	32	36	32	31	30	5	3	1	–	–
Specified Causes	32	27	30	35	17	23	31	36	32	31	30	5	3	1	–	–
Zymotic Class	11	5	6	8	4	6	6	2	4	3	–	–	–	–	–	–
Uncertain Seat	–	–	2	5	1	1	1	1	2	1	2	–	–	–	–	–
Tubercular Class	11	6	10	9	2	2	–	1	–	–	–	–	–	–	–	–
Brain, etc.	2	3	1	1	3	4	7	7	8	3	2	–	–	–	–	–
Heart, etc.	3	3	2	3	1	2	7	6	6	2	2	–	–	–	–	–
Respiratory Organs	1	1	3	3	4	3	1	7	4	3	3	–	–	1	–	–
Digestive Organs	2	2	1	1	–	2	–	5	2	1	1	–	–	–	–	–
Urinary Organs	–	–	2	2	–	1	3	1	–	2	1	–	–	–	–	–
Generative Organs	1	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	6	6	15	18	5	3	–	–	–
Sudden Deaths	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	2	2	–	1	1	–	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	1	–	–	–	1	2	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	1	–	4	1	2	2	–	1	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	1	3	1	2	3	2	–	1	–	–	–	–	–	–	–
Enteric Fever	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	1	2	1	1	1	1	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	6	10	8	2	2	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	–	–	–	–	–	–	–	1	–	–	–	–
Apoplexy	12	–	1	–	–	–	–	–	1	–	–	–	–
Paralysis	18	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	4	1	1	–	–	–	–	–	–	–	–	–
Brain Disease	10	–	–	–	–	–	–	–	–	–	1	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	39	–	1	–	1	–	–	–	–	1	–	2	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	49	4	6	10	5	1	–	–	–	1	1	–	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	15	2	–	1	–	–	1	–	–	1	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	10	–	–	3	5	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	1	–	–	1	–	–	–	–	–	–	1	–
Peritonitis	3	–	–	–	–	–	–	–	–	1	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	–	–	–	–	1	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	–	1	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	–	2	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	–	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	2	–	–	–	–	–	2	–
Fracture and Contusion	9	–	–	–	–	–	–	–	–	–	1	2	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	1	–	–	1	–
Not Specified	12	3	4	–	–	–	–	–	–	1	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	1	–	1	1	1	2	2	–	1	–	–	–	–	–
Paralysis	–	–	–	–	2	1	6	4	3	2	–	–	–	–	–	–
Delirium Tremens	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	–	1	–	1	3	1	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Heart Disease	2	3	2	3	1	2	6	6	5	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	1	2	2	1	4	3	3	2	–	–	1	–	–
Pleurisy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	2	–	1	1	–	3	1	–	1	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Childbirth	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Specified	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1866.

			DEATHS in 1866.											
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1866		39°·4	36°·7	38°·0	44°·0	47°·9	56°·1	56°·9	55°·0	51°·4	48°·6	41°·2	40°·6	46°·3
		Population 1866.													
	SCOTLAND . .	3,153,413	6336	5745	7002	6263	6545	5769	5425	5324	4722	5673	6155	6389	71,348
	INSULAR DISTRICTS .	157,714	241	245	248	243	254	226	210	190	177	178	211	238	2,661
	MAINLAND DISTRICTS	1,790,374	2931	2762	3463	2924	3113	2855	2584	2623	2306	2693	2967	3094	34,315
	TOWN DISTRICTS .	1,205,325	3164	2738	3291	3096	3178	2688	2631	2511	2239	2802	2977	3057	34,372
	DIVISIONS.														
1	Northern . .	132,201	201	197	198	173	202	206	179	148	126	142	153	160	2,085
2	North-Western .	162,919	232	245	326	286	278	220	180	193	172	194	234	269	2,829
3	North-Eastern . .	376,448	626	659	732	715	730	675	556	590	499	587	620	641	7,630
4	East-Midland . .	527,947	1042	960	1144	927	1001	923	827	847	739	924	1173	1134	11,641
5	West-Midland . .	243,063	456	376	487	391	413	385	385	382	342	353	384	446	4,800
6	South-Western .	1,075,015	2583	2211	2677	2590	2667	2225	2211	2153	1884	2253	2328	2483	28,265
7	South-Eastern . .	422,475	852	772	992	820	858	791	772	706	724	947	975	924	10,133
8	Southern . . .	213,345	344	325	446	361	396	344	315	305	236	273	288	332	3,965
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	31,980	41	52	44	49	70	56	51	40	42	42	44	45	576
2	Orkney . . .	32,888	46	42	55	34	41	50	38	33	29	32	35	36	471
3	Caithness . . .	43,464	74	61	68	56	60	60	62	52	33	44	47	52	669
4	Sutherland . .	23,869	40	42	31	34	31	40	28	23	22	24	27	27	369
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	81,714	119	123	149	151	138	125	80	75	80	95	102	141	1,378
6	Inverness . . .	81,205	113	122	177	135	140	95	100	118	92	99	132	128	1,451
	III. NORTH-EASTERN.														
7	Nairn . . .	8,488	13	14	11	13	9	16	14	22	15	11	12	14	164
8	Elgin (or Moray) .	46,150	63	87	113	77	89	89	101	92	56	63	77	84	991
9	Banff . . .	58,467	81	67	105	107	106	101	71	74	51	73	78	78	992
10	Aberdeen . . .	228,531	437	450	448	443	465	415	331	363	340	373	410	408	4,883
11	Kincardine . .	34,812	32	41	55	75	61	54	39	39	37	67	43	57	600
	IV. EAST-MIDLAND.														
12	Forfar . . .	213,637	490	461	519	408	473	417	380	416	351	446	505	533	5,399
13	Perth . . .	131,009	236	192	259	221	229	200	183	179	153	173	192	223	2,440
14	Fife	155,666	272	270	314	240	250	276	219	206	204	267	441	328	3,287
15	Kinross . . .	8,264	12	11	14	8	13	7	9	14	7	11	13	13	132
16	Clackmannan . .	19,371	32	26	38	50	36	23	36	32	24	27	22	37	383
	V. WEST-MIDLAND.														
17	Stirling . . .	90,411	175	139	183	151	160	154	140	137	128	133	151	180	1,831
18	Dumbarton . .	57,954	111	90	119	93	98	94	93	104	93	86	90	107	1,178
19	Argyll . . .	78,515	140	115	161	106	110	107	108	108	89	110	118	130	1,402
20	Bute	16,183	30	32	24	41	45	30	44	33	32	24	25	29	389
	VI. SOUTH-WESTERN.														
21	Renfrew . . .	174,417	389	347	400	388	444	340	406	395	324	399	391	445	4,668
22	Ayr	203,831	399	371	464	372	402	339	335	370	337	340	355	410	4,494
23	Lanark . . .	696,767	1795	1493	1813	1830	1821	1546	1470	1388	1223	1514	1582	1628	19,103
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	43,486	71	72	87	86	79	77	63	75	80	89	122	124	1,025
25	Edinburgh . .	281,758	641	532	723	588	629	539	547	501	501	700	695	643	7,239
26	Haddington . .	38,288	60	67	76	56	58	68	62	52	62	76	75	66	778
27	Berwick . . .	36,655	45	57	65	58	61	70	63	35	47	50	54	52	657
28	Peebles . . .	11,557	17	18	17	15	18	20	19	14	20	5	14	19	196
29	Selkirk . . .	10,731	18	26	24	17	13	17	18	29	14	27	15	20	238
	VIII. SOUTHERN.														
30	Roxburgh . . .	55,029	91	75	105	67	83	78	77	77	47	58	64	86	908
31	Dumfries . . .	74,728	132	124	183	158	170	130	120	130	113	110	103	113	1,586
32	Kirkcudbright .	42,169	66	77	81	85	83	78	61	53	43	64	59	66	816
33	Wigtown . . .	41,419	55	49	77	51	60	58	57	45	33	41	62	67	655

APPENDIX.

MEAN TEMPERATURE during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	36·1	28·6	36·7	44·9	45·7	56·5	61·8	59·2	53·4	45·5	39·5	34·4	45·2
1856	34·3	39·7	39·4	44·3	46·7	53·3	56·4	57·1	50·9	48·8	39·7	37·9	45·7
1857	35·7	39·3	39·2	42·7	49·8	57·4	58·0	60·0	56·1	49·6	43·7	44·9	48·0
1858	39·3	35·8	39·5	43·8	49·5	58·9	56·0	57·9	54·5	44·9	39·4	39·9	46·6
1859	39·6	40·5	43·0	41·9	51·9	56·6	59·0	57·8	52·3	45·8	39·4	34·0	46·8
1860	35·9	34·9	39·1	42·1	50·9	54·4	59·3	55·4	50·7	47·4	39·3	34·4	45·3
1861	37·3	40·2	42·3	45·9	49·8	58·0	57·8	58·5	54·5	49·8	38·9	38·0	47·6
1862	38·4	40·1	37·8	44·6	51·1	52·4	53·8	56·0	53·4	47·1	37·1	41·8	46·1
1863	39·0	41·6	43·7	45·0	49·8	55·2	57·4	56·5	50·4	47·4	44·3	41·7	47·7
1864	36·2	33·5	37·5	46·1	50·0	53·4	56·7	54·4	52·4	45·8	40·9	39·4	45·5
Mean,	37·18	37·41	39·82	44·13	49·52	55·61	57·62	57·28	52·86	47·21	40·22	38·64	46·45

Absolute HIGHEST TEMPERATURE during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	51·9	44·0	53·0	72·0	75·0	79·0	87·0	79·0	77·0	68·0	56·0	51·0	87·0
1856	51·0	60·0	61·0	70·0	77·0	83·0	83·0	89·0	72·0	67·9	62·0	57·0	89·0
1857	55·0	60·0	62·0	66·0	75·0	95·0	78·0	87·0	77·9	71·0	66·0	60·0	95·0
1858	58·0	57·0	67·0	78·0	80·5	82·0	79·0	84·0	82·0	68·0	59·0	58·0	84·0
1859	58·0	57·0	65·0	79·0	82·0	89·0	87·0	82·0	75·0	73·0	59·0	55·0	89·0
1860	55·0	58·5	65·5	69·0	78·0	79·0	85·2	81·0	78·2	69·0	73·4	54·8	85·2
1861	57·0	62·0	63·0	76·5	85·0	85·5	79·5	76·7	69·5	71·2	58·5	59·2	85·5
1862	55·0	61·9	60·4	74·5	77·4	80·0	73·0	80·5	79·0	73·0	59·0	57·4	80·5
1863	59·0	60·5	67·2	65·4	72·0	74·0	83·0	85·2	80·7	66·0	64·0	59·0	85·2
1864	52·2	55·0	64·0	74·0	88·0	73·5	83·0	85·9	73·6	69·5	58·0	58·2	88·0
Highest,	59·0	62·0	67·2	79·0	88·0	95·0	87·0	89·0	82·0	73·0	64·0	60·0	95·0

Absolute LOWEST TEMPERATURE during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	1·0	—7·0	12·0	15·0	21·0	30·0	44·0	33·0	27·0	18·0	21·0	14·0	—7·0
1856	10·0	16·0	14·5	22·0	25·0	31·0	30·0	30·0	26·0	25·0	9·0	4·0	4·0
1857	4·9	4·0	12·5	20·0	28·0	28·5	31·5	34·0	30·0	24·0	16·0	22·0	4·0
1858	17·8	8·0	11·0	17·0	25·8	35·0	35·0	32·0	27·0	20·0	9·0	20·0	8·0
1859	17·1	11·0	17·0	18·0	22·8	32·0	33·3	34·8	29·0	10·5	17·0	0·0	0·0
1860	6·0	—5·0	18·7	21·0	26·0	30·2	33·8	32·7	26·3	22·7	13·2	—12·0	—12·0
1861	—3·7	8·3	23·3	20·0	20·7	35·0	37·1	37·0	30·3	24·4	9·0	10·9	—3·7
1862	19·3	9·0	10·0	18·9	27·2	33·0	33·9	35·0	28·0	21·3	9·0	23·0	9·0
1863	12·0	17·9	19·0	25·5	30·0	34·3	31·0	32·0	30·0	24·8	18·0	17·0	12·0
1864	10·3	3·3	2·0	23·9	21·0	27·0	36·7	28·3	31·3	24·0	20·0	14·0	2·0
Lowest,	—3·7	—7·0	2·0	15·0	20·7	27·0	30·0	28·3	26·3	10·5	9·0	—12·0	—12·0

Mean DAY TEMPERATURE (mean of highest each Day) during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	40·7	34·6	43·6	53·4	53·0	65·5	69·7	67·6	61·9	52·1	44·2	39·8	52·1
1856	37·7	43·6	45·1	51·1	53·9	60·1	64·6	64·3	57·2	54·0	42·9	42·4	53·9
1857	39·8	44·3	44·0	48·7	57·0	66·0	65·0	67·1	62·5	55·3	48·3	49·2	53·9
1858	44·0	41·2	45·5	51·4	56·9	67·1	63·4	65·9	61·8	51·0	44·4	44·0	53·0
1859	44·4	45·4	48·5	48·7	61·7	64·7	66·2	65·2	59·2	51·8	44·5	38·3	53·2
1860	39·6	39·2	44·0	48·9	57·7	59·7	64·5	60·8	57·1	51·4	43·1	37·9	50·3
1861	40·4	44·1	46·9	52·4	56·9	64·0	63·6	62·8	59·2	55·4	43·9	42·9	52·7
1862	42·0	44·4	42·5	51·5	58·1	58·7	60·4	62·3	60·3	53·4	42·6	46·2	51·8
1863	42·8	46·6	48·5	51·2	55·7	60·6	64·5	62·7	56·2	52·1	48·1	45·7	52·9
1864	40·7	39·0	43·0	53·3	58·1	60·2	64·1	62·5	59·3	51·4	46·2	43·2	51·7
Mean,	41·21	42·24	45·16	51·06	56·90	62·66	64·60	64·12	59·47	52·79	44·82	42·96	52·55

Mean NIGHT TEMPERATURE (mean of lowest each Night) during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	31·3	23·4	29·4	35·2	37·1	46·2	53·0	50·3	44·5	37·9	34·9	28·4	37·6
1856	30·6	34·8	32·8	37·5	39·5	46·1	48·0	49·2	44·4	43·2	34·3	34·1	39·5
1857	31·6	34·3	34·5	36·7	42·6	48·8	51·0	53·0	49·7	43·9	39·2	40·7	42·1
1858	34·6	30·5	33·6	36·1	42·0	50·7	48·7	49·9	47·2	39·2	34·4	35·7	40·2
1859	34·8	35·5	37·6	35·2	42·1	48·6	51·9	50·4	45·5	39·8	34·2	29·7	40·4
1860	31·4	28·6	32·5	34·0	42·6	46·5	50·1	48·0	43·3	40·5	35·1	30·0	38·5
1861	32·9	34·9	35·5	38·3	41·3	50·4	50·0	51·9	48·2	43·7	33·0	33·3	41·1
1862	34·8	35·8	33·2	37·8	44·0	46·0	47·3	49·7	46·4	40·7	31·6	37·5	40·4
1863	34·3	35·7	37·3	37·7	41·6	47·5	47·7	48·7	44·0	41·5	38·2	35·9	40·8
1864	31·6	27·9	32·0	38·8	42·0	46·6	49·4	46·4	45·5	40·3	35·6	35·5	39·3
Mean,	32·79	32·14	33·84	36·73	41·48	47·74	49·71	49·75	45·87	41·07	35·05	34·08	39·99

Monthly Mortality in SCOTLAND during the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	5808	7231	6520	5324	5376	4624	4474	4457	4037	4366	4374	5413	62004
1856	5474	5189	5355	5200	5006	4478	4419	4203	4239	4338	4591	6037	58529
1857	5788	5274	5622	5404	5179	4943	4789	4927	4997	4744	4855	5384	61906
1858	5311	5566	6444	5590	5211	4856	4994	4576	4442	4785	5788	5976	63539
1859	5960	5494	5668	5562	5262	4734	4539	4509	4322	4355	5215	6094	61714
1860	6366	6901	6916	6529	6265	5406	5051	4612	4199	4856	5098	5971	68170
1861	6995	5201	5724	5498	5644	4810	4931	4434	4042	4300	5172	5590	62341
1862	6895	5825	6693	6229	5844	5309	5177	4455	4598	4782	5209	6179	67195
1863	6362	6164	6703	6063	5952	5948	5630	5521	5122	5580	6010	6426	71481
1864	7682	7305	7620	6465	6028	5976	5453	5620	5067	5320	5664	6216	74416
10 Years,	62641	60150	63265	57864	55767	51084	49457	47314	45065	47426	51976	59286	651295

Monthly Mortality in INSULAR DISTRICTS of Scotland during the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	168	340	329	208	229	174	166	126	128	129	146	183	2326
1856	186	192	239	200	171	162	171	159	139	164	155	228	2166
1857	247	204	209	196	178	211	236	158	154	150	165	198	2306
1858	195	224	246	208	227	182	174	171	158	170	201	221	2377
1859	254	218	264	305	253	220	196	182	192	150	192	207	2633
1860	224	240	235	262	261	229	200	213	183	212	203	252	2714
1861	269	212	282	257	240	180	170	187	161	165	202	237	2562
1862	247	260	398	345	264	211	238	213	188	176	188	247	2975
1863	324	293	271	276	280	241	204	202	199	236	184	224	2934
1864	256	287	295	231	192	241	201	188	201	201	190	237	2720
10 Years,	2370	2470	2768	2488	2295	2051	1956	1799	1703	1753	1826	2234	25713

Monthly Mortality in the MAINLAND-RURAL DISTRICTS of Scotland during the TEN YEARS 1855–64.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	2896	3835	3380	2724	2718	2326	2235	2126	2004	2180	2142	2681	31247
1856	2687	2617	2741	2604	2534	2244	2201	2013	2043	2081	2146	2914	28825
1857	2824	2592	2721	2666	2620	2457	2238	2312	2534	2318	2316	2792	30390
1858	2704	2939	3346	2951	2651	2342	2333	2181	2152	2296	2711	2958	31564
1859	2984	2810	2819	2852	2772	2424	2270	2283	2189	2130	2474	2952	30959
1860	2996	3247	3505	3182	3268	2766	2480	2256	2076	2309	2439	2834	33358
1861	3241	2566	2928	2761	2865	2432	2431	2337	2029	2184	2515	2625	30814
1862	3213	2911	3312	3029	2871	2656	2647	2290	2195	2248	2406	2916	32694
1863	3110	3099	3363	3038	2933	2908	2811	2621	2468	2663	2756	2952	34722
1864	3568	3469	3671	3244	3014	2913	2604	2677	2453	2527	2655	2924	35719
10 Years,	30223	30085	31786	29051	28246	25468	24250	23096	22143	22836	24560	28548	320292

Monthly Mortality in the TOWN DISTRICTS of Scotland during the TEN YEARS 1855–64.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	2744	3056	2811	2392	2429	2124	2073	2205	1905	2057	2086	2549	28431
1856	2601	2380	2375	2396	2301	2072	2047	2031	2057	2093	2290	2895	27538
1857	2717	2478	2692	2542	2381	2275	2315	2457	2309	2276	2374	2394	29210
1858	2412	2403	2852	2431	2333	2332	2487	2224	2132	2319	2876	2797	29598
1859	2722	2466	2585	2405	2237	2090	2073	2044	1941	2075	2549	2935	28122
1860	3146	3414	3176	3085	2736	2411	2371	2143	1940	2335	2456	2885	32098
1861	3485	2423	2514	2480	2539	2198	2330	2010	1852	1951	2455	2728	28965
1862	3435	2654	2983	2855	2709	2442	2292	1952	2215	2358	2615	3016	31526
1863	2928	2772	3069	2749	2739	2799	2615	2698	2455	2681	3070	3250	33825
1864	3858	3549	3654	2990	2822	2822	2648	2755	2413	2592	2819	3055	35977
10 Years,	30048	27595	28711	26325	25226	23565	23251	22519	21219	22737	25590	28504	305290

MONTHLY MORTALITY in the EIGHT DIVISIONS of SCOTLAND during the TEN YEARS 1855–1864.

1. NORTHERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	157	298	255	189	217	164	126	106	112	124	123	141	2012
1856	156	132	142	140	144	114	125	109	124	120	125	182	1613
1857	207	138	169	145	154	162	138	118	131	110	149	161	1782
1858	157	155	182	169	173	130	141	123	106	123	148	175	1782
1859	203	164	181	177	151	124	123	141	154	129	138	145	1830
1860	154	173	190	190	214	165	152	169	127	157	149	197	2037
1861	195	173	213	177	180	152	133	154	120	123	143	178	1936
1862	165	192	229	243	167	143	179	153	132	138	127	149	2017
1863	186	175	179	192	189	165	137	134	142	143	152	173	1967
1864	207	206	230	190	163	208	164	178	201	213	175	212	2347
10 Years,	1787	1806	1970	1812	1752	1527	1418	1385	1349	1380	1429	1708	19323

2. NORTH-WESTERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	219	442	361	243	252	220	183	174	158	172	157	249	2830
1856	212	229	261	222	194	201	157	141	158	176	162	221	2334
1857	220	216	208	232	199	200	192	164	157	156	169	198	2311
1858	193	273	307	266	221	204	185	190	147	183	192	233	2594
1859	205	255	236	314	292	237	176	175	161	153	210	262	2676
1860	278	349	252	260	241	236	200	187	195	222	219	250	2889
1861	295	201	285	273	219	180	193	178	175	181	205	219	2604
1862	266	289	380	322	270	230	237	220	230	197	191	274	3106
1863	330	284	286	272	263	278	226	197	206	269	225	248	3084
1864	285	296	333	321	255	298	211	231	211	213	227	279	3160
10 Years,	2503	2834	2909	2725	2406	2284	1960	1857	1798	1922	1957	2433	27588

3. NORTH-EASTERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	570	744	672	549	554	417	395	411	404	390	423	510	6039
1856	543	533	555	524	526	482	493	434	378	382	436	528	5814
1857	521	439	596	565	530	496	443	485	488	451	549	621	6184
1858	587	675	707	628	610	476	443	422	401	436	555	563	6503
1859	595	573	543	569	583	508	455	459	448	417	516	601	6267
1860	597	663	732	671	685	564	490	492	447	527	519	621	7008
1861	664	560	600	575	617	478	523	445	482	488	568	592	6592
1862	656	623	724	630	600	554	508	447	448	399	556	643	6788
1863	649	672	681	563	547	511	513	466	513	502	543	604	6764
1864	739	797	799	729	608	572	501	521	438	483	500	589	7276
10 Years,	6121	6279	6609	6003	5860	5058	4764	4582	4447	4475	5165	5872	65235

4. EAST-MIDLAND DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	1000	1216	1113	827	823	722	705	695	652	701	752	896	10102
1856	962	876	866	856	867	727	714	683	667	697	739	1008	9662
1857	984	916	892	843	839	803	821	804	862	886	832	949	10431
1858	978	971	1140	969	888	790	846	763	748	822	903	1029	10847
1859	1066	928	921	913	881	860	760	741	748	760	858	1000	10436
1860	1011	1024	1167	1107	1022	836	755	700	688	912	959	1014	11195
1861	1137	922	941	907	849	803	810	751	639	753	809	920	10241
1862	1074	938	1173	1083	957	835	867	771	735	734	796	946	10909
1863	1026	1005	1058	937	948	982	908	920	769	906	952	1007	11418
1864	1201	1223	1203	981	969	1035	972	1026	895	941	1032	990	12468
10 Years,	10439	10019	10474	9424	9043	8392	8158	7854	7403	8112	8632	9759	107709

MONTHLY MORTALITY in the EIGHT DIVISIONS of SCOTLAND during the TEN YEARS 1855–1864.

5. WEST-MIDLAND DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	407	534	494	401	402	374	354	319	310	296	309	421	4621
1856	362	379	417	336	356	302	305	295	263	304	325	447	4091
1857	429	421	396	382	387	376	379	343	379	358	345	409	4604
1858	356	368	442	349	407	375	351	295	365	338	414	425	4485
1859	449	435	487	471	457	346	331	345	340	303	353	418	4735
1860	438	479	531	480	476	422	394	351	314	317	359	392	4953
1861	491	386	384	389	415	336	338	354	293	303	345	401	4435
1862	523	453	505	441	447	366	419	344	338	315	382	434	4967
1863	457	463	536	428	416	429	443	414	402	390	430	496	5304
1864	556	514	561	483	452	467	431	387	367	354	402	424	5398
10 Years,	4468	4432	4753	4160	4215	3793	3745	3447	3371	3278	3664	4267	47593

6. SOUTH-WESTERN DIVISION.—Monthly Mortality, 1555–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	2332	2622	2407	2039	2137	1833	1839	1932	1597	1712	1642	2126	24218
1856	2150	1990	2029	2067	1881	1653	1637	1712	1720	1704	1911	2472	22926
1857	2351	2144	2329	2252	2115	1963	1982	2123	2090	1893	1915	1973	25130
1858	1982	2036	2376	2092	1943	1874	2042	1813	1754	1942	2509	2396	24759
1859	2363	2139	2227	2096	1908	1722	1771	1788	1621	1746	2118	2474	23973
1860	2604	2871	2750	2634	2409	2147	2095	1823	1548	1790	1872	2326	26869
1861	2856	2006	2243	2148	2197	1894	1938	1630	1484	1598	1997	2143	24134
1862	2772	2142	2368	2292	2265	2082	1906	1622	1834	1954	2031	2299	25567
1863	2382	2347	2666	2349	2369	2343	2324	2242	2126	2283	2604	2801	28836
1864	3283	2942	3109	2546	2447	2281	2185	2275	2004	2100	2309	2593	30074
10 Years,	25075	23239	24504	22515	21671	19792	19719	18960	17778	18722	20908	23603	256486

7. SOUTH-EASTERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	773	878	821	707	672	577	596	550	559	639	672	732	8176
1856	723	716	737	716	687	664	700	592	665	667	648	866	8381
1857	745	694	713	667	630	638	550	631	610	611	642	757	7888
1858	711	728	823	769	659	691	693	707	658	681	722	775	8617
1859	681	649	694	669	659	604	579	547	579	551	713	808	7733
1860	883	924	858	791	825	682	620	581	603	647	693	787	8894
1861	916	628	697	681	791	663	664	651	558	566	783	832	8430
1862	980	823	875	813	767	732	714	598	629	788	792	1031	9552
1863	905	846	849	862	813	821	713	799	643	755	779	797	9582
1864	1006	969	938	836	772	795	675	700	670	749	758	820	9688
10 Years,	8323	7855	8005	7511	7275	6867	6504	6356	6174	6664	7202	8205	86941

8. SOUTHERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	350	497	397	369	319	317	276	270	245	332	296	338	4006
1856	366	334	348	339	351	335	288	237	264	288	245	313	3708
1857	331	306	319	318	325	305	284	259	280	279	254	316	3576
1858	347	360	467	348	310	316	293	263	263	260	345	380	3952
1859	398	351	379	353	331	333	344	313	271	296	309	386	4064
1860	401	418	436	396	393	354	345	309	277	284	328	384	4325
1861	441	325	361	348	376	304	332	271	291	288	322	310	3969
1862	459	365	439	405	371	367	347	300	252	247	334	403	4289
1863	427	372	448	460	407	419	366	349	321	332	325	300	4526
1864	405	358	447	379	362	320	314	302	281	267	261	309	4005
10 Years,	3925	3686	4041	3715	3545	3370	3189	2873	2745	2873	3019	3439	40420

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
	I. NORTHERN DIVISION.			
	1. Shetland.			
1	Bressay, etc.—			
	(1) Bressay	915	136	1·48
	(2) Burra and Quarff	890	98	1·10
2	Delting	1975	331	1·68
3	Dunrossness, etc.—			
	(1) Dunrossness	2113	270	1·28
	(2) Sandwick and Cunningsburgh	2337	337	1·44
	(3) Fair Isle	380	38	1·00
4	Fetlar, etc.—			
	(1) Fetlar	548	111	2·03
	(2) North Yell	932	174	1·88
5	Lerwick	3631	635	1·74
6	Mid and South Yell	1784	260	1·45
7	Nesting, etc.—			
	(1) Nesting	855	108	1·26
	(2) Lunnasting	880	92	1·04
	(3) Whalsay and Skerries	848	108	1·27
8	Northmavine	2585	386	1·49
9	Sandsting and Aithsting	2670	336	1·22
10	Tingwall, etc.—			
	(1) Tingwall	1554	255	1·64
	(2) Whiteness and Weisdale	1143	142	1·24
11	Unst	3060	455	1·48
12	Walls, etc.—			
	(1) Walls	1365	180	1·32
	(2) Sandness	606	111	1·83
	(3) Papa-Stour	366	52	1·42
	(4) Foula	233	21	0·90
	2. Orkney.			
13	Birsay	1774	228	1·23
14	Deerness	813	110	1·35
15	Eday and Pharay	979	148	1·51
16	Evie and Rendall	1408	152	1·08
17	Firth and Stennes	1493	162	1·08
18	Harray	819	107	1·31
19	Holm and Paplay	834	99	1·18
20	Hoy and Græmsay	556	84	1·51
21	KIRKWALL and ST OLA (incl. Burgh)	4422	878	1·98
22	North Ronaldshay	532	64	1·20
23	Orphir	1133	149	1·30
24	Rousay and Egilsay	1152	177	1·53
25	St Andrews	868	117	1·34
26	Sanday	2145	244	1·13
27	Sandwick	1225	132	1·08
28	Shapinshay	973	131	1·34
29	South Ronaldshay and Burray	3282	433	1·32
30	Stromness	2540	491	1·93
31	Stronsay	1228	142	1·15
32	Walls and Flotta	1674	178	1·06
33	Westray & Papa Westray	2545	381	1·49
	3. Caithness.			
34	Bower	1746	218	1·25
35	Canisbay	2730	347	1·27
36	Dunnet	1861	272	1·45
37	Halkirk	2864	413	1·44
38	Latheron	8571	1143	1·33
39	Olrig	2059	320	1·55
40	Reay	2476	356	1·44
41	Thurso	5561	1003	1·81
42	Watten	1491	181	1·21
43	WICK—			
	(1) Burgh	7505	1696	2·58
	(2) Landward	5336	716	1·32
	4. Sutherland.			
44	Assynt—			
	(1) Kirkton	553	77	1·39
	(2) Stoer	2625	298	1·13
45	Clyne	1886	270	1·43
46	Creich—			
	(1) Bonar	1982	310	1·56
	(2) Rosehall	539	95	1·76
47	DORNOCH (inc. Burgh)	2885	433	1·50
48	Durness	1109	146	1·31
49	Eddrachillis—			
	(1) Scourie	727	93	1·28
	(2) Kinlochbervie	914	117	1·37
50	Farr—			
	(1) Kirkton	1251	197	1·57
	(2) Strathy	852	113	1·32
51	Golspie	1615	182	1·12
52	Kildonan	2132	365	1·71
53	Lairg	961	148	1·54
54	Loth	610	73	1·19
55	Rogart	1439	218	1·51
56	Tongue	2077	289	1·39
	II. NORTH-WESTERN DIVISION.			
	5. Ross and Cromarty.			
	Mainland.			
57	Alness	1178	173	1·47
58	Applecross	2544	399	1·57
59	Avoch	1788	293	1·64
60	Contin	1509	201	1·33
61	CROMARTY (including Burgh)	2300	486	2·11
62	DINGWALL (including Burgh)	2412	439	1·82
63	Edderton	836	115	1·37
64	Fearn	2083	381	1·83
65	Fodderty	2247	366	1·62
66	Gairloch	5449	793	1·27
67	Glenshiel	485	76	1·57
68	Killearnan	1494	253	1·69
69	Kilmuir-Easter	1295	195	1·50
70	Kiltearn	1634	254	1·55
71	Kincardine	1746	252	1·44
72	Kintail	890	118	1·32
73	Knockbain	2485	383	1·54
74	Lochalsh	2413	344	1·42
75	Lochbroom and Coigach	4862	817	1·68
76	Lochcarron	1592	257	1·61
77	Logie-Easter	932	131	1·40

Note.—Districts marked thus (*) only give the Mortality for Nine Years.

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
78	Nigg	1253	216	1·72
79	Resolis	1568	257	1·64
80	Rosemarkie (including FORTROSE)	1545	292	1·88
81	Rosskeen	3766	652	1·73
82	TAIN (including Burgh)	3294	632	1·92
83	Tarbat	2269	360	1·14
84	Urquhart and Logie-Wester	3147	477	1·51
85	Urray	2355	339	1·44
	Insular.			
*a*86	Barvas	4609	795	1·72
*b*86	Carloway	2204?	?	?
87	Lochs	3568	571	1·61
88	STORNOWAY (including Town)	8668	1396	1·49
89	Uig	2007	351	1·74
	6. INVERNESS.			
	Mainland.			
90	Alvie	833	142	1·70
91	Ardersier	1239	262	2·11
92	Boleskine & Abertarff—			
	(1) Boleskine	813	88	1·08
	(2) Fort-Augustus or Abertarff	930	146	1·58
93	Cromdale and Inverallan	3942	631	1·60
94	Croy and Dalcross	1873	239	1·27
95	Daviot and Dunlichty	1741	256	1·47
96	Dores	1506	205	1·36
97	Glenelg—			
	(1) Glenelg	800	123	1·53
	(2) Knoydart	574	80	1·39
	(3) North Morar	469	96	2·05
98	INVERNESS (including Burgh)	16162	3483	2·15
99	Kilmonivaig			
	(1) Glengarry	625	73	1·16
	(2) Lochaber	1651	205	1·24
100	Kilmorack	2852	403	1·41
101	Kiltarlity	2839	329	1·16
102	Kingussie and Insh	2033	364	1·79
103	Kirkhill	1757	253	1·44
104	Laggan	986	147	1·49
105	Moy and Dalarossie	1026	143	1·39
106	Petty	1671	244	1·46
107	Urquhart, etc.—			
	(1) Urquhart	2294	332	1·44
	(2) Glenormiston	617	85	1·37
	Insular.			
108	Barra	1853	269	1·45
109	Bracadale	1335	205	1·53
110	Duirinish	4775	733	1·53
111	Harris—			
	(1) Harris	3769	578	1·53
	(2) Bernera	336	64	1·90
	(3) St Kilda	78	?	?
112	Kilmuir—			
	(1) Kilmuir	1561	297	1·90
	(2) Stenscholl	1311	221	1·68
113	North Uist	3959	596	1·50
114	Portree and Raasay	3159	505	1·59
115	Sleat	2330	390	1·67
116	Small Isles	567	85	1·50
117	Snizort	2613	409	1·56
118	South Uist (Benbecula, Howmore, and Boisdale)	5358	867	1·62
119	Strath	2664	472	1·77
	III. NORTH-EASTERN DIVISION.			
	7. NAIRN.			
120	Ardclach	1330	203	1·53
121	Auldearn	1328	204	1·53
122	Cawdor	1203	196	1·63
123	NAIRN (incl. Burgh)	4486	982	2·19
	8. ELGIN.			
124	Abernethy and Kincardine	1928	280	1·45
125	Alves	1010	135	1·33
126	Bellie	1967	346	1·76
127	Birnie	411	46	1·12
128	Boharm	1412	207	1·46
129	Dallas	1102	168	1·52
130	Drainy	3028	450	1·48
131	Duffus	3308	571	1·75
132	Duthil, etc.—			
	(1) Duthil	1609	210	1·30
	(2) Rothiemurchus	319	59	1·85
133	Dyke	1247	211	1·69
134	Edinkillie	1303	187	1·43
135	ELGIN (incl. Burgh)	9866	1970	1·99
136	New Spynie	518?	?	?
137	FORRES (incl. Burgh)	4112	898	2·18
138	Kinloss	1315	235	1·78
139	Knockando	1736	274	1·58
140	Rafford	1055	148	1·40
141	Rothes	2407	415	1·72
142	St Andrews Lhanbryde	1344	172	1·28
143	Speymouth	689	108	1·57
144	Urquhart	2532	370	1·46
	9. BANFF.			
145	Aberlour	1665	228	1·37
146	Alvah	1467	156	1·06
147	BANFF—			
	(1) Burgh	6791	1289	1·89
	(2) Landward	949	100	1·05
148	Botriphnie	867	101	1·16
149	Boyndie	1711	283	1·65
150	CULLEN (part of Burgh)	1821	312	1·70
151	Deskford	1031	146	1·41
152	Enzie	2072	346	1·67
153	Fordyce	4145	734	1·77
154	Forglen	783	83	1·06
155	Gamrie	3019	432	1·43
156	Grange	1909	284	1·48

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
157	Inveravon—			
	(1) Inveravon	868	101	1·16
	(2) Auchbreck	1771	321	1·81
158	Inverkeithny	880	109	1·24
159	KEITH	5943	1041	1·75
160	Kirkmichael, etc.—			
	(1) Kirkmichael	551	99	1·79
	(2) Tomintoul	960	199	2·07
161	Marnoch	3289	557	1·69
162	Mortlach	3095	487	1·57
163	Ordiquhill	764	91	1·19
164	Rathven (incl. BUCKIE)	4922	1029	2·09
165	Rothiemay	1414	223	1·57
166	St Fergus	1608	267	1·66
167	Seafield (part of CULLEN)	1725	284	1·64
	10. ABERDEEN.			
168	ABERDEEN—			
	(1) St Nicholas	41962	11484	2·71
	(2) Old Machar	31938	6951	2·18
	(3) Do. (Landward)	1298	151	1·16
169	Aberdour	1837	264	1·44
170	Aboyne	1160	179	1·54
171	Alford	1264	193	1·52
172	Auchindoir	1593	223	1·40
173	Auchterless	2010	291	1·44
174	Belhelvie	1807	262	1·45
175	Birse	1284	146	1·13
176	Bourtie	547	73	1·33
177	Cabrach	794	122	1·54
178	Cairney	1490	247	1·66
179	Chapel of Garioch	2023	282	1·39
180	Clatt	511	66	1·29
181	Cluny	1254	184	1·47
182	Coull	792	115	1·45
183	Crathie and Braemar	1574	236	1·50
184	Crimond	892	140	1·57
185	Cruden	2743	397	1·44
186	Culsamond	1165	139	1·11
187	Daviot	614	91	1·48
188	Drumblade	926	147	1·58
189	Drumoak	996	126	1·26
190	Dyce	585	82	1·40
191	Echt	1287	185	1·43
192	Ellon	3259	446	1·37
193	Fintray	1003	177	1·77
194	Forgue	2686	396	1·47
195	Foveran	1891	244	1·29
196	FRASERBURGH (including Town)	4511	834	1·85
197	Fyvie	*c.* 3264	592	1·81
198	Gartly	1029	127	1·23
199	Glass	1049	148	1·41
200	Glenbucket	552	78	1·41
201	Glenmuick, Tullich, and Glengairn	1668	302	1·81
202	HUNTLY (incl. Town)	4329	814	1·88
203	Insch	1565	264	1·69
204	INVERURIE (including part of Burgh)	2668	531	1·99
205	Keig	811	116	1·43
206	Keith-hall	933	109	1·17
207	Kemnay	832	114	1·37
208	Kildrummy	590	77	1·30
209	Kincardine O'Neil	2186	344	1·57
210	King-Edward	2843	406	1·43
211	Kinnellar	691	90	1·30
212	Kinnethmont	1187	228	1·92
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE)	1895	351	1·84
214	Leochel-Cushnie	1173	159	1·35
215	Leslie	577	89	1 54
216	Logie-Buchan	762	92	1·21
217	Logie-Coldstone	932	153	1·64
218	Longside	3008	477	1·58
219	Lonmay	2142	278	1·29
220	Lumphanan	1251	180	1·44
221	Methlic	2157	302	1·40
*a*222	Midmar	1091	164	1·50
*b*222	Millbrex	*c.* 1295	?	?
223	Monquhitter	*c.* 2365	349	1·47
224	Monymusk	988	125	1·26
225	New Deer	3736	542	1·45
226	Newhills	3463	526	1·52
*a*227	New Machar	1556	242	1·55
*b*227	New Pitsligo	2609	?	?
228	Old Deer	4392	754	1·71
229	Old Meldrum	2343	434	1·85
230	Oyne	1127	170	1·51
231	Peterculter	1410	209	1·48
232	PETERHEAD (incl. Burgh)	9796	1908	1·94
233	Pitsligo	1890	320	1·70
234	Premnay	916	174	1·90
235	Rathen	2554	384	1·50
236	Rayne	1514	198	1·31
*a*237	Rhynie	1061	174	1·64
*b*237	Savoch	2061	?	?
238	Skene	1831	273	1·49
239	Slains	1266	151	1·19
240	Strathdon	1459	235	1·61
241	Strichen	2409	454	1·88
242	Tarland	1246	177	1·42
243	Tarves	2377	354	1·49
244	Tough	874	139	1·59
245	Towie	839	98	1·17
246	Tullynessle and Forbes	957	130	1·36
247	Turriff	3693	633	1·71
248	Tyrie	833	?	?
249	Udny	1623	231	1·42
	11. KINCARDINE.			
250	Arbuthnot	932	117	1·25
251	Banchory-Devenick	2919	450	1·54
252	Banchory-Ternan	2947	594	2·01
253	Benholm	1574	292	1·85
254	BERVIE (incl. Burgh)	1561	297	1·90
255	Dunnottar (incl. part of STONEHAVEN)	1828	366	2·00
256	Durris	1109	148	1·33
257	Fettercairn	1700	256	1·51
258	Fetteresso	5527	990	1·79
259	Fordoun	2297	397	1·73
260	Garvock	458	50	1·09
261	Glenbervie	1219	195	1·60
262	Kinneff and Catterline	1054	122	1·16
263	Laurencekirk	2110	367	1·74
264	Maryculter	1055	140	1·32
265	Marykirk	2068	339	1·64
266	Nigg	2074	341	1·64

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
267	St Cyrus	1552	214	1·38
268	Strachan	870	129	1·48
	IV. EAST-MIDLAND DIVISION.			
	12. Forfar.			
269	Aberlemno	1054	120	1·14
270	Airlie	845	138	1·63
271	Arbirlot	960	128	1·33
272	Arbroath (incl. Burgh)	17831	4405	2·47
273	Auchterhonse	706	94	1·33
274	Barry	2465	484	1·96
275	BRECHIN (incl. Burgh)	8810	1828	2·07
276	Carmylie	1286	175	1·36
277	Careston	225	31	1·37
278	Cortachy and Clova	653	77	1·17
279	Coupar-Angus	2642	563	2·13
280	Craig (including part of MONTROSE)	2177	343	1·57
281	Dun	552	66	1·19
282	DUNDEE—			
	(1) First District	44064	12026	2·72
	(2) Second District	40813	12251	3·00
	(3) Third (or Lochee District)	6787	1835	2·70
283	Dunnichen	1932	338	1·75
284	Eassie and Nevay	748	87	1·16
285	Edzell	1025	156	1·52
286	Farnell	703	107	1·52
287	Fearn	439	63	1·43
288	FORFAR (incl. Burgh)	10838	2514	2·32
289	Glammis	1980	289	1·46
290	Glenisla	1008	149	1·48
291	Guthrie	476	42	0·88
292	Inverarity	961	133	1·38
293	Inverkeillor	1792	256	1·43
294	Kettins	962	124	1·29
295	Kingoldrum	473	51	1·08
296	Kinnell	816	96	1·17
297	Kinnettles	447	60	1·34
298	Kirkden	1862	337	1·81
299	Kirriemuir (incl. Town)	7359	1413	1·92
300	Lethnott and Navar	446	42	0·94
301	Liff, Benvie, and Invergowrie	1430	246	1·72
302	Lintrathen	898	109	1·21
303	Lochlee	495	72	1·45
304	Logie-Pert	1483	170	1·14
305	Lunan	259	32	1·23
306	Lundie	442	62	1·40
307	Mains, etc.—			
	(1) Mains	1392	251	1·80
	(2) Strathmartine	789	111	1·41
308	Marytown	417	56	1·34
309	Menmuir	796	105	1·32
310	Monifieth (incl. part of Broughty Ferry)	5052	1086	2·15
311	Monikie	1460	198	1·35
312	MONTROSE (including part of Burgh)	15668	3714	2·37
313	Murroes	763	117	1·53
314	Newtyle	1139	225	1·97
315	Oathlaw	399	76	1·90
316	Panbride	1299	246	1·89
317	Rescobie	747	95	1·27
318	Ruthven	265	47	1·77
319	St Vigeans	2553	418	1·63
320	Stracathro	546	89	1·44
321	Tannadice	1438	221	1·53
322	Tealing	883	125	1·41
	13. Perth.			
323	Aberdalgie	295	42	1·42
324	Aberfeldy	2402	440	1·83
325	Aberfoyle	565	119	2·10
326	Abernethy	1960	338	1·72
327	Abernyte	310	50	1·61
328	Alyth (including Town)	3198	611	1·91
329	Auchterarder (including Town)	4208	850	2·02
330	Auchtergaven	2562	486	1·89
331	Balquhidder	*c.* 846	129	1·52
332	Bendochy	549	71	1·29
333	Blackford	2084	319	1·23
334	Blair-Athol	1553	308	1·98
335	Blairgowrie (including Town)	4423	1017	2·29
336	Callander	1676	357	2·13
337	Caputh	1728	286	1·65
338	Cargill	1647	256	1·55
339	Clunie	699	105	1·50
340	Collace	534	90	1·68
341	Comrie	*c.* 2126	423	1·99
342	Crieff (including Town)	4490	886	1·99
343	CULROSS (incl. Burgh)	1423	223	1·56
344	Dowally	486	86	1·76
345	Dron	376	47	1·25
346	Dull	753	145	1·92
347	Dunbarney	1035	188	1·81
348	Dunblane	3096	528	1·70
349	Dunkeld	1086	249	2·29
350	Dunning	2084	409	1·96
351	Errol	2759	444	1·61
352	Findo-Gask	399	75	1·88
353	Forgandenny	739	104	1·41
354	Forteviot	595	78	1·31
*a*355	Fortingall	1244	190	1·52
*b*355	Foss*	381	43	1·25
356	Fowlis-Easter	317	37	1·17
357	Fowlis-Wester	1276	203	1·59
358	Glendevon	138	16	1·16
359	Inchture	659	116	1·76
360	Kenmore	1515	246	1·62
361	Killin	1681	318	1·89
362	Kilmadock	3312	672	2·03
363	Kilspindie	665	107	1·61
364	Kincardine	1778	345	1·94
365	Kinclaven	758	120	1·58
366	Kinfauns	659	102	1·54
367	Kinloch-Rannoch	1147	180	1·57
368	Kinnaird	318	56	1·76
369	Kinnoull	796	127	1·59
370	Kirkmichael & Glenshee	1146	199	1·73
371	Lecropt	538	90	1·67
372	Lethendy and Kinloch	530	66	1·24
373	Little Dunkeld	2089	429	2·05
374	Logie (including part of STIRLING)	3483	631	1·81
375	Logiealmond	815	119	1·46
376	Logierait	1902	364	1·91

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
377	Longforgan	1823	321	1·76
378	Madderty	536	89	1·66
379	Meigle	1122	171	1·52
380	Methven	2290	421	1·84
381	Moneydie	252	26	1·03
382	Monzie	461	53	1·15
383	Monzievaird	782	115	1·47
384	Moulin	1605	292	1·82
385	Muckhart	615	81	1 32
*a*386	Muthill	2008	555	2·76
*b*386	Persie	839	?	?
7	PERTH (incl. Burgh)	26094	6793	2 60
38	Port of Menteith	1375	210	1·53
38	Rattray	2234	412	1·84
39	Redgorton	1596	265	1·66
39	Rhynd	297	50	1·68
39	St Madoes	280	35	1·25
39	St Martins	904	122	1·35
*a*394	Scone	2153	409	1 90
*b*394	Strathfillan	411	?	?
*c*394	Tenandry*	595	91	1·69
395	Tibbermore	1182	159	1·34
396	Trinity-Gask	488	63	1·29
397	Tulliallan (including KINCARDINE)	2410	505	2 09
398	Weem	215	45	2·09
	14. FIFE.			
399	Abbotshall	808	91	1·13
400	Abdie	1257	189	1·50
401	Aberdour	1874	315	1·68
402	ANSTRUTHER-EASTER (part of Burgh)	1155	231	2·00
403	ANSTRUTHER-WESTER (including Burgh)	438	98	2·23
404	Arngask	705	86	1·22
405	Auchterderran	3457	681	1·97
406	AUCHTERMUCHTY (including Burgh)	3285	654	1·99
407	Auchtertool	609	106	1·74
408	Ballingry	736	181	2·46
409	Balmerino	815	152	1·86
410	Beath	2390	468	1·96
411	BURNTISLAND (including Burgh)	3670	656	1 79
412	Cameron	1362	151	1·11
413	Carnbee	1157	146	1·26
414	Carnock	2925	493	1·68
415	Ceres	2723	422	1·55
416	Collessie	1530	241	1·57
417	CRAIL (incl. Burgh)	1931	432	2·23
418	Creich	377	67	1·77
419	Cults	800	156	1·95
420	CUPAR (incl. Burgh)	6750	1359	2·01
421	Dairsie	638	109	1 71
422	Dalgetty	1569	240	1·53
423	Dunbog	414	42	1·01
424	DUNFERMLINE— (1) Burgh	13506	2839	2·12
	(2) Landward	7609	1780	2·33
425	Dunino	370	51	1·38
426	DYSART (incl. Burgh)	8842	1646	1·86
427	Elie	826	162	1·96
428	FALKLAND (including Burgh)	2937	549	1·87
429	Ferry-Port-on-Craig	2013	387	1·92
430	Flisk	230	37	1·61
431	Forgan	1326	208	1·57
432	INVERKEITHING (including Burgh)	3196	580	1·81
433	Kemback	896	145	1·62
434	Kennoway	2012	346	1·71
435	Kettle	2474	394	1·59
436	Kilconquhar (including EARLSFERRY)	2431	400	1·65
437	Kilmany	656	97	1·47
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER)	2534	411	1·62
439	KINGHORN (including Burgh)	2349	602	2·56
440	Kinglassie	1266	201	1·59
441	Kingsbarns	937	153	1·63
442	KIRKCALDY (including Burgh)	11117	2121	1·90
443	Largo	2626	408	1·55
444	LESLIE (including Town)	4332	814	1·76
445	Leuchars	1903	354	1·86
446	Logie	410	60	1·46
447	Markinch	5375	1065	1·98
448	Monimail	1054	167	1·58
449	Moonzie	179	34	1·90
450	NEWBURGH (including Burgh)	2693	601	2·23
451	Newburgh	374	56	1·50
452	PITTENWEEM (including Burgh)	1710	308	2·09
453	ST ANDREWS & ST LEONARDS (incl. ST ANDREWS)	7605	1483	1·95
454	St Monance (or Abercrombie)	1498	288	1·92
455	Saline	1610	247	1·53
456	Scoonie (incl. LEVEN)	3257	650	1·99
457	Strathmiglo	2261	423	1·87
458	Torryburn	1229	243	1·97
459	Wemyss	6003	1151	1·91
	15. KINROSS.			
460	Cleish	649	85	1·31
461	Fossoway and Tulliebole	1584	220	1·39
462	KINROSS (incl. Town)	2649	524	1·98
463	Orwell	2399	413	1·72
464	Portmoak	1450	254	1·75
465	ALLOA (including Town)	8867	1907	2·15
466	Clackmannan	4425	867	1·96
467	Dollar	1776	305	1·71
468	TILLICOULTRY (including Town)	5054	997	1·97
	V. WEST-MIDLAND DIVISION.			
	17. STIRLING.			
469	Airth	1194	241	2·02
470	ALVA (including Town)	3283	641	1·95

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
471	Baldernock	718	121	1·68
472	Balfron	1517	373	2·45
473	Bothkennar	1722	299	1·73
474	Buchanan	705	111	1·57
475	Campsie (including Lennoxtown)	6483	1361	2·09
476	Denny (including Town)	4988	1008	2·02
477	Drymen	1619	281	1·11
478	Dunipace	1731	350	2·02
479	FALKIRK—			
	(1) Burgh	9030	2157	2·38
	(2) Landward	7996	1574	1·96
480	Fintry	685	129	1·88
481	Gargunnock	728	100	1·37
482	Killearn	1171	194	1·66
483	Kilsyth (incl. Town)	6112	1474	2·41
484	Kippen	1722	379	2·20
485	Larbert	4999	1014	2·02
486	Muiravonside	2660	439	1·65
487	Polmont	4111	699	1·70
488	St Ninians (including Bannockburn)	6648	1353	2·03
489	Slamannan	2916	534	1·83
490	STIRLING (including part of Burgh)	14012	3241	2·31
491	Strathblane	1388	206	1·49
	18. Dumbarton.			
492	Arrochar	629	105	1·67
493	Bonhill (incl. Town and Alexandria)	9059	1668	1·84
494	Cardross (incl. Renton)	4168	957	2·29
495	Cumbernauld	3513	622	1·77
496	DUMBARTON (including Burgh)	8268	2135	2·58
497	Kilmaronock	1085	135	1·24
498	Kirkintilloch (including Town)	8179	1903	2·32
499	Luss	831	155	1·85
500	New, or East, Kilpatrick	4910	992	2·02
501	Old, or West, Kilpatrick (incl. Duntocher)	5577	1404	2·51
502	Roseneath	1626	238	1·46
503	Row (incl. Helensburgh)	6334	1235	1·95
	19. Argyll.			
	Mainland.			
504	Ardchattan	1381	213	1·54
505	Ardnamurchan—			
	(1) Aharacle	1544	217	1·40
	(2) Arisaig	1343	153	1·14
	(3) Sunart (or Strontian)	759	117	1·54
	(4) Western District	1054	169	1·60
506	Ballachulish and Corran of Ardgour	919	128	1·39
507	CAMPBELTOWN (including Burgh)	8149	1537	1·88
508	Craignish	618	115	1·86
509	Cumlodden	1033	150	1·45
510	Dunoon and Kilmun (including Dunoon and Kirn)	5461	1013	1·85
511	Glassary	1769	316	1·83
512	Glenorchy and Inishail	1307	217	1·66
513	INVERARAY (including Burgh)	1650	303	1·83
514	Inverchaolain	424	64	1·51
515	Kilbrandon & Kilchattan	2053	380	1·85
516	Kilcalmonell, etc.—			
	(1) Kilcalmonell	742	143	1·93
	(2) Kilberry	583	79	1·35
517	Kilchrenan, etc.—			
	(1) Kilchrenan	385	77	2·00
	(2) Dalavich	230	46	2·00
518	Kilfinan	1891	331	1·75
519	Killean and Kilchenzie	1890	243	1·28
520	Kilmallie	3353	652	1·94
521	Kilmartin	949	146	1·53
522	Kilmodan	433	75	1·73
523	Kilmore and Kilbride (incl. OBAN)	2962	647	2·18
524	Kilninver, etc.—			
	(1) Kilninver	314	64	2·04
	(2) Kilmelford	486	73	1·50
525	Lismore, etc.—			
	(1) Lismore	1023	203	1·99
	(2) Appin	825	121	1·47
	(3) Glencoe and Ballachulish	1324	207	1·56
	(4) Duror	423	62	1·46
526	Lochgilphead	3312	575	1·74
527	Lochgoilhead and Kilmorich	702	113	1·61
528	Morvern	1226	211	1·72
529	Muckairn	729	138	1·89
530	North Knapdale	1327	232	1·75
531	Saddell, etc.—			
	(1) Saddell	739	98	1·33
	(2) Skipness	533	106	1·99
532	Southend	1214	172	1·42
533	South Knapdale	654	84	1·28
534	Stralachlan, etc.—			
	(1) Stralachlan	309	61	1·97
	(2) Strachur	563	107	1·90
535	Tarbert	1661	336	2·02
	Insular.			
536	Bowmore (or Kilarrow)	2701	486	1·80
537	Gigha	467	66	1·41
538	Iona	743	125	1·68
539	Jura, etc.—			
	(1) Jura	858	107	1·25
	(2) Colonsay	598	87	1·45
540	Kilchoman	2377	450	1·89
541	Kildalton	2187	342	1·56
542	Kilfinichen & Kilvickeon	1792	270	1·51
543	Kilmeny	1268	263	2·07
544	Kilninian and Kilmore	1641	249	1·46
545	Kinlochspelvie	428	62	1·45
546	Oa	769	97	1·26
547	Portnahaven	1059	226	2·13
548	Salen	604	103	1·70
549	Tobermory	1566	361	2·30
550	Torosay	557	95	1·70
551	Tyree, etc.—			
	(1) Tyree	3217	502	1·56
	(2) Coll	781	130	1·66

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent to Population.
	20. Bute.			
552	Cumbraes	1256	261	2·08
553	Kilbride (part of)	2253	405	1·79
554	Kilmory	2515	446	1·77
555	Kingarth	905	141	1·56
556	Lochranza	824	113	1·37
557	North Bute	1351	224	1·66
558	ROTHESAY	7227	1856	2·57
	VI. SOUTH-WESTERN DIVISION.			
	21. Renfrew.			
559	Abbey—			
	(1) Part of PAISLEY	15889	4050	2·54
	(2) Landward (incl. part of Barrhead)	5670	1006	1·73
	(3) Johnstone (incl. Town)	8142	2072	2·54
560	Cathcart	3782	686	1·81
561	Eaglesham	2328	386	1·66
562	Eastwood	11314	2527	2·23
563	Erskine	1457	229	1·57
564	Greenock—			
	(1) New, or Middle	9446	3379	3·56
	(2) East	12135	3144	2·59
	(3) Old, or West	22313	7960	3·56
565	Houstoun and Killellan	2490	489	1·96
566	Inchinnan	619	95	1·53
567	Innerkip—			
	(1) Innerkip	1188	223	1·87
	(2) Gourock (incl. Town)	2307	593	2·57
568	Kilbarchan	6348	1328	2·09
569	Kilmalcolm	1455	268	1·84
570	Lochwinnoch	3821	813	2·13
571	Mearns	3547	680	1 92
672	Neilston (incl. part of Barrhead)	11013	2102	1·90
573	PAISLEY—			
	(1) High	14900	3470	2 32
	(2) Low	6712	2307	3·43
	(3) Middle	9926	3073	3·09
574	PORT-GLASGOW (including Burgh)	7294	2413	3·30
575	RENFREW (iucluding Burgh)	4650	991	2·13
	22. Ayr.			
576	Ardrossan	6776	1328	1·96
577	Auchinleck	4213	902	2·14
578	AYR (including Burgh)	19659	4703	2·39
579	Ballantrae	1483	252	1·70
580	Barr	910	126	1·39
581	Beith (including Town)	5775	1251	2·16
582	Colmonell	2588	356	1·37
583	Coylton	1604	212	1·32
584	Craigie	730	104	1·42
585	Dailly	2050	349	1·70
586	Dalmellington	4194	861	2·05
587	Dalry (including Town)	11156	2748	2·46
588	Dalrymple	1325	219	1·65
589	Dreghorn	3283	489	1·49
590	Dundonald (incl. Troon)	4694	823	1·75
591	Dunlop	1038	167	1·61
592	Fenwick	1532	289	1·88
593	Galston (incl. Town)	5254	1039	1·97
594	Girvan (including Town)	7053	1503	2·13
595	IRVINE (incl. Burgh)	8607	2129	2·47
596	Kilbirnie (incl. Town)	5265	1262	2·40
597	KILMARNOCK (including part of Burgh)	23556	5866	2·49
598	Kilmaurs	3526	690	1·96
599	Kilwinning (incl. Town)	7717	1561	2·02
600	Kirkmichael	2823	483	1·71
601	Kirkoswald	2060	248	1·20
602	Largs (including Town)	3620	735	2·03
603	Loudoun (including Newmilns)	4840	935	1·93
604	Mauchline	2303	461	2·00
605	Maybole (incl. Town)	6713	1342	1·99
606	Monkton and Prestwick	1937	359	1·85
607	Muirkirk (incl. Town)	3270	633	1·93
608	New Cumnock	2891	471	1·63
609	Ochiltree	1676	239	1·43
610	Old Cumnock (including Town)	3721	755	2·03
611	Riccarton (incl. part of KILMARNOCK)	5629	1248	2·21
612	St Quivox and Newton-upon-Ayr	1870	382	2·04
613	Sorn (incl. Catrine)	4042	868	2·14
614	Stair	743	87	1·17
615	Stevenston (including Town and part of Saltcoats)	5452	1430	2·62
616	Stewarton (incl. Town)	4449	912	2·05
617	Straiton	1544	233	1·51
618	Symington	855	114	1·33
619	Tarbolton	2669	610	2·28
620	West Kilbride	1968	310	1·57
	23. Lanark.			
621	Avondale (including Strathaven)	6125	1309	2·13
622	Barony—			
	(1) Maryhill (incl. Town and part of GLASGOW)	6734	1685	2·50
	(2) Springburn (including part of GLASGOW)	8911	4648	5·21
	(3) Shettleston	6914	1501	2·17
623	Biggar	1999	373	1·86
624	Blantyre	3092	591	1·91
625	Bothwell—			
	(1) Bothwell (incl. Bellshill)	7059	1619	2·29
	(2) Holytown	10844	2355	2·17
*a*626	Cadder	5948	1085	1·82
*b*626	Calderhead	*c.* 3789	?	?
627	Cambuslang	3647	642	1·76
628	Cambusnethan (incl. part of Wishaw)	*c.* 13377	2654	1·98
629	Carluke (incl. Town)	6176	1185	1·91
630	Carmichael	836	128	1·53
631	Carmunnock	734	113	1·54
632	Carnwath	3584	635	1·77

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
633	Carstairs	1345	189	1·40
634	Covington & Thankerton	532	83	1·56
635	Crawford	1590	309	1·94
636	Crawfordjohn	980	148	1·51
637	Culter	665	93	1·40
638	Dalserf—			
	(1) Larkhall (incl. Town)	3629	786	2·18
	(2) Dalserf	1247	208	1·66
639	Dalziel (incl. Motherwell)	5438	1227	2·25
640	Dolphington	260	37	1·42
641	Douglas	2490	560	2·25
642	Dunsyre	312	43	1·38
643	East Kilbride	4064	722	1·77
644	GLASGOW—			
	(1) Central District	49678	18230	3·66
	(2) High	48119	19884	4·13
	(3) Bridgeton	45485	12406	2·72
	(4) Calton	36625	11471	3·13
	(5) Clyde	29975	10180	3·39
	(6) Blythswood	28697	5562	1·93
	(7) Milton	33360	8933	2·67
	(8) Anderston	40945	10436	2·54
	(9) Tradeston	38600	10381	2·68
	(10) Hutchesontown	44019	12348	2·80
645	Glassford	1938	389	2·01
646	Govan—			
	(1) Govan (incl. Town)	13725	3380	2·47
	(2) Partick (including Town)	14859	3526	2·36
647	HAMILTON (including Burgh)	14047	3114	2·21
648	LANARK (incl. Burgh)	7891	1771	2·24
649	Lesmahagow	9266	1659	1·79
650	Libberton	836	106	1·27
651	New Monkland—			
	(1) AIRDRIE	12922	3194	2·47
	(2) Landward	7632	1797	2·35
652	Old Monkland—			
	(1) Western District	6932	1612	2·32
	(2) Middle District (including Coatbridge)	15303	3736	2·44
	(3) Eastern District (incl. Calderbank)	7308	1436	1·96
653	Pettinain	407	64	1·57
654	RUTHERGLEN (including Burgh)	9335	2261	2·42
655	Shotts (part of)	*c.* 4778	1101	2·30
656	Stonehouse (incl. Town)	3267	595	1·82
657	Symington	528	90	1·70
658	Walston	480	82	1·71
659	Wandell and Lamington	380	58	1·53
660	Wiston and Roberton	786	104	1·32

VII. SOUTH-EASTERN DIVISION.

24. Linlithgow.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
661	Abercorn	965	206	2·13
662	Bathgate (incl. Town and Armadale)	10134	2233	2·20
663	Borrowstounness (including Town)	5698	1156	2·03
664	Carriden	1821	340	1·87
665	Dalmeny	804	126	1·57
666	Ecclesmachen	309	31	1·00
667	Kirkliston	1907	328	1·72
668	LINLITHGOW—			
	(1) Burgh	3843	855	2·22
	(2) Landward	1941	381	1·96
669	Livingstone	1366	239	1·75
670	QUEENSFERRY (including Burgh)	1391	307	2·20
671	Torphichen	1848	299	1·62
672	Uphall	1507	245	1·62
673	Whitburn	5511	929	1·68

25. Edinburgh.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
674	Borthwick	1742	291	1·67
675	Carrington	681	61	0·89
676	Cockpen	2902	543	1·87
677	Colinton	2656	457	1·72
678	Corstorphine	1579	293	1·85
679	Cramond	2695	469	1·74
680	Cranston	1035	179	1·73
681	Crichton	1304	261	2·00
682	Currie	2248	390	1·74
683	Dalkeith (incl. Town)	7114	1629	2·29
684	Duddingstone—			
	(1) PORTOBELLO	4366	868	1·98
	(2) Landward	857	138	1·60
685	EDINBURGH	170444	43119	2·53
686	Fala and Soutra	382	66	1·73
687	Glencross	1217	141	1·16
688	Heriot	407	55	1·35
689	Inveresk (including MUSSELBURGH)	9518	2471	2·59
690	Kirknewton and East-Calder	1549	258	1·66
691	Lasswade	5688	1075	1·89
692	LEITH—			
	(1) North Leith	11562	2377	2·05
	(2) South Leith	24467	6107	2·49
693	Liberton	3510	714	2·03
694	Mid-Calder	1389	210	1·51
695	Newbattle	2837	517	1·82
696	Newton	1553	262	1·69
697	Penicuick	3249	564	1·73
698	Ratho	1659	275	1·65
699	Stow	2171	271	1·25
700	Temple	1385	250	1·80
701	West-Calder	1927	379	1·97

26. Haddington.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
702	Aberlady	1019	168	1·65
703	Athelstaneford	902	136	1·51
704	Bolton	332	54	1·63
705	Dirleton	1540	231	1·50
706	DUNBAR (incl. Burgh)	4944	930	1·88
707	Garvald	891	111	1·25
708	Gladsmuir	1945	341	1·75
709	HADDINGTON (including Burgh)	5548	1200	2·16
710	Humbie	997	123	1·23
711	Innerwick	937	129	1·38

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
712	Morham	281	40	1·42
713	NORTH BERWICK (including Burgh)	2071	327	1·58
714	Oldhamstocks	615	85	1·38
715	Ormiston	915	156	1·70
716	Pencaitland	1187	247	2·08
717	Prestonkirk	1960	330	1·68
718	Prestonpans	2080	451	2·16
719	Salton	712	94	1·32
720	Spott	555	91	1·64
721	Stenton	692	103	1·49
722	TRANENT (incl. Town)	4647	1014	2·18
723	Whitekirk and Tynninghame	1113	179	1·61
724	Whittinghame	710	88	1·24
725	Yester (or Gifford)	1033	160	1·55
	27. BERWICK.			
726	Abbey St Bathans	179	10	0·56
727	Ayton	2014	370	1·83
728	Bunkle and Preston	756	83	1·10
729	Channelkirk	671	103	1·53
730	Chirnside	1502	238	1·58
731	Cockburnspath	1194	158	1·32
732	Coldingham	3241	532	1·64
733	Coldstream	2823	567	2·01
734	Cranshaws	134	10	0·74
735	DUNSE (including Town)	3595	690	1·92
736	Earlston	1825	296	1·62
737	Eccles	1861	264	1·42
738	Edrom	1592	189	1·18
739	Eyemouth	1804	347	1·92
740	Fogo	559	58	1·04
741	Foulden	431	54	1·25
742	Gordon	931	123	1·32
743	Greenlaw	1370	236	1·72
744	Hume	420	47	1·12
745	Hutton	1067	147	1·38
746	Ladykirk	564	95	1·68
747	Langton	502	73	1·45
748	LAUDER (incl. Burgh)	2198	379	1·72
749	Legerwood	599	79	1·32
750	Longformacus	448	60	1·34
751	Merton	729	90	1·23
752	Mordington	377	59	1·59
753	Nenthorn	461	52	1·13
754	Polwarth	251	33	1·31
755	Swinton	964	171	1·77
756	Westruther	786	115	1·46
757	Whitsome	640	95	1·48
	28. PEEBLES.			
758	Broughton	297	31	1·04
759	Drumelzier	209	34	1·62
760	Eddlestone	753	99	1·31
761	Glenholm	198	21	1·06
762	Innerleithen	1823	274	1·41
763	Kilbucho	228	33	1·44
764	Kirkurd	362	59	1·63
765	Lyne, etc.—			
	(1) Lyne	81	11	1·36
	(2) Megget	53	3	0·56
766	Manor	247	34	1·37
767	Newlands	987	151	1·53
768	PEEBLES (incl. Burgh)	2850	599	2·06
769	Skirling	317	40	1·26
770	Stobo	478	60	1·25
771	Traquair	687	80	1·16
772	Tweedsmuir	196	22	1·12
773	West Linton	1534	329	2·14
	29. SELKIRK.			
774	Ettrick	454	47	1·03
775	GALASHIELS (including part of Town)	3379	666	1·97
776	Kirkhope	555	73	1·31
777	Roberton	640	96	1·50
778	SELKIRK (incl. Burgh)	4739	805	1·69
779	Yarrow	643	80	1·24
	VII. SOUTHERN DIVISION.			
	30. ROXBURGH.			
780	Ancrum	1511	227	1·50
781	Ashkirk	578	68	1·18
782	Bedrule	222	30	1·35
783	Bowden	864	160	1·85
784	Castleton	3688	480	1·30
785	Cavers	1824	269	1·47
786	Crailing	673	90	1·33
a787	Eckford	957	125	1·30
b787	Edgerston*	359	45	1·39
788	Ednam	599	75	1·25
789	HAWICK (including part of Town)	8726	2239	2·56
790	Hobkirk	771	115	1·49
791	Hownam	289	29	1·00
792	JEDBURGH (including Burgh)	5011	942	1·88
793	KELSO (including Town)	5192	1093	2·10
794	Kirkton	421	53	1·26
795	Lilliesleaf	772	108	1·40
796	Linton	608	60	0·99
797	Makerston	380	51	1·34
798	Maxton	497	74	1·49
799	Melrose—			
	(1) Melrose	3557	670	1·88
	(2) Ladhope (including part of GALASHIELS)	4154	834	2·01
800	Minto	430	47	1·09
801	Morebattle	1031	148	1·43
802	Oxnam	592	77	1·30
803	Roxburgh	1178	194	1·64
804	St Boswells	865	146	1·69
805	Smailholm	554	92	1·66
806	Southdean	687	66	0·96
807	Sprouston	1305	200	1·53
808	Stitchel	425	40	0·94
809	Teviothead	438	54	1·23
810	WILTON (incl. Town and part of HAWICK)	3357	709	2·11
811	Yetholm	1207	240	1·99

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
	31. DUMFRIES.			
812	ANNAN (including part of Burgh)	5113	1101	2·15
*a*813	Applegarth	935	136	1·45
*b*813	Brydekirk (incl. part of ANNAN)*	779	140	2·00
814	Canonbie	3219	558	1·73
815	Carlaverock	1248	213	1·71
816	Closeburn	1651	239	1·44
817	Cummertrees	1184	223	1·88
818	Dalton	679	96	1·41
819	Dornock	856	144	1·68
820	Dryfesdale	2509	514	2·05
821	DUMFRIES (including part of Burgh)	13523	3692	2·73
822	Dunscore	1554	236	1·52
823	Durrisdeer	1320	196	1·48
824	Eskdalemuir	590	83	1·41
825	Ewes	356	54	1·52
826	Glencairn	1867	406	2·17
827	Graitney (or Gretna)	1620	315	1·94
828	Halfmorton	713	90	1·26
829	Hoddam	1568	293	1·87
830	Holywood	1115	188	1·68
831	Hutton	876	104	1·18
832	Johnstone	1149	178	1·55
833	Keir	849	150	1·77
834	Kirkconnel	996	162	1·63
835	Kirkmahoe	1462	293	2·00
836	Kirkmichael	1026	136	1·32
837	Kirkpatrick-Fleming	1925	343	1·78
838	Kirkpatrick-Juxta	1025	154	1·50
839	Langholm	2979	752	2·52
840	LOCHMABEN (including Burgh)	3087	674	2·17
841	Middlebie	2004	341	1·70
842	Moffat	2232	444	1·98
843	Morton	2253	487	2·16
844	Mousewald	633	102	1·61
845	Penpont	1326	249	1·88
846	Ruthwell	1046	164	1·57
847	St Mungo	686	84	1·22
848	SANQUHAR (including Burgh)	2758	566	2·05
849	Tinwald	1079	174	1·61
850	Torthorwald	1254	254	2·02
851	Tundergarth	507	83	1·63
852	Tynron	446	77	1·72
*a*853	Wamphray	559	87	1·54
*b*853	Wanlockhead*	811	129	1·77
854	Westerkirk	537	86	1·60
	32. KIRKCUDBRIGHT.			
855	Anwoth	899	143	1·59
856	Balmaclellan	890	159	1·79
*a*857	Balmaghie	1225	208	1·70
*b*887	Bargrennan	*c.* 500	?	?
858	Borgue	1162	142	1·22
859	Buittle	1165	159	1·36
860	Carsphairn	553	97	1·75
861	Colvend	1366	181	1·32
862	Corsock Bridge	544	71	1·30
863	Crossmichal	1536	300	1·95
864	Dalbeattie	2054	455	2·21
865	Dalry	1149	204	1·77
866	Girthon	1702	300	1·76
867	Irongray	913	138	1·51
868	Kells (including NEW GALLOWAY)	1170	183	1·56
869	Kelton	3436	685	1·99
870	Kirkbean	942	127	1 35
871	KIRKCUDBRIGHT (including Burgh)	3407	812	2·38
872	Kirkgunzeon	793	121	1·53
873	Kirkmabreck	1851	361	1·95
874	Kirkpatrick-Durham	1323	271	1·29
875	Lochrutton	677	123	1·82
876	Minnigaff	*c.* 1554	293	1·88
877	New Abbey	1063	191	1·80
878	Parton	572	75	1·31
879	Rerrick	1738	297	1·71
880	Terregles (incl. part of DUMFRIES)	580	86	1·48
881	Tongland	892	147	1·65
882	Troqueer (incl. part of DUMFRIES)*	4743	1032	2·42
883	Tynholm	815	123	1·51
884	Urr	1531	267	1·74
	33. WIGTOWN.			
885	Glasserton	1472	190	1·29
886	Inch	2460	357	1·45
887	Kirkcolm	1860	304	1·63
888	Kirkcowan	1434	287	2·00
889	Kirkinner	1716	260	1·51
890	Kirkmaiden	2333	387	1·65
891	Leswalt	1417	206	1·45
892	Mochrum	2694	472	1·75
893	New Luce	731	106	1·45
894	Old Luce (or Glenluce)	2800	477	1·70
895	Penninghame (incl. NEWTON-STEWART)	*c.* 3811	768	2·01
896	Portpatrick	2189	362	1·65
897	Sorbie	1814	313	1·72
898	Stoneykirk	3228	493	1·49
899	STRANRAER (including Burgh)	6315	1588	2·51
900	WHITHORN (including Burgh)	2934	586	1 99
901	WIGTOWN (including Burgh)	2637	511	1·93

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23), these being numbered consecutively from 1 to 901.**

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 124
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchbreck, 157
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, . 177
Cadder, . 626
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, 86*b*
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 132
Dyce, . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 734
Eassie & Nevay, 286

* The actual number of Districts is 1018—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenmoriston, 107
Glenmuick, Tullich, &c. 201
Glenorchy and Inishail, . 512
Glenrinnes, 155*b*
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 93
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, . 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmalie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 509
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edinburgh), . 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, . 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 770
Mains, . 833

Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222*b*
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Cumnock, 608
New Deer, 225
New Galloway, 868
New Kilpatrick, 500
Newhills, . 226
Newington, 685
Newlands, . 767
New Ardrossan, 576
New Luce, . 893
New Machar, 227*a*
New Monkland, 651
New Pitsligo, 227*b*
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386*b*
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, . 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718
Queensferry, 670

Rafford, . 140
Raasay, . 114
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilshay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrews (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clements 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Marys . 282
St Martins, 393
St Michaels, 668
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peters . 282
St Quivox, &c., 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237*b*
Scone, . 394*a*
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathoykell, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394*c*
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853*a*
Wandell and Lamington, 659
Wanlockhead, 853*b*
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811

EDINBURGH : PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.